

Name	Version	Description
commandlineparser.2.9.1.nupkg	2.9.1	Terse syntax C# command line parser for .NET. For FSharp support see CommandLineParser.FSharp. The...
communitytoolkit.mvvm.8.0.0.nupkg	8.0.0	This package includes a .NET MVVM library with helpers such as: - ObservableObject: a base class for objects implementing the INotifyPropertyChanged interface.
configureawaitchecker.analyser.5.0.0.1.nupkg	5.0.0.1	Checks for `ConfigureAwait(false)` usage. More info: * https://www.tabsoverspaces.com/id/233852 * h...
coverlet.collector.6.0.4.nupkg	6.0.4	Coverlet is a cross platform code coverage library for .NET, with support for line, branch and method coverage.
fontawesome.sharp.6.1.1.nupkg	6.1.1	A library for embedding Font Awesome icons in WPF & Windows Forms applications
identitymodel.7.0.0.nupkg	7.0.0	OpenID Connect & OAuth 2.0 client library
lindhart.analyser.missingawaitwarning.2.0.0.nupkg	2.0.0	When using dependency injection and async-await pattern it is possible to end up with an interface w...
LoginVSI.Core.Logging.Configuration-1.4.1	1.4.1	
microsoft.aspnetcore.connections.abstractions.6.0.9.nupkg	6.0.9	Core components of ASP.NET Core networking protocol stack.

		This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.aspnetcore.http.connections.client.6.0.9.nupkg	6.0.9	Client for ASP.NET Core Connection Handlers This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.aspnetcore.http.connections.common.6.0.9.nupkg	6.0.9	Common primitives for ASP.NET Connection Handlers and clients This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.aspnetcore.signalr.client.6.0.9.nupkg	6.0.9	Client for ASP.NET Core SignalR This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.aspnetcore.signalr.client.core.6.0.9.nupkg	6.0.9	Client for ASP.NET Core SignalR This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2

microsoft.aspnetcore.signalr.common.6.0.9.nupkg	6.0.9	Common serialization primitives for SignalR Clients Servers This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.aspnetcore.signalr.protocols.json.6.0.9.nupkg	6.0.9	Implements the SignalR Hub Protocol using System.Text.Json. This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
microsoft.codecoverage.17.1.0.nupkg	17.1.0	Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and...
microsoft.entityframeworkcore.6.0.0.nupkg	6.0.0	Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change ...
microsoft.entityframeworkcore.abstractions.6.0.0.nupkg	6.0.0	Provides abstractions and attributes that are used to configure Entity Framework Core
microsoft.extensions.caching.abstractions.8.0.0.nupkg	8.0.0	Caching abstractions for in-memory cache and distributed cache. Commonly Used Types: Microsoft.Extensions.Caching.Distributed.IDistributedCache Microsoft.Extensions.Caching.Memory.IMemoryCache

microsoft.extensions.caching.memory.8.0.1.nupkg	8.0.1	In-memory cache implementation of Microsoft.Extensions.Caching.Memory.IMemoryCache.
microsoft.extensions.configuration.8.0.0.nupkg	8.0.0	Implementation of key-value pair based configuration for Microsoft.Extensions.Configuration. Includes the memory configuration provider.
microsoft.extensions.configuration.9.0.2.nupkg	9.0.2	Implementation of key-value pair based configuration for Microsoft.Extensions.Configuration. Includes the memory configuration provider.
microsoft.extensions.configuration.abstractions.8.0.0.nupkg	8.0.0	Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.
microsoft.extensions.configuration.abstractions.9.0.2.nupkg	9.0.2	Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.
microsoft.extensions.configuration.binder.8.0.0.nupkg	8.0.0	Provides the functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration. This package enables you to represent the configuration data as strongly-typed classes

		defined in the application code.
microsoft.extensions.configuration.commandline.8.0.0.nupkg	8.0.0	Command line configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read configuration parameters from the command line arguments of your application.
microsoft.extensions.configuration.environmentvariables.8.0.0.nupkg	8.0.0	Environment variables configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read configuration parameters from environment variables.
microsoft.extensions.configuration.fileextensions.8.0.0.nupkg	8.0.0	Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.
microsoft.extensions.configuration.fileextensions.9.0.2.nupkg	9.0.2	Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.
microsoft.extensions.configuration.json.8.0.0.nupkg	8.0.0	JSON configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read your application's settings from a JSON file.
microsoft.extensions.configuration.json.9.0.2.nupkg	9.0.2	JSON configuration provider implementation for

		Microsoft.Extensions.Configuration. This package enables you to read your application's settings from a JSON file. You can use <code>JsonConfigurationExtensions.AddJsonFile</code> extension method on <code>IConfigurationBuilder</code> to add the JSON configuration provider to the configuration builder.
microsoft.extensions.configuration.usersecrets.8.0.0.nupkg	8.0.0	User secrets configuration provider implementation for Microsoft.Extensions.Configuration. User secrets mechanism enables you to override application configuration settings with values stored in the local secrets file.
microsoft.extensions.dependencyinjection.8.0.0.nupkg	8.0.0	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
microsoft.extensions.dependencyinjection.abstractions.6.0.0.nupkg	6.0.0	Abstractions for dependency injection. Commonly Used Types: Microsoft.Extensions.DependencyInjection...
microsoft.extensions.dependencyinjection.abstractions.8.0.0.nupkg	8.0.0	Abstractions for dependency injection. Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection
microsoft.extensions.dependencyinjection.abstractions.8.0.2.nupkg	8.0.2	Abstractions for dependency injection. Commonly Used Types: Microsoft.Extensions.Depe

		ndencyInjection.IServiceCollection
microsoft.extensions.dependencymodel.8.0.0.nupkg	8.0.0	Provides abstractions for reading <code>` .deps `</code> files. When a .NET application is compiled, the SDK generates a JSON manifest file (<code>` <ApplicationName>.deps .json `</code>) that contains information about application dependencies.
microsoft.extensions.dependencymodel.8.0.1.nupkg	8.0.1	Provides abstractions for reading <code>` .deps `</code> files. When a .NET application is compiled, the SDK generates a JSON manifest file (<code>` <ApplicationName>.deps .json `</code>) that contains information about application dependencies. You can use <code>` Microsoft.Extensions.DependencyModel `</code> to read information from this manifest at run time. This is useful when you want to dynamically compile code (for example, using Roslyn Emit API) referencing the same dependencies as your main application. By default, the dependency manifest contains information about the application's target framework and runtime dependencies. Set the <code>PreserveCompilationContext</code> project property to <code>` true `</code>

		to additionally include information about reference assemblies used during compilation.
microsoft.extensions.diagnostics.8.0.0.nupkg	8.0.0	This package includes the default implementation of IMeterFactory and additional extension methods to easily register it with the Dependency Injection framework.
microsoft.extensions.diagnostics.abstractions.8.0.0.nupkg	8.0.0	Diagnostic abstractions for Microsoft.Extensions.Diagnostics.
microsoft.extensions.features.6.0.9.nupkg	6.0.9	Provides abstractions for a loosely coupled collection of features.
microsoft.extensions.fileproviders.abstractions.8.0.0.nupkg	8.0.0	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
microsoft.extensions.fileproviders.abstractions.9.0.2.nupkg	9.0.2	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
microsoft.extensions.fileproviders.physical.8.0.0.nupkg	8.0.0	File provider for physical files for Microsoft.Extensions.FileProviders.

microsoft.extensions.fileproviders.physical.9.0.2.nupkg	9.0.2	File provider for physical files for Microsoft.Extensions.FileProviders.
microsoft.extensions.filesystemglobbing.8.0.0.nupkg	8.0.0	File system globbing to find files matching a specified pattern.
microsoft.extensions.filesystemglobbing.9.0.2.nupkg	9.0.2	File system globbing to find files matching a specified pattern.
microsoft.extensions.hosting.8.0.0.nupkg	8.0.0	Hosting and startup infrastructures for applications.
microsoft.extensions.hosting.abstractions.8.0.0.nupkg	8.0.0	Hosting and startup abstractions for applications.
microsoft.extensions.http.8.0.0.nupkg	8.0.0	The HttpClient factory is a pattern for configuring and retrieving named HttpClients in a composable way.
microsoft.extensions.http.polly.8.0.8.nupkg	8.0.8	The HttpClient factory is a pattern for configuring and retrieving named HttpClients in a composable way. This package integrates IHttpConnectionFactory with the Polly library, to add transient-fault-handling and resiliency through fluent policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback. This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437

microsoft.extensions.logging.8.0.0.nupkg	8.0.0	Logging infrastructure default implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.abstractions.8.0.0.nupkg	8.0.0	Logging abstractions for Microsoft.Extensions.Logging.
microsoft.extensions.logging.abstractions.8.0.2.nupkg	8.0.2	Logging abstractions for Microsoft.Extensions.Logging. Commonly Used Types: Microsoft.Extensions.Logging.ILogger Microsoft.Extensions.Logging.ILoggerFactory Microsoft.Extensions.Logging.ILogger<TCategoryName> Microsoft.Extensions.Logging.LogLevel Microsoft.Extensions.Logging.Logger<T> Microsoft.Extensions.Logging.LogMessage Microsoft.Extensions.Logging.Abstractions.NullLogger
microsoft.extensions.logging.configuration.8.0.0.nupkg	8.0.0	Configuration support for Microsoft.Extensions.Logging.
microsoft.extensions.logging.console.8.0.0.nupkg	8.0.0	Console logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.debug.8.0.0.nupkg	8.0.0	Debug output logger provider implementation for Microsoft.Extensions.Logging. This logger logs messages to a debugger monitor by writing messages with System.Diagnostics.Debug.WriteLine().

microsoft.extensions.logging.eventlog.8.0.0.nupkg	8.0.0	Windows Event Log logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.eventsource.8.0.0.nupkg	8.0.0	EventSource/EventListener logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.options.6.0.0.nupkg	6.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.
microsoft.extensions.options.8.0.0.nupkg	8.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.
microsoft.extensions.options.8.0.2.nupkg	8.0.2	Provides a strongly typed way of specifying and accessing settings using dependency injection.
microsoft.extensions.options.configurationextensions.8.0.0.nupkg	8.0.0	Provides additional configuration specific functionality related to Options.
microsoft.extensions.options.dataannotations.8.0.0.nupkg	8.0.0	Provides additional DataAnnotations specific functionality related to Options.
microsoft.extensions.primitives.8.0.0.nupkg	8.0.0	Primitives shared by framework extensions. Commonly used types include: Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment

microsoft.extensions.primitives.9.0.2.nupkg	9.0.2	Primitives shared by framework extensions. Commonly used types include: Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment
microsoft.testplatform.objectmodel.17.1.0.nupkg	17.1.0	The Microsoft Test Platform Object Model.
microsoft.testplatform.testhost.17.1.0.nupkg	17.1.0	Testplatform host executes the test using specified adapter.
microsoft.visualstudio.threading.analyzers.17.3.44.nupkg	17.3.44	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
microsoft.web.webview2.1.0.1245.22.nupkg	1.0.1245.22	The WebView2 control enables you to embed web technologies (HTML, CSS, and JavaScript) in your nativ...
microsoft.win32.primitives.4.3.0.nupkg	4.3.0	Provides common types for Win32-based libraries. Commonly Used Types: System.ComponentModel.Win32Ex...
microsoft.win32.registry.4.5.0.nupkg	4.5.0	Provides support for accessing and modifying the Windows Registry. Commonly Used Types: Microsoft.W...
microsoft.win32.registry.5.0.0.nupkg	5.0.0	Provides support for accessing and modifying the Windows Registry.

		Commonly Used Types: Microsoft.W...
netstandard.library.1.6.1.nupkg	1.6.1	A set of standard .NET APIs that are prescribed to be used and supported together. This includes all...
newtonsoft.json.13.0.3.nupkg	13.0.3	Json.NET is a popular high-performance JSON framework for .NET
nito.asyncex.5.1.2.nupkg	5.1.2	A helper library for the Task-Based Asynchronous Pattern (TAP).
nito.asyncex.context.5.1.2.nupkg	5.1.2	A single-threaded async-compatible context.
nito.asyncex.coordination.5.1.2.nupkg	5.1.2	Asynchronous coordination primitives.
nito.asyncex.interop.waithandles.5.1.2.nupkg	5.1.2	Task wrappers for WaitHandles.
nito.asyncex.oop.5.1.2.nupkg	5.1.2	Interfaces and utility methods for combining async with OOP.
nito.asyncex.tasks.5.1.2.nupkg	5.1.2	Common helper methods for tasks as used in asynchronous programming.
nito.cancellation.1.1.2.nupkg	1.1.2	Helper types for working with cancellation tokens and sources.
nito.collections.deque.1.1.1.nupkg	1.1.1	A double-ended queue.
nito.disposables.2.2.1.nupkg	2.2.1	IDisposable and IAsyncDisposable helper types.
nstack.core.1.0.3.nupkg	1.0.3	NStack.Core brings a set of updated string APIs to .NET. It starts with a new string type that is focused on Unicode code-points as opposed to the historical chars and UTF-16 encoding

		and introduces a utf8 string that supports slicing
nuget.frameworks.5.11.0.nupkg	5.11.0	NuGet's understanding of target frameworks.
polly.7.2.4.nupkg	7.2.4	Polly is a library that allows developers to express resilience and transient fault handling policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback in a fluent and thread-safe manner.
polly.extensions.http.3.0.0.nupkg	3.0.0	Polly.Extensions.Http is an extensions package containing opinionated convenience methods for config...
runtime.debian.8-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.23-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.24-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.opensuse.13.2-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.opensuse.42.1-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.osx.10.10-x64.runtime.native.system.security.cryptography.apple.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....

runtime.osx.10.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.rhel.7-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.14.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
serilog.3.1.1.nupkg	3.1.1	Simple .NET logging with fully-structured events
serilog.4.0.0.nupkg	4.0.0	Simple .NET logging with fully-structured events
serilog.enrichers.environment.2.2.0.nupkg	2.2.0	Enrich Serilog log events with properties from System.Environment.
serilog.exceptions.8.4.0.nupkg	8.4.0+build.694	Log exception details and custom properties that are not output in Exception.ToString().
serilog.exceptions.entityframeworkcore.8.4.0.nupkg	8.4.0+build.694	Log exception details and custom properties that are not output in Exception.ToString(). Contains custom destructurers for Entity Framework Core exceptions.
serilog.extensions.logging.8.0.0.nupkg	8.0.0	Low-level Serilog provider for Microsoft.Extensions.Logging

serilog.settings.configuration.8.0.0.nupkg	8.0.0	Microsoft.Extensions.Configuration (appsettings.json) support for Serilog.
serilog.settings.configuration.8.0.2.nupkg	8.0.2	Microsoft.Extensions.Configuration (appsettings.json) support for Serilog.
serilog.sinks.async.1.5.0.nupkg	1.5.0	Asynchronous sink wrapper for Serilog.
serilog.sinks.console.5.0.1.nupkg	5.0.1	A Serilog sink that writes log events to the console/terminal.
serilog.sinks.debug.2.0.0.nupkg	2.0.0	A Serilog sink that writes log events to the debug output window.
serilog.sinks.eventlog.3.1.0.nupkg	3.1.0	Serilog event sink that writes to the Windows event log.
serilog.sinks.file.5.0.0.nupkg	5.0.0	Write Serilog events to text files in plain or JSON format.
system.appcontext.4.3.0.nupkg	4.3.0	Provides the System.AppContext class, which allows access to the BaseDirectory property and other ap...
system.buffers.4.3.0.nupkg	4.3.0	Provides resource pooling of any type for performance-critical applications that allocate and deallo...
system.codedom.8.0.0.nupkg	8.0.0	Provides types that can be used to model the structure of a source code document and to output source code for that model in a supported language.
system.collections.4.3.0.nupkg	4.3.0	Provides classes that define generic collections, which allow developers to create strongly typed co...
system.collections.concurrent.4.3.0.nupkg	4.3.0	Provides several thread-safe collection classes that

		should be used in place of the corresponding ty...
system.collections.immutable.6.0.0.nupkg	6.0.0	This package provides collections that are thread safe and guaranteed to never change their contents...
system.configuration.configurationmanager.8.0.0.nupkg	8.0.0	Provides types that support using XML configuration files (app.config). This package exists only to support migrating existing .NET Framework code that already uses System.Configuration.
system.console.4.3.0.nupkg	4.3.0	Provides the System.Console class, which represents the standard input, output and error streams for...
system.diagnostics.debug.4.3.0.nupkg	4.3.0	Provides classes and attributes that allows basic interaction with a debugger. Commonly Used Types:...
system.diagnostics.diagnosticsource.4.3.0.nupkg	4.3.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry...
system.diagnostics.diagnosticsource.8.0.0.nupkg	8.0.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools) Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource
system.diagnostics.eventlog.4.5.0.nupkg	4.5.0	Provides the System.Diagnostics.EventL

		og class, which allows the applications to use the windows eve...
system.diagnostics.eventlog.8.0.0.nupkg	8.0.0	Provides the System.Diagnostics.EventLog class, which allows the applications to use the Windows event log service. Commonly Used Types: System.Diagnostics.EventLog
system.diagnostics.tools.4.3.0.nupkg	4.3.0	Provides attributes, such as GeneratedCodeAttribute and SuppressMessageAttribute, that are emitted or...
system.diagnostics.tracing.4.3.0.nupkg	4.3.0	Provides class that enable you to create high performance tracing events to be captured by event tra...
system.globalization.4.3.0.nupkg	4.3.0	Provides classes that define culture-related information, including language, country/region, calend...
system.globalization.calendars.4.3.0.nupkg	4.3.0	Provides classes for performing date calculations using specific calendars, including the Gregorian,...
system.globalization.extensions.4.3.0.nupkg	4.3.0	Provides classes for performing Unicode string normalization, culture-specific string comparisons an...
system.io.4.3.0.nupkg	4.3.0	Provides base input and output (I/O) types, including System.IO.Stream, System.IO.StreamReader and S...

system.io.compression.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams. Commonly Used Types: Sy...
system.io.compression.zipfile.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams using file system paths. ...
system.io.filesystem.4.3.0.nupkg	4.3.0	Provides types that allow reading and writing to files and types that provide basic file and directo...
system.io.filesystem.primitives.4.3.0.nupkg	4.3.0	Provides common enumerations and exceptions for path-based I/O libraries. Commonly Used Types: Syst...
system.io.pipelines.6.0.3.nupkg	6.0.3	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader
system.io.pipelines.9.0.3.nupkg	9.0.3	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter

		System.IO.Pipelines.PipeReader
system.linq.4.3.0.nupkg	4.3.0	Provides classes and interfaces that supports queries that use Language-Integrated Query (LINQ). Co...
system.linq.expressions.4.3.0.nupkg	4.3.0	Provides classes, interfaces and enumerations that enable language-level code expressions to be repr...
system.management.8.0.0.nupkg	8.0.0	Provides access to a rich set of management information and management events about the system, devices, and applications instrumented to the Windows Management Instrumentation (WMI) infrastructure.
system.net.http.4.3.4.nupkg	4.3.4	Provides a programming interface for modern HTTP applications, including HTTP client components that...
system.net.primitives.4.3.0.nupkg	4.3.0	Provides common types for network-based libraries, including System.Net.IPAddress, System.Net.IPEndP...
system.net.sockets.4.3.0.nupkg	4.3.0	Provides classes such as Socket, TcpClient and UdpClient, which enable developers to send and receiv...
system.objectmodel.4.3.0.nupkg	4.3.0	Provides types and interfaces that allow the

		creation of observable types that provide notifications...
system.reflection.4.3.0.nupkg	4.3.0	Provides types that retrieve information about assemblies, modules, members, parameters, and other e...
system.reflection.emit.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit metadata and optionally generate a PE file on...
system.reflection.emit.ilgeneration.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit Microsoft intermediate language (MSIL). The p...
system.reflection.emit.lightweight.4.3.0.nupkg	4.3.0	Provides the System.Reflection.Emit.DynamicMethod class, which represents a dynamic method that can ...
system.reflection.extensions.4.3.0.nupkg	4.3.0	Provides custom attribute extension methods for System.Reflection types. Commonly Used Types: Syste...
system.reflection.metadata.1.6.0.nupkg	1.6.0	This packages provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for perfo...
system.reflection.primitives.4.3.0.nupkg	4.3.0	Provides common enumerations for reflection-based libraries. Commonly Used Types: System.Reflection...
system.reflection.typeextensions.4.3.0.nupkg	4.3.0	Provides extensions methods for System.Type that are designed to be source-compatible with older fra...

system.resources.resource manager.4.3.0.nupkg	4.3.0	Provides classes and attributes that allow developers to create, store, and manage various culture-s...
system.runtime.4.3.0.nupk g	4.3.0	Provides the fundamental primitives, classes and base classes that define commonly-used value and re...
system.runtime.4.3.1.nupk g	4.3.1	Provides the fundamental primitives, classes and base classes that define commonly-used value and re...
system.runtime.compilerse rvices.unsafe.6.0.0.nupkg	6.0.0	Provides the System.Runtime.CompilerS ervices.Unsafe class, which provides generic, low-level functio...
system.runtime.extensions. 4.3.0.nupkg	4.3.0	Provides commonly-used classes for performing mathematical functions, conversions, string comparison...
system.runtime.handles.4. 3.0.nupkg	4.3.0	Provides base classes, including System.Runtime.InteropSer vices.CriticalHandle and System.Runtime.In...
system.runtime.interopserv ices.4.3.0.nupkg	4.3.0	Provides types that support COM interop and platform invoke services. Commonly Used Types: System.R...
system.runtime.interopserv ices.runtimeinformation.4.3 .0.nupkg	4.3.0	Provides APIs to query about runtime and OS information. Commonly Used Types: System.Runtime.Intero...

system.runtime.numerics.4.3.0.nupkg	4.3.0	Provides the numeric types System.Numerics.BigInteger and System.Numerics.Complex, which complement ...
system.security.accesscontrol.4.5.0.nupkg	4.5.0	Provides base classes that enable managing access and audit control lists on securable objects. Com...
system.security.accesscontrol.5.0.0.nupkg	5.0.0	Provides base classes that enable managing access and audit control lists on securable objects. Com...
system.security.cryptography.algorithms.4.3.0.nupkg	4.3.0	Provides base types for cryptographic algorithms, including hashing, encryption, and signing operati...
system.security.cryptography.cng.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic Next ...
system.security.cryptography.csp.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic API (...)
system.security.cryptography.encoding.4.3.0.nupkg	4.3.0	Provides types for representing Abstract Syntax Notation One (ASN.1)-encoded data. Commonly Used Ty...
system.security.cryptography.openssl.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management for non-Windows systems with Ope...

system.security.cryptography.primitives.4.3.0.nupkg	4.3.0	Provides common types for the cryptographic libraries. Commonly Used Types: System.Security.Cryptog...
system.security.cryptography.protecteddata.8.0.0.nupkg	8.0.0	Provides access to Windows Data Protection Api. Commonly Used Types: System.Security.Cryptography.DataProtectionScope System.Security.Cryptography.ProtectedData
system.security.cryptography.x509certificates.4.3.0.nupkg	4.3.0	Provides types for reading, exporting and verifying Authenticode X.509 v3 certificates. These certif...
system.security.permissions.4.5.0.nupkg	4.5.0	Provides types supporting Code Access Security (CAS). 30ab651fcb4354552bd4891619a0bdd81e0ebdbf Whe...
system.security.principal.windows.4.5.0.nupkg	4.5.0	Provides classes for retrieving the current Windows user and for interacting with Windows users and ...
system.security.principal.windows.5.0.0.nupkg	5.0.0	Provides classes for retrieving the current Windows user and for interacting with Windows users and ...
system.text.encoding.4.3.0.nupkg	4.3.0	Provides base abstract encoding classes for converting blocks of characters to and from blocks of by...
system.text.encoding.extensions.4.3.0.nupkg	4.3.0	Provides support for specific encodings, including ASCII, UTF-7, UTF-8, UTF-16, and UTF-32.

		Commonl...
system.text.encodings.web. 8.0.0.nupkg	8.0.0	Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL).
system.text.encodings.web. 9.0.3.nupkg	9.0.3	Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL). Commonly Used Types: System.Text.Encodings.Web .HtmlEncoder System.Text.Encodings.Web .UrlEncoder System.Text.Encodings.Web .JavaScriptEncoder
system.text.json.8.0.5.nupkg	8.0.5	Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data. The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can

		be installed when you need to use it in other target frameworks.
system.text.json.9.0.3.nupkg	9.0.3	Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data. The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.
system.text.regularexpressions.4.3.1.nupkg	4.3.1	Provides the System.Text.RegularExpressions.Regex class, an implementation of a regular expression e...
system.threading.4.3.0.nupkg	4.3.0	Provides the fundamental synchronization primitives, including System.Threading.Monitor and System.T...
system.threading.accesscontrol.4.5.0.nupkg	4.5.0	Provides support for managing access and audit control lists for synchronization primitives. Common...

system.threading.channels.6.0.0.nupkg	6.0.0	Provides types for passing data between producers and consumers. Commonly Used Types: System.Thread...
system.threading.tasks.4.3.0.nupkg	4.3.0	Provides types that simplify the work of writing concurrent and asynchronous code. Commonly Used Ty...
system.threading.tasks.extensions.4.3.0.nupkg	4.3.0	Provides additional types that simplify the work of writing concurrent and asynchronous code. Commo...
system.threading.timer.4.3.0.nupkg	4.3.0	Provides the System.Threading.Timer class, which is a mechanism for executing a method at specified ...
system.xml.readerwriter.4.3.0.nupkg	4.3.0	Provides provides a fast, non-cached, forward-only way to read and write Extensible Markup Language ...
system.xml.xdocument.4.3.0.nupkg	4.3.0	Provides the classes for Language-Integrated Query (LINQ) to Extensible Markup Language (XML). LINQ ...
terminal.gui.1.8.2.nupkg	1.8.2	Cross Platform Terminal UI toolkit for .NET
UniversalWebConnector-1.0.0	1.0.0	
UniversalWebConnector.Logger-1.0.0	1.0.0	
wixsharp.bin.1.19.0.nupkg	1.19.0	Wix# (WixSharp) - Binaries
xunit.2.4.1.nupkg	2.4.1	xUnit.net is a developer testing framework, built to support Test Driven Development.

xunit.abstractions.2.0.3.nupkg	2.0.3	Common abstractions used to exchange information between xUnit.net and version-independent runners (...)
xunit.analyzers.0.10.0.nupkg	0.10.0	Code Analyzers for xUnit.net
xunit.assert.2.4.1.nupkg	2.4.1	Includes the assertion library from xUnit.net (xunit.assert.dll).
xunit.core.2.4.1.nupkg	2.4.1	Includes the libraries for writing unit tests with xUnit.net.
xunit.extensibility.core.2.4.1.nupkg	2.4.1	Includes xunit.core.dll for extensibility purposes.
xunit.extensibility.execution.2.4.1.nupkg	2.4.1	Includes xunit.execution.*.dll for extensibility purposes.
xunit.runner.visualstudio.2.4.3.nupkg	2.4.3	Visual Studio 2017 15.9+ Test Explorer runner for the xUnit.net framework. Capable of running xUnit....