

| Name                                           | Version | Description                                                                                                                             |
|------------------------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------|
| @grafana-plugins/input-datasource-7.5.17.tgz   | 7.5.17  |                                                                                                                                         |
| @jaegertracing/jaeger-ui-components-7.5.17.tgz | 7.5.17  |                                                                                                                                         |
| abab-2.0.6.tgz                                 | 2.0.6   | WHATWG spec-compliant implementations of window.atob and window.btoa.                                                                   |
| abbrev-1.1.1.tgz                               | 1.1.1   | Like ruby's abbrev module, but in js                                                                                                    |
| abortcontroller-polyfill-1.4.0.tgz             | 1.4.0   | Polyfill/ponyfill for the AbortController DOM API + optional patching of fetch (stub that calls catch, doesn't actually abort request). |
| acorn-5.7.4.tgz                                | 5.7.4   | ECMAScript parser                                                                                                                       |
| acorn-6.4.2.tgz                                | 6.4.2   | ECMAScript parser                                                                                                                       |
| acorn-7.4.1.tgz                                | 7.4.1   | ECMAScript parser                                                                                                                       |
| acorn-8.8.2.tgz                                | 8.8.2   |                                                                                                                                         |
| acorn-es7-plugin-1.1.7.tgz                     | 1.1.7   | A plugin for the Acorn parser that understands the ES7 keywords async and await                                                         |
| acorn-globals-4.3.4.tgz                        | 4.3.4   | Detect global variables in JavaScript using acorn                                                                                       |
| acorn-globals-6.0.0.tgz                        | 6.0.0   | Detect global variables in JavaScript using acorn                                                                                       |
| acorn-import-assertions-1.9.0.tgz              | 1.9.0   |                                                                                                                                         |
| acorn-jsx-5.3.2.tgz                            | 5.3.2   | Modern, fast React.js JSX parser                                                                                                        |
| acorn-walk-6.2.0.tgz                           | 6.2.0   | ECMAScript (ESTree) AST walker                                                                                                          |
| acorn-walk-7.2.0.tgz                           | 7.2.0   | ECMAScript (ESTree) AST walker                                                                                                          |
| acorn-walk-8.2.0.tgz                           | 8.2.0   | ECMAScript (ESTree) AST walker                                                                                                          |
| add-dom-event-listener-1.1.0.tgz               | 1.1.0   | add dom event listener. normalize ie and others                                                                                         |

|                            |        |                                                          |
|----------------------------|--------|----------------------------------------------------------|
| add-px-to-style-1.0.0.tgz  | 1.0.0  | Will add px to the end of style values which are Numbers |
| address-1.2.2.tgz          | 1.2.2  | Get current machine IP, MAC and DNS servers.             |
| agent-base-4.3.0.tgz       | 4.3.0  | Turn a function into an `http.Agent` instance            |
| agent-base-6.0.2.tgz       | 6.0.2  | Turn a function into an `http.Agent` instance            |
| agent-base-7.1.0.tgz       | 7.1.0  |                                                          |
| ajv-6.12.6.tgz             | 6.12.6 | Another JSON Schema Validator                            |
| ajv-8.12.0.tgz             | 8.12.0 |                                                          |
| ajv-formats-2.1.1.tgz      | 2.1.1  | Format validation for Ajv v7+                            |
| ajv-keywords-3.5.2.tgz     | 3.5.2  | Custom JSON-Schema keywords for Ajv validator            |
| ajv-keywords-5.1.0.tgz     | 5.1.0  | Additional JSON-Schema keywords for Ajv JSON validator   |
| angular-1.8.2.tgz          | 1.8.2  | HTML enhanced for web apps                               |
| angular-bindonce-0.3.1.tgz | 0.3.1  | Zero watchers binding directives for AngularJS           |
| angular-route-1.8.2.tgz    | 1.8.2  | AngularJS router module                                  |
| angular-sanitize-1.8.2.tgz | 1.8.2  | AngularJS module for sanitizing HTML                     |
| ansi-escapes-3.2.0.tgz     | 3.2.0  | ANSI escape codes for manipulating the terminal          |
| ansi-escapes-4.3.2.tgz     | 4.3.2  | ANSI escape codes for manipulating the terminal          |
| ansi-regex-2.1.1.tgz       | 2.1.1  | Regular expression for matching ANSI escape codes        |
| ansi-regex-3.0.1.tgz       | 3.0.1  | Regular expression for matching ANSI escape codes        |
| ansi-regex-5.0.1.tgz       | 5.0.1  | Regular expression for matching ANSI escape codes        |
| ansi-regex-6.0.1.tgz       | 6.0.1  | Regular expression for matching ANSI escape codes        |

|                          |        |                                                                                                |
|--------------------------|--------|------------------------------------------------------------------------------------------------|
| ansi-styles-2.2.1.tgz    | 2.2.1  | ANSI escape codes for styling strings in the terminal                                          |
| ansi-styles-3.2.1.tgz    | 3.2.1  | ANSI escape codes for styling strings in the terminal                                          |
| ansi-styles-4.3.0.tgz    | 4.3.0  | ANSI escape codes for styling strings in the terminal                                          |
| ansi-styles-5.2.0.tgz    | 5.2.0  | ANSI escape codes for styling strings in the terminal                                          |
| antlr4-4.11.2.tgz        | 4.11.2 |                                                                                                |
| antlr4-4.8.0.tgz         | 4.8.0  | JavaScript runtime for ANTLR4                                                                  |
| any-observable-0.3.0.tgz | 0.3.0  | Support any Observable library and polyfill                                                    |
| anymatch-2.0.0.tgz       | 2.0.0  | Matches strings against configurable strings, globs, regular expressions, and/or functions     |
| anymatch-3.1.3.tgz       | 3.1.3  | Matches strings against configurable strings, globs, regular expressions, and/or functions     |
| apache-arrow-0.16.0.tgz  | 0.16.0 | Apache Arrow columnar in-memory format                                                         |
| arch-2.2.0.tgz           | 2.2.0  | Better `os.arch()` for node and the browser -- detect OS architecture                          |
| arg-4.1.3.tgz            | 4.1.3  | Another simple argument parser                                                                 |
| argparse-1.0.10.tgz      | 1.0.10 | Very powerful CLI arguments parser. Native port of argparse - python's options parsing library |
| argparse-2.0.1.tgz       | 2.0.1  | CLI arguments parser. Native port of python's argparse.                                        |
| argv-tools-0.1.2.tgz     | 0.1.2  | Some useful tools for working with process.argv                                                |
| aria-query-4.2.2.tgz     | 4.2.2  | Programmatic access to the ARIA specification                                                  |

|                                    |       |                                                                                                                                                          |
|------------------------------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| arr-diff-4.0.0.tgz                 | 4.0.0 | Returns an array with only the unique values from the first array, by excluding all values from additional arrays using strict equality for comparisons. |
| arr-flatten-1.1.0.tgz              | 1.1.0 | Recursively flatten an array or arrays.                                                                                                                  |
| arr-union-3.1.0.tgz                | 3.1.0 | Combines a list of arrays, returning a single array with unique values, using strict equality for comparisons.                                           |
| array-back-2.0.0.tgz               | 2.0.0 | Guarantees an array back                                                                                                                                 |
| array-buffer-byte-length-1.0.0.tgz | 1.0.0 |                                                                                                                                                          |
| array-equal-1.0.0.tgz              | 1.0.0 | check if two arrays are equal                                                                                                                            |
| array-filter-1.0.0.tgz             | 1.0.0 | Array#filter for older browsers.                                                                                                                         |
| array-includes-3.1.6.tgz           | 3.1.6 | An ES7/ES2016 spec-compliant<br>`Array.prototype.includes`<br>shim/polyfill/replacement that works as far down as ES3.                                   |
| array-tree-filter-2.1.0.tgz        | 2.1.0 | filter in array tree                                                                                                                                     |
| array-union-2.1.0.tgz              | 2.1.0 | Create an array of unique values, in order, from the input arrays                                                                                        |
| array-unique-0.3.2.tgz             | 0.3.2 | Remove duplicate values from an array. Fastest ES5 implementation.                                                                                       |
| array.prototype.flatmap-1.3.1.tgz  | 1.3.1 | An ES2019 spec-compliant<br>`Array.prototype.flatMap`<br>shim/polyfill/replacement that works as far down as ES3.                                        |
| array.prototype.reduce-1.0.5.tgz   | 1.0.5 | An ES5 spec-compliant<br>`Array.prototype.reduce`<br>shim/polyfill/replacement that works as far down as ES3.                                            |

|                          |         |                                                                                                                                                                                                                                                               |
|--------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| asap-1.0.0.tgz           | 1.0.0   | High-priority task queue for Node.js and browsers                                                                                                                                                                                                             |
| asap-2.0.6.tgz           | 2.0.6   | High-priority task queue for Node.js and browsers                                                                                                                                                                                                             |
| asn1-0.2.6.tgz           | 0.2.6   | Contains parsers and serializers for ASN.1 (currently BER only)                                                                                                                                                                                               |
| aspromise-1.1.2.tgz      | 1.1.2   | Returns a promise from a node-style callback function.                                                                                                                                                                                                        |
| assert-plus-1.0.0.tgz    | 1.0.0   | Extra assertions on top of node's assert module                                                                                                                                                                                                               |
| assign-symbols-1.0.0.tgz | 1.0.0   | Assign the enumerable es6 Symbol properties from an object (or objects) to the first object passed on the arguments. Can be used as a supplement to other extend, assign or merge methods as a polyfill for the Symbols part of the es6 Object.assign method. |
| ast-1.11.1.tgz           | 1.11.1  | AST utils for webassemblyjs                                                                                                                                                                                                                                   |
| ast-1.11.6.tgz           | 1.11.6  |                                                                                                                                                                                                                                                               |
| ast-types-0.13.4.tgz     | 0.13.4  | Esprima-compatible implementation of the Mozilla JS Parser API                                                                                                                                                                                                |
| async-3.2.4.tgz          | 3.2.4   | Higher-order functions and common patterns for asynchronous code                                                                                                                                                                                              |
| async-limiter-1.0.1.tgz  | 1.0.1   | asynchronous function queue with adjustable concurrency                                                                                                                                                                                                       |
| asynckit-0.4.0.tgz       | 0.4.0   | Minimal async jobs utility library, with streams support                                                                                                                                                                                                      |
| at-least-node-1.0.0.tgz  | 1.0.0   | Lightweight Node.js version sniffing/comparison                                                                                                                                                                                                               |
| atob-2.1.2.tgz           | 2.1.2   | atob for Node.JS and Linux / Mac / Windows CLI (it's a one-liner)                                                                                                                                                                                             |
| autoprefixer-10.4.14.tgz | 10.4.14 |                                                                                                                                                                                                                                                               |

|                                            |         |                                                                                                                                                                                                                                                                                             |
|--------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| available-typed-arrays-1.0.5.tgz           | 1.0.5   | Returns an array of Typed Array names that are available in the current environment                                                                                                                                                                                                         |
| aws-sdk-0.0.3.tgz                          | 0.0.3   | Common AWS features for grafana                                                                                                                                                                                                                                                             |
| aws-sign2-0.7.0.tgz                        | 0.7.0   | AWS signing. Originally pulled from LearnBoost/knox, maintained as vendor in request, now a standalone module.                                                                                                                                                                              |
| aws4-1.12.0.tgz                            | 1.12.0  |                                                                                                                                                                                                                                                                                             |
| axios-0.21.4.tgz                           | 0.21.4  | Promise based HTTP client for the browser and node.js                                                                                                                                                                                                                                       |
| babel-jest-26.6.3.tgz                      | 26.6.3  | Jest plugin to use babel for transformation.                                                                                                                                                                                                                                                |
| babel-loader-9.1.2.tgz                     | 9.1.2   |                                                                                                                                                                                                                                                                                             |
| babel-plugin-11.11.0.tgz                   | 11.11.0 |                                                                                                                                                                                                                                                                                             |
| babel-plugin-angularjs-annotate-0.10.0.tgz | 0.10.0  | Babel plugin to add angularjs dependency injection annotations                                                                                                                                                                                                                              |
| babel-plugin-emotion-10.2.2.tgz            | 10.2.2  | A recommended babel preprocessing plugin for emotion, The Next Generation of CSS-in-JS.                                                                                                                                                                                                     |
| babel-plugin-istanbul-5.2.0.tgz            | 5.2.0   | A babel plugin that adds istanbul instrumentation to ES6 code                                                                                                                                                                                                                               |
| babel-plugin-istanbul-6.1.1.tgz            | 6.1.1   | A babel plugin that adds istanbul instrumentation to ES6 code                                                                                                                                                                                                                               |
| babel-plugin-jest-hoist-26.6.2.tgz         | 26.6.2  | Babel plugin to hoist <code>`jest.disableAutomock`</code> , <code>`jest.enableAutomock`</code> , <code>`jest.unmock`</code> , <code>`jest.mock`</code> , calls above <code>`import`</code> statements. This plugin is automatically included when using [babel-jest](https://github.com/fac |

|                                             |        |                                                                                                                                                                       |
|---------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |        | ebook/jest/tree/master/packages/babel-jes                                                                                                                             |
| babel-plugin-macros-2.8.0.tgz               | 2.8.0  | Allows you to build compile-time libraries                                                                                                                            |
| babel-plugin-macros-3.1.0.tgz               | 3.1.0  | Allows you to build compile-time libraries                                                                                                                            |
| babel-plugin-polyfill-corejs2-0.3.3.tgz     | 0.3.3  | A Babel plugin to inject imports to core-js@2 polyfills                                                                                                               |
| babel-plugin-polyfill-corejs3-0.6.0.tgz     | 0.6.0  | A Babel plugin to inject imports to core-js@3 polyfills                                                                                                               |
| babel-plugin-polyfill-regenerator-0.4.1.tgz | 0.4.1  | A Babel plugin to inject imports to regenerator-runtime                                                                                                               |
| babel-plugin-syntax-jsx-6.18.0.tgz          | 6.18.0 | Allow parsing of jsx                                                                                                                                                  |
| babel-preset-current-node-syntax-1.0.1.tgz  | 1.0.1  | A Babel preset that enables parsing of proposals supported by the current Node.js version.                                                                            |
| babel-preset-jest-26.6.2.tgz                | 26.6.2 | > Babel preset for all Jest plugins. This preset is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest). |
| babel-runtime-6.26.0.tgz                    | 6.26.0 | babel selfContained runtime                                                                                                                                           |
| babel__core-7.20.1.tgz                      | 7.20.1 |                                                                                                                                                                       |
| babel__generator-7.6.4.tgz                  | 7.6.4  | TypeScript definitions for @babel/generator                                                                                                                           |
| babel__template-7.4.1.tgz                   | 7.4.1  | TypeScript definitions for @babel/template                                                                                                                            |
| babel__traverse-7.20.0.tgz                  | 7.20.0 |                                                                                                                                                                       |
| balanced-match-1.0.2.tgz                    | 1.0.2  | Match balanced character pairs, like "{" and "}"                                                                                                                      |
| baron-3.0.3.tgz                             | 3.0.3  | A small, fast and crossbrowser custom scrollbar with native system scroll mechanic.                                                                                   |

|                             |        |                                                                                                                                                                                      |
|-----------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| base-0.11.2.tgz             | 0.11.2 | base is the foundation for creating modular, unit testable and highly pluggable node.js applications, starting with a handful of common methods, like `set`, `get`, `del` and `use`. |
| base64-1.1.2.tgz            | 1.1.2  | A minimal base64 implementation for number arrays.                                                                                                                                   |
| base64-js-1.5.1.tgz         | 1.5.1  | Base64 encoding/decoding in pure JS                                                                                                                                                  |
| basic-ftp-5.0.3.tgz         | 5.0.3  |                                                                                                                                                                                      |
| batch-processor-1.0.0.tgz   | 1.0.0  | Batch processing in JS                                                                                                                                                               |
| bcrypt-pbkdf-1.0.2.tgz      | 1.0.2  | Port of the OpenBSD bcrypt_pbkdf function to pure JS                                                                                                                                 |
| big.js-5.2.2.tgz            | 5.2.2  | A small, fast, easy-to-use library for arbitrary-precision decimal arithmetic                                                                                                        |
| binary-extensions-2.2.0.tgz | 2.2.0  | List of binary file extensions                                                                                                                                                       |
| bindings-1.5.0.tgz          | 1.5.0  | Helper module for loading your native module's .node file                                                                                                                            |
| bl-4.1.0.tgz                | 4.1.0  | Buffer List: collect buffers and access with a standard readable Buffer interface, streamable too!                                                                                   |
| bl-5.1.0.tgz                | 5.1.0  |                                                                                                                                                                                      |
| blink-diff-1.0.13.tgz       | 1.0.13 | A lightweight image comparison tool                                                                                                                                                  |
| blob-util-2.0.2.tgz         | 2.0.2  | Utilities for working with Blob objects in the browser                                                                                                                               |
| bluebird-3.7.1.tgz          | 3.7.1  | Full featured Promises/A+ implementation with exceptionally good performance                                                                                                         |
| bluebird-3.7.2.tgz          | 3.7.2  | Full featured Promises/A+ implementation with exceptionally good performance                                                                                                         |

|                                   |        |                                                                                                                                                                                      |
|-----------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| body-parser-1.19.2.tgz            | 1.19.2 | TypeScript definitions for body-parser                                                                                                                                               |
| boolbase-1.0.0.tgz                | 1.0.0  | two functions: One that returns true, one that returns false                                                                                                                         |
| bounds-1.0.0.tgz                  | 1.0.0  | Utilities to make your life with bounding boxes better                                                                                                                               |
| brace-0.11.1.tgz                  | 0.11.1 | browserify compatible version of the ace editor.                                                                                                                                     |
| brace-expansion-1.1.11.tgz        | 1.1.11 | Brace expansion as known from sh/bash                                                                                                                                                |
| braces-2.3.2.tgz                  | 2.3.2  | Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed. |
| braces-3.0.2.tgz                  | 3.0.2  | Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed. |
| braintree__sanitize-url-4.0.0.tgz | 4.0.0  | TypeScript definitions for @braintree/sanitize-url                                                                                                                                   |
| browser-5.25.0.tgz                | 5.25.0 | Official Sentry SDK for browsers                                                                                                                                                     |
| browser-process-hrtime-1.0.0.tgz  | 1.0.0  | Shim for process.hrtime in the browser                                                                                                                                               |
| browsers-1.4.1.tgz                | 1.4.1  |                                                                                                                                                                                      |
| browserslist-4.21.7.tgz           | 4.21.7 |                                                                                                                                                                                      |
| bs-logger-0.2.6.tgz               | 0.2.6  | Bare simple logger for NodeJS                                                                                                                                                        |
| bser-2.1.1.tgz                    | 2.1.1  | JavaScript implementation of the BSER Binary Serialization                                                                                                                           |
| buffer-5.7.1.tgz                  | 5.7.1  | Node.js Buffer API, for the browser                                                                                                                                                  |

|                          |         |                                                                                                       |
|--------------------------|---------|-------------------------------------------------------------------------------------------------------|
| buffer-6.0.3.tgz         | 6.0.3   | Node.js Buffer API, for the browser                                                                   |
| buffer-crc32-0.2.13.tgz  | 0.2.13  | A pure javascript CRC32 algorithm that plays nice with binary data                                    |
| buffer-from-1.1.2.tgz    | 1.1.2   | A [ponyfill](https://ponyfill.com) for `Buffer.from`, uses native implementation if available.        |
| cache-10.0.29.tgz        | 10.0.29 | emotion's cache                                                                                       |
| cache-11.11.0.tgz        | 11.11.0 |                                                                                                       |
| cache-base-1.0.1.tgz     | 1.0.1   | Basic object cache with `get`, `set`, `del`, and `has` methods for node.js/javascript projects.       |
| cachedir-2.3.0.tgz       | 2.3.0   | Provides a directory where the OS wants you to store cached files.                                    |
| calculate-size-1.1.1.tgz | 1.1.1   | Calculate the pixel size of a string                                                                  |
| call-bind-1.0.2.tgz      | 1.0.2   | Robustly `.call.bind()` a function                                                                    |
| call-signature-0.0.2.tgz | 0.0.2   | Parse / Generate Method Signatures                                                                    |
| callsites-3.1.0.tgz      | 3.1.0   | Get callsites from the V8 stack trace API                                                             |
| camel-case-4.1.2.tgz     | 4.1.2   | Transform into a string with the separator denoted by the next word capitalized                       |
| camelcase-5.3.1.tgz      | 5.3.1   | Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar` |
| camelcase-6.3.0.tgz      | 6.3.0   | Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar` |
| caniuse-api-3.0.0.tgz    | 3.0.0   | request the caniuse data to check browsers compatibilities                                            |

|                                     |              |                                                                                             |
|-------------------------------------|--------------|---------------------------------------------------------------------------------------------|
| caniuse-lite-1.0.30001492.tgz       | 1.0.30001492 |                                                                                             |
| capture-exit-2.0.0.tgz              | 2.0.0        | safely cleanup in signal handlers                                                           |
| cascade-layer-name-parser-1.0.2.tgz | 1.0.2        |                                                                                             |
| caseless-0.12.0.tgz                 | 0.12.0       | Caseless object set/get/has, very useful when working with HTTP headers.                    |
| centrifuge-2.8.5.tgz                | 2.8.5        | Centrifuge and Centrifugo client for NodeJS and browser                                     |
| chalk-1.1.3.tgz                     | 1.1.3        | Terminal string styling done right. Much color.                                             |
| chalk-2.4.2.tgz                     | 2.4.2        | Terminal string styling done right                                                          |
| chalk-3.0.0.tgz                     | 3.0.0        | Terminal string styling done right                                                          |
| chalk-4.1.2.tgz                     | 4.1.2        | Terminal string styling done right                                                          |
| chalk-5.2.0.tgz                     | 5.2.0        | Terminal string styling done right                                                          |
| chance-1.1.11.tgz                   | 1.1.11       | Chance - Utility library to generate anything random                                        |
| change-emitter-0.1.6.tgz            | 0.1.6        | Listen for changes. Like an event emitter that only emits a single event type. Really tiny. |
| char-regex-1.0.2.tgz                | 1.0.2        | A regex to match any full character, considering weird character ranges.                    |
| chardet-0.7.0.tgz                   | 0.7.0        | Character detector                                                                          |
| charenc-0.0.2.tgz                   | 0.0.2        | character encoding utilities                                                                |
| check-more-types-2.24.0.tgz         | 2.24.0       | Large collection of predicates.                                                             |
| chokidar-3.5.3.tgz                  | 3.5.3        | Minimal and efficient cross-platform file watching library                                  |
| chownr-1.1.4.tgz                    | 1.1.4        | like `chown -R`                                                                             |
| chrome-trace-event-1.0.3.tgz        | 1.0.3        | A library to create a trace of your node app per Google's Trace Event format.               |

|                            |        |                                                                                            |
|----------------------------|--------|--------------------------------------------------------------------------------------------|
| chromium-bidi-0.4.11.tgz   | 0.4.11 |                                                                                            |
| ci-info-2.0.0.tgz          | 2.0.0  | Get details about the current Continuous Integration environment                           |
| ci-info-3.8.0.tgz          | 3.8.0  |                                                                                            |
| cjs-module-lexer-0.6.0.tgz | 0.6.0  | Lexes CommonJS modules, returning their named exports metadata                             |
| class-utils-0.3.6.tgz      | 0.3.6  | Utils for working with JavaScript classes and prototype methods.                           |
| classnames-2.2.6.tgz       | 2.2.6  | A simple utility for conditionally joining classNames together                             |
| classnames-2.3.1.tgz       | 2.3.1  | Stub TypeScript definitions entry for classnames, which provides its own types definitions |
| classnames-2.3.2.tgz       | 2.3.2  | A simple utility for conditionally joining classNames together                             |
| clean-css-4.2.6.tgz        | 4.2.6  | TypeScript definitions for clean-css                                                       |
| clean-css-5.3.2.tgz        | 5.3.2  |                                                                                            |
| cli-cursor-1.0.2.tgz       | 1.0.2  | Toggle the CLI cursor                                                                      |
| cli-cursor-2.1.0.tgz       | 2.1.0  | Toggle the CLI cursor                                                                      |
| cli-cursor-3.1.0.tgz       | 3.1.0  | Toggle the CLI cursor                                                                      |
| cli-cursor-4.0.0.tgz       | 4.0.0  | Toggle the CLI cursor                                                                      |
| cli-spinners-2.9.0.tgz     | 2.9.0  |                                                                                            |
| cli-table3-0.6.3.tgz       | 0.6.3  | Pretty unicode tables for the command line. Based on the original cli-table.               |
| cli-truncate-0.2.1.tgz     | 0.2.1  | Truncate a string to a specific width in the terminal                                      |
| cli-width-4.0.0.tgz        | 4.0.0  | Get stdout window width, with two fallbacks, tty and then a default.                       |
| clipboard-2.0.4.tgz        | 2.0.4  | Modern copy to clipboard. No Flash. Just 2kb                                               |
| cliui-4.1.0.tgz            | 4.1.0  | easily create complex multi-column command-line-interfaces                                 |

|                               |        |                                                                                           |
|-------------------------------|--------|-------------------------------------------------------------------------------------------|
| cliui-6.0.0.tgz               | 6.0.0  | easily create complex multi-column command-line-interfaces                                |
| cliui-8.0.1.tgz               | 8.0.1  | easily create complex multi-column command-line-interfaces                                |
| clone-1.0.4.tgz               | 1.0.4  | deep cloning of objects and arrays                                                        |
| clsx-1.2.1.tgz                | 1.2.1  | A tiny (228B) utility for constructing className strings conditionally.                   |
| co-4.6.0.tgz                  | 4.6.0  | generator async control flow goodness                                                     |
| code-frame-7.21.4.tgz         | 7.21.4 |                                                                                           |
| code-point-at-1.1.0.tgz       | 1.1.0  | ES2015<br>`String#codePointAt()`<br>ponyfill                                              |
| codegen-2.0.4.tgz             | 2.0.4  | A minimalistic code generation utility.                                                   |
| collect-v8-coverage-1.0.1.tgz | 1.0.1  | Use this module to start and stop the V8 inspector manually and collect precise coverage. |
| collection-visit-1.0.0.tgz    | 1.0.0  | Visit a method over the items in an object, or map visit over the objects in an array.    |
| color-convert-1.9.3.tgz       | 1.9.3  | Plain color conversion functions                                                          |
| color-convert-2.0.1.tgz       | 2.0.1  | Plain color conversion functions                                                          |
| color-helpers-2.1.0.tgz       | 2.1.0  |                                                                                           |
| color-name-1.1.3.tgz          | 1.1.3  | A list of color names and its values                                                      |
| color-name-1.1.4.tgz          | 1.1.4  | A list of color names and its values                                                      |
| colord-2.9.3.tgz              | 2.9.3  | ? A tiny yet powerful tool for high-performance color manipulations and conversions       |
| colors-1.5.0.tgz              | 1.5.0  | get colors in your node.js console                                                        |

|                               |        |                                                                                                       |
|-------------------------------|--------|-------------------------------------------------------------------------------------------------------|
| combined-stream-1.0.8.tgz     | 1.0.8  | A stream that emits multiple other streams one after another.                                         |
| combokeys-3.0.1.tgz           | 3.0.1  | Handles keyboard shortcuts in the browser                                                             |
| command-exists-1.2.0.tgz      | 1.2.0  | TypeScript definitions for command-exists                                                             |
| command-exists-1.2.9.tgz      | 1.2.9  | check whether a command line command exists in the current environment                                |
| command-line-args-5.0.2.tgz   | 5.0.2  | A mature, feature-complete library to parse command-line options.                                     |
| command-line-usage-5.0.5.tgz  | 5.0.5  | Generates command-line usage information                                                              |
| commander-10.0.1.tgz          | 10.0.1 |                                                                                                       |
| commander-2.20.3.tgz          | 2.20.3 | the complete solution for node.js command-line programs                                               |
| commander-5.0.0.tgz           | 5.0.0  | the complete solution for node.js command-line programs                                               |
| commander-5.1.0.tgz           | 5.1.0  | the complete solution for node.js command-line programs                                               |
| commander-7.2.0.tgz           | 7.2.0  | the complete solution for node.js command-line programs                                               |
| commander-8.3.0.tgz           | 8.3.0  | the complete solution for node.js command-line programs                                               |
| commandlineparser.2.9.1.nupkg | 2.9.1  | Terse syntax C# command line parser for .NET. For FSharp support see CommandLineParser.FSharp. The... |
| comment-parser-1.3.1.tgz      | 1.3.1  | Generic JSDoc-like comment parser                                                                     |
| common-tags-1.8.1.tgz         | 1.8.1  | TypeScript definitions for common-tags                                                                |
| common-tags-1.8.2.tgz         | 1.8.2  | a few common utility template tags for ES2015                                                         |

|                                        |        |                                                                                               |
|----------------------------------------|--------|-----------------------------------------------------------------------------------------------|
| commondir-1.0.1.tgz                    | 1.0.1  | compute the closest common parent for file paths                                              |
| commons-1.8.6.tgz                      | 1.8.6  | Simple functions shared among the sinon end user libraries                                    |
| compat-data-7.22.3.tgz                 | 7.22.3 |                                                                                               |
| component-classes-1.2.6.tgz            | 1.2.6  | Cross-browser element class list                                                              |
| component-emitter-1.3.0.tgz            | 1.3.0  | Event emitter                                                                                 |
| component-indexof-0.0.3.tgz            | 0.0.3  | Microsoft sucks                                                                               |
| concat-map-0.0.1.tgz                   | 0.0.1  | concatenative mapdashery                                                                      |
| concat-stream-1.6.2.tgz                | 1.6.2  | writable stream that concatenates strings or binary data and calls a callback with the result |
| concurrently-4.1.0.tgz                 | 4.1.0  | Run commands concurrently                                                                     |
| config-array-0.11.8.tgz                | 0.11.8 |                                                                                               |
| connect-3.4.35.tgz                     | 3.4.35 | TypeScript definitions for connect                                                            |
| connect-history-api-fallback-1.5.0.tgz | 1.5.0  |                                                                                               |
| console-24.9.0.tgz                     | 24.9.0 |                                                                                               |
| console-26.6.2.tgz                     | 26.6.2 |                                                                                               |
| convert-source-map-1.9.0.tgz           | 1.9.0  | Converts a source-map from/to different formats and allows adding/changing properties.        |
| copy-anything-2.0.6.tgz                | 2.0.6  | An optimised way to copy'ing an object. A small and simple integration                        |
| copy-descriptor-0.1.1.tgz              | 0.1.1  | Copy a descriptor from object A to object B                                                   |
| copy-to-clipboard-3.3.3.tgz            | 3.3.3  |                                                                                               |
| copy-webpack-plugin-11.0.0.tgz         | 11.0.0 | Copy files && directories with webpack                                                        |
| core-10.3.1.tgz                        | 10.3.1 | > Simple styling in React.                                                                    |
| core-2.5.4.tgz                         | 2.5.4  | Tooltip and Popover Positioning Engine                                                        |

|                                |         |                                                                                                                 |
|--------------------------------|---------|-----------------------------------------------------------------------------------------------------------------|
| core-26.6.3.tgz                | 26.6.3  | Delightful JavaScript Testing.                                                                                  |
| core-5.25.0.tgz                | 5.25.0  | Base implementation for all Sentry JavaScript SDKs                                                              |
| core-7.21.3.tgz                | 7.21.3  | Babel compiler core.                                                                                            |
| core-7.22.1.tgz                | 7.22.1  |                                                                                                                 |
| core-js-1.2.7.tgz              | 1.2.7   | Standard library                                                                                                |
| core-js-2.6.12.tgz             | 2.6.12  | Standard library                                                                                                |
| core-js-3.29.1.tgz             | 3.29.1  | Standard library                                                                                                |
| core-js-compat-3.30.2.tgz      | 3.30.2  |                                                                                                                 |
| core-js-pure-3.30.2.tgz        | 3.30.2  |                                                                                                                 |
| core-util-is-1.0.2.tgz         | 1.0.2   | The `util.is*` functions introduced in Node v0.12.                                                              |
| core-util-is-1.0.3.tgz         | 1.0.3   | The `util.is*` functions introduced in Node v0.12.                                                              |
| cosmiconfig-6.0.0.tgz          | 6.0.0   | Find and load configuration from a package.json property, rc file, or CommonJS module                           |
| cosmiconfig-7.1.0.tgz          | 7.1.0   | Find and load configuration from a package.json property, rc file, or CommonJS module                           |
| cosmiconfig-8.1.3.tgz          | 8.1.3   |                                                                                                                 |
| coverlet.collector.6.0.4.nupkg | 6.0.4   | Coverlet is a cross platform code coverage library for .NET, with support for line, branch and method coverage. |
| create-emotion-10.0.27.tgz     | 10.0.27 | The Next Generation of CSS-in-JS.                                                                               |
| cross-fetch-3.1.6.tgz          | 3.1.6   |                                                                                                                 |
| cross-spawn-6.0.5.tgz          | 6.0.5   | Cross platform child_process#spawn and child_process#spawnSync                                                  |
| cross-spawn-7.0.3.tgz          | 7.0.3   | Cross platform child_process#spawn and child_process#spawnSync                                                  |
| crypt-0.0.2.tgz                | 0.0.2   | utilities for encryption and hashing                                                                            |
| css-10.0.27.tgz                | 10.0.27 | a function to serialize css and object styles                                                                   |
| css-11.10.6.tgz                | 11.10.6 |                                                                                                                 |

|                                        |       |                                                                                                                                                                                    |
|----------------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| css-3.0.0.tgz                          | 3.0.0 | CSS parser / stringifier                                                                                                                                                           |
| css-animation-1.6.1.tgz                | 1.6.1 | css-animation                                                                                                                                                                      |
| css-blank-pseudo-5.0.2.tgz             | 5.0.2 |                                                                                                                                                                                    |
| css-box-model-1.2.1.tgz                | 1.2.1 | Get accurate and well named css box model information about an Element ?                                                                                                           |
| css-calc-1.1.1.tgz                     | 1.1.1 | Solve CSS math expressions                                                                                                                                                         |
| css-color-parser-1.2.0.tgz             | 1.2.0 |                                                                                                                                                                                    |
| css-declaration-sorter-6.4.0.tgz       | 6.4.0 |                                                                                                                                                                                    |
| css-has-pseudo-5.0.2.tgz               | 5.0.2 |                                                                                                                                                                                    |
| css-in-js-utils-3.1.0.tgz              | 3.1.0 | Useful utility functions for CSS in JS solutions                                                                                                                                   |
| css-loader-6.7.3.tgz                   | 6.7.3 |                                                                                                                                                                                    |
| css-minimizer-webpack-plugin-4.2.2.tgz | 4.2.2 | cssnano plugin for Webpack                                                                                                                                                         |
| css-parser-algorithms-2.1.1.tgz        | 2.1.1 | Algorithms to help you parse CSS from an array of tokens.                                                                                                                          |
| css-prefers-color-scheme-8.0.2.tgz     | 8.0.2 | Use light and dark color schemes in all browsers                                                                                                                                   |
| css-select-4.3.0.tgz                   | 4.3.0 | a CSS selector compiler/engine                                                                                                                                                     |
| css-tokenizer-2.1.1.tgz                | 2.1.1 |                                                                                                                                                                                    |
| css-tree-1.1.3.tgz                     | 1.1.3 | A tool set for CSS: fast detailed parser (CSS → AST), walker (AST traversal), generator (AST → CSS) and lexer (validation and matching) based on specs and browser implementations |
| css-what-6.1.0.tgz                     | 6.1.0 | a CSS selector parser                                                                                                                                                              |
| css.escape-1.5.1.tgz                   | 1.5.1 | A robust polyfill for the `CSS.escape` utility method as defined in CSSOM.                                                                                                         |
| cssdb-7.6.0.tgz                        | 7.6.0 |                                                                                                                                                                                    |
| cssesc-3.0.0.tgz                       | 3.0.0 | A JavaScript library for escaping CSS strings and identifiers while generating                                                                                                     |

|                                   |        |                                                                                   |
|-----------------------------------|--------|-----------------------------------------------------------------------------------|
|                                   |        | the shortest possible ASCII-only output.                                          |
| cssfilter-0.0.10.tgz              | 0.0.10 | Sanitize untrusted CSS with a configuration specified by a Whitelist. 根据白名单过滤 CSS |
| cssfontparser-1.2.1.tgz           | 1.2.1  | parse shorthand css font strings"                                                 |
| cssnano-5.1.15.tgz                | 5.1.15 |                                                                                   |
| cssnano-preset-default-5.2.14.tgz | 5.2.14 | Safe defaults for cssnano which require minimal configuration.                    |
| cssnano-utils-3.1.0.tgz           | 3.1.0  | Utility methods and plugin for cssnano projects                                   |
| csso-4.2.0.tgz                    | 4.2.0  | CSS minifier with structural optimisations                                        |
| cssom-0.3.8.tgz                   | 0.3.8  | CSS Object Model implementation and CSS parser                                    |
| cssom-0.4.4.tgz                   | 0.4.4  | CSS Object Model implementation and CSS parser                                    |
| cssstyle-2.3.0.tgz                | 2.3.0  | CSSStyleDeclaration Object Model implementation                                   |
| csstype-2.6.21.tgz                | 2.6.21 | Strict TypeScript and Flow types for style based on MDN data                      |
| csstype-3.1.2.tgz                 | 3.1.2  |                                                                                   |
| curve-1.0.0.tgz                   | 1.0.0  | visx curve                                                                        |
| cypress-6.9.1.tgz                 | 6.9.1  | Cypress.io end to end testing tool                                                |
| cypress-file-upload-4.1.1.tgz     | 4.1.1  | A Cypress command for file upload                                                 |
| d3-5.15.0.tgz                     | 5.15.0 | Data-Driven Documents                                                             |
| d3-array-1.2.4.tgz                | 1.2.4  | Array manipulation, ordering, searching, summarizing, etc.                        |
| d3-array-2.12.1.tgz               | 2.12.1 | Array manipulation, ordering, searching, summarizing, etc.                        |
| d3-axis-1.0.12.tgz                | 1.0.12 | Displays automatic reference lines for scales.                                    |

|                         |       |                                                                                         |
|-------------------------|-------|-----------------------------------------------------------------------------------------|
| d3-brush-1.1.6.tgz      | 1.1.6 | Select a one- or two-dimensional region using the mouse or touch.                       |
| d3-chord-1.0.6.tgz      | 1.0.6 | Visualize relationships or network flow with an aesthetically-pleasing circular layout. |
| d3-collection-1.0.7.tgz | 1.0.7 | Handy data structures for elements keyed by string.                                     |
| d3-color-1.4.2.tgz      | 1.4.2 | TypeScript definitions for D3JS d3-color module                                         |
| d3-color-3.1.0.tgz      | 3.1.0 | Color spaces! RGB, HSL, Cubehelix, Lab and HCL (Lch).                                   |
| d3-contour-1.3.2.tgz    | 1.3.2 | Compute contour polygons using marching squares.                                        |
| d3-dispatch-1.0.6.tgz   | 1.0.6 | Register named callbacks and call them with arguments.                                  |
| d3-dispatch-2.0.0.tgz   | 2.0.0 | Register named callbacks and call them with arguments.                                  |
| d3-drag-1.2.5.tgz       | 1.2.5 | Drag and drop SVG, HTML or Canvas using mouse or touch input.                           |
| d3-dsv-1.2.0.tgz        | 1.2.0 | A parser and formatter for delimiter-separated values, such as CSV and TSV              |
| d3-ease-1.0.7.tgz       | 1.0.7 | Easing functions for smooth animation.                                                  |
| d3-fetch-1.2.0.tgz      | 1.2.0 | Convenient parsing for Fetch.                                                           |
| d3-force-1.2.1.tgz      | 1.2.1 | Force-directed graph layout using velocity Verlet integration.                          |
| d3-force-2.1.1.tgz      | 2.1.1 | Force-directed graph layout using velocity Verlet integration.                          |
| d3-format-1.4.5.tgz     | 1.4.5 | Format numbers for human consumption.                                                   |
| d3-format-2.0.0.tgz     | 2.0.0 | Format numbers for human consumption.                                                   |

|                              |        |                                                                      |
|------------------------------|--------|----------------------------------------------------------------------|
| d3-geo-1.12.1.tgz            | 1.12.1 | Shapes and calculators for spherical coordinates.                    |
| d3-hierarchy-1.1.9.tgz       | 1.1.9  | Layout algorithms for visualizing hierarchical data.                 |
| d3-interpolate-1.4.0.tgz     | 1.4.0  | Interpolate numbers, colors, strings, arrays, objects, whatever!     |
| d3-interpolate-1.4.2.tgz     | 1.4.2  | TypeScript definitions for D3JS d3-interpolate module                |
| d3-interpolate-2.0.1.tgz     | 2.0.1  | Interpolate numbers, colors, strings, arrays, objects, whatever!     |
| d3-path-1.0.9.tgz            | 1.0.9  | Serialize Canvas path commands to SVG.                               |
| d3-path-1.0.9.tgz            | 1.0.9  | TypeScript definitions for D3JS d3-path module                       |
| d3-polygon-1.0.6.tgz         | 1.0.6  | Operations for two-dimensional polygons.                             |
| d3-quadtree-1.0.7.tgz        | 1.0.7  | Two-dimensional recursive spatial subdivision.                       |
| d3-quadtree-2.0.0.tgz        | 2.0.0  | Two-dimensional recursive spatial subdivision.                       |
| d3-random-1.1.2.tgz          | 1.1.2  | Generate random numbers from various distributions.                  |
| d3-scale-2.2.2.tgz           | 2.2.2  | Encodings that map abstract data to visual representation.           |
| d3-scale-3.3.0.tgz           | 3.3.0  | Encodings that map abstract data to visual representation.           |
| d3-scale-3.3.2.tgz           | 3.3.2  | TypeScript definitions for D3JS d3-scale module                      |
| d3-scale-chromatic-1.5.0.tgz | 1.5.0  | Sequential, diverging and categorical color schemes.                 |
| d3-selection-1.4.2.tgz       | 1.4.2  | Data-driven DOM manipulation: select elements and join them to data. |
| d3-shape-1.3.7.tgz           | 1.3.7  | Graphical primitives for visualization, such as lines and areas.     |

|                                        |        |                                                                            |
|----------------------------------------|--------|----------------------------------------------------------------------------|
| d3-shape-1.3.8.tgz                     | 1.3.8  | TypeScript definitions for D3JS d3-shape module                            |
| d3-time-1.1.0.tgz                      | 1.1.0  | A calculator for humanity's peculiar conventions of time.                  |
| d3-time-1.1.1.tgz                      | 1.1.1  | TypeScript definitions for D3JS d3-time module                             |
| d3-time-2.1.1.tgz                      | 2.1.1  | A calculator for humanity's peculiar conventions of time.                  |
| d3-time-2.1.1.tgz                      | 2.1.1  | TypeScript definitions for D3JS d3-time module                             |
| d3-time-format-2.3.0.tgz               | 2.3.0  | A JavaScript time formatter and parser inspired by strftime and strptime.  |
| d3-time-format-3.0.0.tgz               | 3.0.0  | A JavaScript time formatter and parser inspired by strftime and strptime.  |
| d3-timer-1.0.10.tgz                    | 1.0.10 | An efficient queue capable of managing thousands of concurrent animations. |
| d3-timer-2.0.0.tgz                     | 2.0.0  | An efficient queue capable of managing thousands of concurrent animations. |
| d3-transition-1.3.2.tgz                | 1.3.2  | Animated transitions for D3 selections.                                    |
| d3-voronoi-1.1.4.tgz                   | 1.1.4  | Compute the Voronoi diagram of a set of two-dimensional points.            |
| d3-zoom-1.8.3.tgz                      | 1.8.3  | Pan and zoom SVG, HTML or Canvas using mouse or touch input.               |
| dangerously-set-html-content-1.0.6.tgz | 1.0.6  | Render raw html at your own risk!                                          |
| dashdash-1.14.1.tgz                    | 1.14.1 | A light, featureful and explicit option parsing library.                   |
| data-7.5.17.tgz                        | 7.5.17 | Grafana Data Library                                                       |
| data-uri-to-buffer-5.0.1.tgz           | 5.0.1  |                                                                            |
| data-urls-1.1.0.tgz                    | 1.1.0  | Parses data: URLs                                                          |
| data-urls-2.0.0.tgz                    | 2.0.0  | Parses data: URLs                                                          |
| date-fns-1.30.1.tgz                    | 1.30.1 | Modern JavaScript date utility library                                     |

|                                |        |                                                                                                                                                                                   |
|--------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| date-format-4.0.14.tgz         | 4.0.14 | Formatting Date objects as strings since 2013                                                                                                                                     |
| dayjs-1.11.7.tgz               | 1.11.7 | 2KB immutable date time library alternative to Moment.js with the same modern API                                                                                                 |
| debounce-1.2.1.tgz             | 1.2.1  | Creates and returns a new debounced version of the passed function that will postpone its execution until after wait milliseconds have elapsed since the last time it was invoked |
| debounce-promise-3.1.2.tgz     | 3.1.2  | Create a debounced version of a promise returning function                                                                                                                        |
| debug-2.6.9.tgz                | 2.6.9  | small debugging utility                                                                                                                                                           |
| debug-3.2.7.tgz                | 3.2.7  | small debugging utility                                                                                                                                                           |
| debug-4.3.2.tgz                | 4.3.2  | small debugging utility                                                                                                                                                           |
| debug-4.3.4.tgz                | 4.3.4  | Lightweight debugging utility for Node.js and the browser                                                                                                                         |
| decamelize-1.2.0.tgz           | 1.2.0  | Convert a camelized string into a lowercased one with a custom separator:<br>unicornRainbow → unicorn_rainbow                                                                     |
| decimal.js-10.4.3.tgz          | 10.4.3 | An arbitrary-precision Decimal type for JavaScript.                                                                                                                               |
| decode-uri-component-0.2.1.tgz | 0.2.1  |                                                                                                                                                                                   |
| deep-diff-0.3.8.tgz            | 0.3.8  | Javascript utility for calculating deep difference, capturing changes, and applying changes across objects; for nodejs and the browser.                                           |
| deep-extend-0.6.0.tgz          | 0.6.0  | Recursive object extending                                                                                                                                                        |
| deep-freeze-0.0.1.tgz          | 0.0.1  | recursively Object.freeze() objects and functions                                                                                                                                 |
| deep-freeze-0.1.2.tgz          | 0.1.2  | TypeScript definitions for deep-freeze                                                                                                                                            |

|                                   |             |                                                                                                                             |
|-----------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------|
| deep-is-0.1.4.tgz                 | 0.1.4       | node's assert.deepEqual algorithm except for NaN being equal to NaN                                                         |
| deepmerge-4.3.1.tgz               | 4.3.1       |                                                                                                                             |
| defaults-1.0.4.tgz                | 1.0.4       | merge single level defaults over a config object                                                                            |
| define-lazy-prop-2.0.0.tgz        | 2.0.0       | Define a lazily evaluated property on an object                                                                             |
| define-properties-1.2.0.tgz       | 1.2.0       |                                                                                                                             |
| define-property-0.2.5.tgz         | 0.2.5       | Define a non-enumerable property on an object.                                                                              |
| define-property-1.0.0.tgz         | 1.0.0       | Define a non-enumerable property on an object.                                                                              |
| define-property-2.0.2.tgz         | 2.0.2       | Define a non-enumerable property on an object. Uses Reflect.defineProperty when available, otherwise Object.defineProperty. |
| degenerator-4.0.2.tgz             | 4.0.2       |                                                                                                                             |
| delayed-stream-1.0.0.tgz          | 1.0.0       | Buffers events from a stream until you are ready to handle them.                                                            |
| delegate-3.2.0.tgz                | 3.2.0       | Lightweight event delegation                                                                                                |
| detect-newline-3.1.0.tgz          | 3.1.0       | Detect the dominant newline character of a string                                                                           |
| detect-port-alt-1.1.6.tgz         | 1.1.6       | detect available port                                                                                                       |
| devtools-protocol-0.0.1120988.tgz | 0.0.1120988 | The Chrome DevTools Protocol JSON                                                                                           |
| diff-4.0.2.tgz                    | 4.0.2       | A javascript text diff implementation.                                                                                      |
| diff-match-patch-1.0.5.tgz        | 1.0.5       | npm package for <a href="https://github.com/google/diff-match-patch">https://github.com/google/diff-match-patch</a>         |
| diff-sequences-26.6.2.tgz         | 26.6.2      | Compare items in two sequences to find a longest common subsequence                                                         |
| diff-sequences-29.4.3.tgz         | 29.4.3      |                                                                                                                             |
| dir-glob-3.0.1.tgz                | 3.0.1       | Convert directories to glob compatible strings                                                                              |

|                                   |         |                                                                 |
|-----------------------------------|---------|-----------------------------------------------------------------|
| direction-0.1.5.tgz               | 0.1.5   | Detect directionality: left-to-right, right-to-left, or neutral |
| doctrine-2.1.0.tgz                | 2.1.0   | JSDoc parser                                                    |
| doctrine-3.0.0.tgz                | 3.0.0   | JSDoc parser                                                    |
| dom-align-1.12.4.tgz              | 1.12.4  | Align DOM Node Flexibly                                         |
| dom-converter-0.2.0.tgz           | 0.2.0   | converts bare objects to DOM objects or xml representations     |
| dom-css-2.1.0.tgz                 | 2.1.0   | fast dom CSS styling                                            |
| dom-helpers-5.2.1.tgz             | 5.2.1   | tiny modular DOM lib for ie9+                                   |
| dom-serializer-1.4.1.tgz          | 1.4.1   | render domhandler DOM nodes to a string                         |
| domelementtype-2.3.0.tgz          | 2.3.0   | all the types of nodes in htmlparser2's dom                     |
| domexception-1.0.1.tgz            | 1.0.1   | An implementation of the DOMException class from browsers       |
| domexception-2.0.1.tgz            | 2.0.1   | An implementation of the DOMException class from browsers       |
| domhandler-4.3.1.tgz              | 4.3.1   | Handler for htmlparser2 that turns pages into a dom             |
| domutils-2.8.0.tgz                | 2.8.0   | Utilities for working with htmlparser2's dom                    |
| dot-case-3.0.4.tgz                | 3.0.4   | Transform into a lower case string with a period between words  |
| duplexer-0.1.2.tgz                | 0.1.2   | Creates a duplex stream                                         |
| e2e-7.5.17.tgz                    | 7.5.17  | Grafana End-to-End Test Library                                 |
| e2e-selectors-7.5.17.tgz          | 7.5.17  | Grafana End-to-End Test Selectors Library                       |
| eastasianwidth-0.2.0.tgz          | 0.2.0   | Get East Asian Width from a character.                          |
| ecc-jsbn-0.1.2.tgz                | 0.1.2   | ECC JS code based on JSBN                                       |
| electron-to-chromium-1.4.414.tgz  | 1.4.414 |                                                                 |
| elegant-spinner-1.0.1.tgz         | 1.0.1   | Elegant spinner for interactive CLI apps                        |
| element-resize-detector-1.2.4.tgz | 1.2.4   | Resize event emitter for elements.                              |

|                                          |         |                                                                                   |
|------------------------------------------|---------|-----------------------------------------------------------------------------------|
| emitter-component-1.1.1.tgz              | 1.1.1   | Event emitter                                                                     |
| emittery-0.7.2.tgz                       | 0.7.2   | Simple and modern async event emitter                                             |
| emoji-regex-8.0.0.tgz                    | 8.0.0   | A regular expression to match all Emoji-only symbols as per the Unicode Standard. |
| emojis-list-3.0.0.tgz                    | 3.0.0   | Complete list of standard emojis.                                                 |
| emotion-10.0.27.tgz                      | 10.0.27 | The Next Generation of CSS-in-JS.                                                 |
| emotion-11.0.0.tgz                       | 11.0.0  | The Next Generation of CSS-in-JS.                                                 |
| empower-1.3.1.tgz                        | 1.3.1   | Power Assert feature enhancer for assert function/object                          |
| empower-core-1.2.0.tgz                   | 1.2.0   | Power Assert feature enhancer for assert function/object                          |
| encoding-0.1.13.tgz                      | 0.1.13  | Convert encodings, uses iconv-lite                                                |
| end-of-stream-1.4.4.tgz                  | 1.4.4   | Call a callback when a readable/writable/duplex stream has completed or failed.   |
| enhanced-resolve-5.14.1.tgz              | 5.14.1  |                                                                                   |
| entities-2.2.0.tgz                       | 2.2.0   | Encode & decode XML and HTML entities with ease                                   |
| entities-4.5.0.tgz                       | 4.5.0   |                                                                                   |
| environment-24.9.0.tgz                   | 24.9.0  |                                                                                   |
| environment-26.6.2.tgz                   | 26.6.2  |                                                                                   |
| errno-0.1.8.tgz                          | 0.1.8   | libuv errno details exposed                                                       |
| error-ex-1.3.2.tgz                       | 1.3.2   | Easy error subclassing and stack customization                                    |
| error-stack-parser-2.1.4.tgz             | 2.1.4   | Extract meaning from JS Errors                                                    |
| es-abstract-1.21.2.tgz                   | 1.21.2  |                                                                                   |
| es-array-method-boxes-properly-1.0.0.tgz | 1.0.0   | Utility package to determine if an `Array.prototype` method properly boxes the    |

|                                  |        |                                                                                         |
|----------------------------------|--------|-----------------------------------------------------------------------------------------|
|                                  |        | callback's receiver and third argument.                                                 |
| es-module-lexer-0.9.3.tgz        | 0.9.3  | Lexes ES modules returning their import/export metadata                                 |
| es-module-lexer-1.2.1.tgz        | 1.2.1  |                                                                                         |
| es-set-tostringtag-2.0.1.tgz     | 2.0.1  |                                                                                         |
| es-shim-unscopables-1.0.0.tgz    | 1.0.0  | Helper package to shim a method into <code>`Array.prototype[Symbol.unscopables]`</code> |
| es-to-primitive-1.2.1.tgz        | 1.2.1  | ECMAScript “ToPrimitive” algorithm. Provides ES5 and ES2015 versions.                   |
| es6-promise-4.2.8.tgz            | 4.2.8  | A lightweight library that provides tools for organizing asynchronous code              |
| es6-promisify-5.0.0.tgz          | 5.0.0  | Converts callback-based functions to ES6 Promises                                       |
| escalade-3.1.1.tgz               | 3.1.1  | A tiny (183B to 210B) and fast utility to ascend parent directories                     |
| escape-string-regexp-1.0.5.tgz   | 1.0.5  | Escape RegExp special characters                                                        |
| escape-string-regexp-2.0.0.tgz   | 2.0.0  | Escape RegExp special characters                                                        |
| escape-string-regexp-4.0.0.tgz   | 4.0.0  | Escape RegExp special characters                                                        |
| escape-string-regexp-5.0.0.tgz   | 5.0.0  | Escape RegExp special characters                                                        |
| escodegen-1.14.3.tgz             | 1.14.3 | ECMAScript code generator                                                               |
| escodegen-2.0.0.tgz              | 2.0.0  | ECMAScript code generator                                                               |
| eslint-8.26.0.tgz                | 8.26.0 | An AST-based pattern checker for JavaScript.                                            |
| eslint-8.37.0.tgz                | 8.37.0 | An AST-based pattern checker for JavaScript.                                            |
| eslint-8.40.0.tgz                | 8.40.0 |                                                                                         |
| eslint-config-5.1.0.tgz          | 5.1.0  | Grafana's ESLint config                                                                 |
| eslint-config-prettier-8.5.0.tgz | 8.5.0  | Turns off all rules that are unnecessary or might conflict with Prettier.               |
| eslint-config-prettier-8.8.0.tgz | 8.8.0  |                                                                                         |

|                                     |         |                                                              |
|-------------------------------------|---------|--------------------------------------------------------------|
| eslint-plugin-11.10.0.tgz           | 11.10.0 | ESLint rules for emotion                                     |
| eslint-plugin-5.42.0.tgz            | 5.42.0  | TypeScript plugin for ESLint                                 |
| eslint-plugin-5.57.1.tgz            | 5.57.1  |                                                              |
| eslint-plugin-jsdoc-39.6.2.tgz      | 39.6.2  | JSDoc linting rules for ESLint.                              |
| eslint-plugin-jsdoc-40.1.1.tgz      | 40.1.1  |                                                              |
| eslint-plugin-prettier-4.2.1.tgz    | 4.2.1   | Runs prettier as an eslint rule                              |
| eslint-plugin-react-7.31.10.tgz     | 7.31.10 | React specific linting rules for ESLint                      |
| eslint-plugin-react-hooks-4.6.0.tgz | 4.6.0   | ESLint rules for React Hooks                                 |
| eslint-scope-3.7.4.tgz              | 3.7.4   | TypeScript definitions for eslint-scope                      |
| eslint-scope-5.1.1.tgz              | 5.1.1   | ECMAScript scope analyzer for ESLint                         |
| eslint-scope-7.2.0.tgz              | 7.2.0   |                                                              |
| eslint-utils-3.0.0.tgz              | 3.0.0   | Utilities for ESLint plugins.                                |
| eslint-utils-4.4.0.tgz              | 4.4.0   |                                                              |
| eslint-visitor-keys-2.1.0.tgz       | 2.1.0   | Constants and utilities about visitor keys to traverse AST.  |
| eslint-visitor-keys-3.4.1.tgz       | 3.4.1   |                                                              |
| eslintrc-1.4.1.tgz                  | 1.4.1   |                                                              |
| eslintrc-2.0.3.tgz                  | 2.0.3   |                                                              |
| espreet-9.5.2.tgz                   | 9.5.2   |                                                              |
| esprima-4.0.1.tgz                   | 4.0.1   | ECMAScript parsing infrastructure for multipurpose analysis  |
| espurify-1.8.1.tgz                  | 1.8.1   | Clone new AST without extra properties                       |
| esquery-1.5.0.tgz                   | 1.5.0   |                                                              |
| esrecurse-4.3.0.tgz                 | 4.3.0   | ECMAScript AST recursive visitor                             |
| esrever-0.2.0.tgz                   | 0.2.0   | A fully Unicode-aware string reverser written in JavaScript. |
| estaverse-4.3.0.tgz                 | 4.3.0   | ECMAScript JS AST traversal functions                        |
| estaverse-5.3.0.tgz                 | 5.3.0   | ECMAScript JS AST traversal functions                        |

|                         |        |                                                                                                                                  |
|-------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------|
| estree-0.0.51.tgz       | 0.0.51 | TypeScript definitions for ESTree AST specification                                                                              |
| estree-1.0.1.tgz        | 1.0.1  |                                                                                                                                  |
| esutils-2.0.3.tgz       | 2.0.3  | utility box for ECMAScript language tools                                                                                        |
| event-1.3.0.tgz         | 1.3.0  | visx event                                                                                                                       |
| eventemitter-1.1.0.tgz  | 1.1.0  | A minimal event emitter.                                                                                                         |
| eventemitter2-6.4.9.tgz | 6.4.9  | A feature-rich Node.js event emitter implementation with namespaces, wildcards, TTL, async listeners and browser/worker support. |
| eventemitter3-4.0.0.tgz | 4.0.0  | EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.                               |
| eventemitter3-4.0.7.tgz | 4.0.7  | EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.                               |
| events-3.3.0.tgz        | 3.3.0  | Node's event emitter for all engines.                                                                                            |
| exec-sh-0.3.6.tgz       | 0.3.6  | Execute shell command forwarding all stdio.                                                                                      |
| execa-1.0.0.tgz         | 1.0.0  | A better `child_process`                                                                                                         |
| execa-2.1.0.tgz         | 2.1.0  | Process execution for humans                                                                                                     |
| execa-4.0.0.tgz         | 4.0.0  | Process execution for humans                                                                                                     |
| execa-4.1.0.tgz         | 4.1.0  | Process execution for humans                                                                                                     |
| executable-4.1.1.tgz    | 4.1.1  | Check if a file is executable                                                                                                    |
| exit-0.1.2.tgz          | 0.1.2  | A replacement for process.exit that ensures stdio are fully drained before exiting.                                              |
| exit-hook-1.1.1.tgz     | 1.1.1  | Run some code when the process exits                                                                                             |

|                                       |         |                                                                                                                                                                                       |
|---------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| expand-brackets-2.1.4.tgz             | 2.1.4   | Expand POSIX bracket expressions (character classes) in glob patterns.                                                                                                                |
| expect-26.6.2.tgz                     | 26.6.2  | This package exports the <code>expect`</code> function used in [Jest](https://jestjs.io/). You can find its documentation [on Jest's website](https://jestjs.io/docs/en/expect.html). |
| expect-29.5.0.tgz                     | 29.5.0  |                                                                                                                                                                                       |
| expect-puppeteer-3.3.1.tgz            | 3.3.1   | TypeScript definitions for expect-puppeteer                                                                                                                                           |
| expect-puppeteer-4.1.1.tgz            | 4.1.1   | Assertion toolkit for Puppeteer.                                                                                                                                                      |
| expect-utils-29.5.0.tgz               | 29.5.0  |                                                                                                                                                                                       |
| express-4.17.17.tgz                   | 4.17.17 |                                                                                                                                                                                       |
| express-serve-static-core-4.17.35.tgz | 4.17.35 |                                                                                                                                                                                       |
| extend-3.0.2.tgz                      | 3.0.2   | Port of jQuery.extend for node.js and the browser                                                                                                                                     |
| extend-shallow-2.0.1.tgz              | 2.0.1   | Extend an object with the properties of additional objects. node.js/javascript util.                                                                                                  |
| extend-shallow-3.0.2.tgz              | 3.0.2   | Extend an object with the properties of additional objects. node.js/javascript util.                                                                                                  |
| external-editor-3.1.0.tgz             | 3.1.0   | Edit a string with the users preferred text editor using \$VISUAL or \$ENVIRONMENT                                                                                                    |
| extglob-2.0.4.tgz                     | 2.0.4   | Extended glob support for JavaScript. Adds (almost) the expressive power of regular expressions to glob patterns.                                                                     |
| extract-zip-1.7.0.tgz                 | 1.7.0   | unzip a zip file into a directory using 100% javascript                                                                                                                               |

|                                      |        |                                                                                                        |
|--------------------------------------|--------|--------------------------------------------------------------------------------------------------------|
| extract-zip-2.0.1.tgz                | 2.0.1  | unzip a zip file into a directory using 100% javascript                                                |
| extsprintf-1.3.0.tgz                 | 1.3.0  | extended POSIX-style sprintf                                                                           |
| extsprintf-1.4.1.tgz                 | 1.4.1  | extended POSIX-style sprintf                                                                           |
| fake-timers-24.9.0.tgz               | 24.9.0 |                                                                                                        |
| fake-timers-26.6.2.tgz               | 26.6.2 |                                                                                                        |
| fake-timers-6.0.1.tgz                | 6.0.1  | Fake JavaScript timers                                                                                 |
| fast-deep-equal-3.1.3.tgz            | 3.1.3  | Fast deep equal                                                                                        |
| fast-diff-1.3.0.tgz                  | 1.3.0  |                                                                                                        |
| fast-glob-3.2.12.tgz                 | 3.2.12 | It's a very fast and efficient glob library for Node.js                                                |
| fast-json-stable-stringify-2.1.0.tgz | 2.1.0  | deterministic `JSON.stringify()` - a faster version of substack's json-stable-strigify without jsonify |
| fast-levenshtein-2.0.6.tgz           | 2.0.6  | Efficient implementation of Levenshtein algorithm with locale-specific collator support.               |
| fast-loops-1.1.4.tgz                 | 1.1.4  |                                                                                                        |
| fast-shallow-equal-1.0.0.tgz         | 1.0.0  | [![][npm-badge]][npm-url]<br>[![][travis-badge]][travis-url]                                           |
| fast-text-encoding-1.0.6.tgz         | 1.0.6  | Fast polyfill for TextEncoder and TextDecoder, only supports utf-8                                     |
| fastest-stable-stringify-2.0.2.tgz   | 2.0.2  | Fastest stable deterministic JSON.stringify()                                                          |
| fastq-1.15.0.tgz                     | 1.15.0 |                                                                                                        |
| fb-watchman-2.0.2.tgz                | 2.0.2  | Bindings for the Watchman file watching service                                                        |
| fbjs-0.8.18.tgz                      | 0.8.18 | A collection of utility libraries used by other Facebook JS projects                                   |
| fd-slicer-1.1.0.tgz                  | 1.1.0  | safely create multiple ReadStream or WriteStream objects from the same file descriptor                 |

|                            |       |                                                                                                                                                                                             |
|----------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fetch-1.1.0.tgz            | 1.1.0 | Fetches the contents of a file accross node and browsers.                                                                                                                                   |
| figures-1.7.0.tgz          | 1.7.0 | Unicode symbols with Windows CMD fallbacks                                                                                                                                                  |
| figures-2.0.0.tgz          | 2.0.0 | Unicode symbols with Windows CMD fallbacks                                                                                                                                                  |
| figures-5.0.0.tgz          | 5.0.0 | Unicode symbols with fallbacks for older terminals                                                                                                                                          |
| file-entry-cache-6.0.1.tgz | 6.0.1 | Super simple cache for file metadata, useful for process that work o a given series of files and that only need to repeat the job on the changed ones since the previous run of the process |
| file-exists-1.1.1.tgz      | 1.1.1 | Synchronous validation of a path existing either as a file or as a directory.                                                                                                               |
| file-loader-6.2.0.tgz      | 6.2.0 | A file loader module for webpack                                                                                                                                                            |
| file-saver-2.0.2.tgz       | 2.0.2 | An HTML5 saveAs() FileSaver implementation                                                                                                                                                  |
| file-uri-to-path-1.0.0.tgz | 1.0.0 | Convert a file: URI to a file path                                                                                                                                                          |
| filesize-8.0.7.tgz         | 8.0.7 | JavaScript library to generate a human readable String describing the file size                                                                                                             |
| fill-range-4.0.0.tgz       | 4.0.0 | Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options.toRegex`                                          |
| fill-range-7.0.1.tgz       | 7.0.1 | Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options.toRegex`                                          |
| find-cache-dir-3.3.2.tgz   | 3.3.2 | Finds the common standard cache directory                                                                                                                                                   |

|                                      |        |                                                                                                                                                                                                           |
|--------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| find-replace-2.0.1.tgz               | 2.0.1  | Find and either replace or remove items from an array                                                                                                                                                     |
| find-root-1.1.0.tgz                  | 1.1.0  | find the closest package.json                                                                                                                                                                             |
| find-up-3.0.0.tgz                    | 3.0.0  | Find a file or directory by walking up parent directories                                                                                                                                                 |
| find-up-4.1.0.tgz                    | 4.1.0  | Find a file or directory by walking up parent directories                                                                                                                                                 |
| find-up-5.0.0.tgz                    | 5.0.0  | Find a file or directory by walking up parent directories                                                                                                                                                 |
| flat-cache-3.0.4.tgz                 | 3.0.4  | A stupidly simple key/value storage using files to persist some data                                                                                                                                      |
| flatbuffers-1.10.0.tgz               | 1.10.0 | TypeScript definitions for flatbuffers                                                                                                                                                                    |
| flatbuffers-1.11.0.tgz               | 1.11.0 | Memory Efficient Serialization Library                                                                                                                                                                    |
| flatted-3.2.7.tgz                    | 3.2.7  | A super light and fast circular JSON parser.                                                                                                                                                              |
| float-1.0.2.tgz                      | 1.0.2  | Reads / writes floats / doubles from / to buffers in both modern and ancient browsers.                                                                                                                    |
| floating-point-hex-parser-1.11.1.tgz | 1.11.1 | A function to parse floating point hexadecimal strings as defined by the WebAssembly specification                                                                                                        |
| floating-point-hex-parser-1.11.6.tgz | 1.11.6 |                                                                                                                                                                                                           |
| follow-redirects-1.15.2.tgz          | 1.15.2 | HTTP and HTTPS modules that follow redirects.                                                                                                                                                             |
| for-each-0.3.3.tgz                   | 0.3.3  | A better forEach                                                                                                                                                                                          |
| for-in-1.0.2.tgz                     | 1.0.2  | Iterate over the own and inherited enumerable properties of an object, and return an object with properties that evaluate to true from the callback. Exit early by returning `false` . JavaScript/Node.js |

|                                          |        |                                                                                                                                       |
|------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------|
| forever-agent-0.6.1.tgz                  | 0.6.1  | HTTP Agent that keeps socket connections alive between keep-alive requests. Formerly part of mikeal/request, now a standalone module. |
| fork-ts-checker-webpack-plugin-6.5.3.tgz | 6.5.3  |                                                                                                                                       |
| fork-ts-checker-webpack-plugin-8.0.0.tgz | 8.0.0  |                                                                                                                                       |
| form-data-2.3.3.tgz                      | 2.3.3  | A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.   |
| form-data-3.0.1.tgz                      | 3.0.1  | A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.   |
| fraction.js-4.2.0.tgz                    | 4.2.0  | A rational number library                                                                                                             |
| fragment-cache-0.2.1.tgz                 | 0.2.1  | A cache for managing namespaced sub-caches                                                                                            |
| fs-constants-1.0.0.tgz                   | 1.0.0  | Require constants across node and the browser                                                                                         |
| fs-extra-10.1.0.tgz                      | 10.1.0 | fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.          |
| fs-extra-8.1.0.tgz                       | 8.1.0  | fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as mkdir -p, cp -r, and rm -rf.                |
| fs-extra-8.1.2.tgz                       | 8.1.2  | TypeScript definitions for fs-extra                                                                                                   |
| fs-extra-9.1.0.tgz                       | 9.1.0  | fs-extra contains methods that aren't included in the vanilla Node.js fs package.                                                     |

|                                   |              |                                                                                                                                                                                                                             |
|-----------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   |              | Such as recursive mkdir, copy, and remove.                                                                                                                                                                                  |
| fs-monkey-1.0.3.tgz               | 1.0.3        | Monkey patches for file system related things.                                                                                                                                                                              |
| fs.realpath-1.0.0.tgz             | 1.0.0        | Use node's fs.realpath, but fall back to the JS implementation if the native one fails                                                                                                                                      |
| fs.scandir-2.1.5.tgz              | 2.1.5        | List files and directories inside the specified directory                                                                                                                                                                   |
| fs.stat-2.0.5.tgz                 | 2.0.5        | Get the status of a file with some features                                                                                                                                                                                 |
| fs.walk-1.2.8.tgz                 | 1.2.8        | A library for efficiently walking a directory recursively                                                                                                                                                                   |
| fsevents-1.2.13.tgz               | 1.2.13       | Native Access to Mac OS-X FSEvents                                                                                                                                                                                          |
| fsevents-2.3.2.tgz                | 2.3.2        | Native Access to MacOS FSEvents                                                                                                                                                                                             |
| function-bind-1.1.1.tgz           | 1.1.1        | Implementation of Function.prototype.bind                                                                                                                                                                                   |
| function.prototype.name-1.1.5.tgz | 1.1.5        | An ES2015 spec-compliant `Function.prototype.name` shim                                                                                                                                                                     |
| functions-have-names-1.2.3.tgz    | 1.2.3        | Does this JS environment support the `name` property on functions?                                                                                                                                                          |
| fuzzy-0.1.3.tgz                   | 0.1.3        | small, standalone fuzzy search / fuzzy filter. browser or node                                                                                                                                                              |
| gen-mapping-0.3.3.tgz             | 0.3.3        |                                                                                                                                                                                                                             |
| generator-7.22.3.tgz              | 7.22.3       |                                                                                                                                                                                                                             |
| gensync-1.0.0-beta.2.tgz          | 1.0.0-beta.2 | Allows users to use generators in order to write common functions that can be both sync or async.                                                                                                                           |
| get-caller-file-1.0.3.tgz         | 1.0.3        | [[Build Status]]( <a href="https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master">https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master</a> )]( <a href="https://travis-">https://travis-</a> |

|                                  |       |                                                                                                                                                                                                                                                                 |
|----------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  |       | ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true)](https://ci.a                                                                                                        |
| get-caller-file-2.0.5.tgz        | 2.0.5 | [![Build Status](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master)](https://travis-ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true)](https://ci.a |
| get-document-1.0.0.tgz           | 1.0.0 | Returns the `document` object from a DOM object                                                                                                                                                                                                                 |
| get-intrinsic-1.2.1.tgz          | 1.2.1 |                                                                                                                                                                                                                                                                 |
| get-package-type-0.1.0.tgz       | 0.1.0 | Determine the `package.json#type` which applies to a location                                                                                                                                                                                                   |
| get-stream-4.1.0.tgz             | 4.1.0 | Get a stream as a string, buffer, or array                                                                                                                                                                                                                      |
| get-stream-5.2.0.tgz             | 5.2.0 | Get a stream as a string, buffer, or array                                                                                                                                                                                                                      |
| get-symbol-description-1.0.0.tgz | 1.0.0 | Gets the description of a Symbol. Handles `Symbol()` vs `Symbol("")` properly when possible.                                                                                                                                                                    |
| get-uri-6.0.1.tgz                | 6.0.1 |                                                                                                                                                                                                                                                                 |
| get-user-locale-1.5.1.tgz        | 1.5.1 | Returns a list of strings representing the user's preferred languages.                                                                                                                                                                                          |
| get-value-2.0.6.tgz              | 2.0.6 | Use property paths (`a.b.c`) to get a nested value from an object.                                                                                                                                                                                              |
| get-window-1.1.2.tgz             | 1.1.2 | Returns the `window` object from a DOM object                                                                                                                                                                                                                   |

|                          |         |                                                                                 |
|--------------------------|---------|---------------------------------------------------------------------------------|
| getos-3.2.1.tgz          | 3.2.1   | Get the OS/Distribution name of the environment you are working on              |
| getpass-0.1.7.tgz        | 0.1.7   | getpass for node.js                                                             |
| glob-7.2.3.tgz           | 7.2.3   | a little globber                                                                |
| glob-8.1.0.tgz           | 8.1.0   | TypeScript definitions for glob                                                 |
| glob-9.3.5.tgz           | 9.3.5   | the most correct and second fastest glob implementation in JavaScript           |
| glob-parent-6.0.2.tgz    | 6.0.2   | Extract the non-magic parent path from a glob string.                           |
| glob-to-regexp-0.4.1.tgz | 0.4.1   | Convert globs to regular expressions                                            |
| global-dirs-2.1.0.tgz    | 2.1.0   | Get the directory of globally installed packages and binaries                   |
| global-modules-2.0.0.tgz | 2.0.0   | The directory used by npm for globally installed npm modules.                   |
| global-prefix-3.0.0.tgz  | 3.0.0   | Get the npm global path prefix.                                                 |
| globals-11.12.0.tgz      | 11.12.0 | Global identifiers from different JavaScript environments                       |
| globals-13.20.0.tgz      | 13.20.0 |                                                                                 |
| globals-26.6.2.tgz       | 26.6.2  |                                                                                 |
| globalthis-1.0.3.tgz     | 1.0.3   | ECMAScript spec-compliant polyfill/shim for `globalThis`                        |
| globby-11.1.0.tgz        | 11.1.0  | User-friendly glob matching                                                     |
| globby-13.1.4.tgz        | 13.1.4  | User-friendly glob matching                                                     |
| good-listener-1.2.2.tgz  | 1.2.2   | A more versatile way of adding & removing event listeners                       |
| gopd-1.0.1.tgz           | 1.0.1   | `Object.getOwnPropertyDescriptor`, but accounts for IE's broken implementation. |
| graceful-fs-4.1.6.tgz    | 4.1.6   |                                                                                 |
| graceful-fs-4.2.11.tgz   | 4.2.11  |                                                                                 |
| gradient-1.0.0.tgz       | 1.0.0   | visx gradient                                                                   |

|                                    |       |                                                                                                               |
|------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
| grapheme-splitter-1.0.4.tgz        | 1.0.4 | A JavaScript library that breaks strings into their individual user-perceived characters. It supports emojis! |
| group-1.0.0.tgz                    | 1.0.0 | visx group                                                                                                    |
| growly-1.3.0.tgz                   | 1.3.0 | Simple zero-dependency Growl notifications using Gntp.                                                        |
| gzip-size-6.0.0.tgz                | 6.0.0 | Get the gzipped size of a string or buffer                                                                    |
| hammerjs-2.0.8.tgz                 | 2.0.8 | A javascript library for multi-touch gestures                                                                 |
| har-schema-2.0.0.tgz               | 2.0.0 | JSON Schema for HTTP Archive (HAR)                                                                            |
| har-validator-5.1.5.tgz            | 5.1.5 | Extremely fast HTTP Archive (HAR) validator using JSON Schema                                                 |
| has-1.0.3.tgz                      | 1.0.3 | Object.prototype.hasOwnProperty.call shortcut                                                                 |
| has-ansi-2.0.0.tgz                 | 2.0.0 | Check if a string has ANSI escape codes                                                                       |
| has-bigints-1.0.2.tgz              | 1.0.2 | Determine if the JS environment has BigInt support.                                                           |
| has-flag-2.0.0.tgz                 | 2.0.0 | Check if argv has a specific flag                                                                             |
| has-flag-3.0.0.tgz                 | 3.0.0 | Check if argv has a specific flag                                                                             |
| has-flag-4.0.0.tgz                 | 4.0.0 | Check if argv has a specific flag                                                                             |
| has-property-descriptors-1.0.0.tgz | 1.0.0 | Does the environment have full property descriptor support? Handles IE 8's broken defineProperty/gOPD.        |
| has-proto-1.0.1.tgz                | 1.0.1 |                                                                                                               |
| has-symbols-1.0.3.tgz              | 1.0.3 | Determine if the JS environment has Symbol support. Supports spec, or shams.                                  |
| has-tostringtag-1.0.0.tgz          | 1.0.0 | Determine if the JS environment has                                                                           |

|                                                              |        |                                                                                                                               |
|--------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------|
|                                                              |        | <code>`Symbol.toStringTag`</code> support. Supports spec, or shams.                                                           |
| has-value-0.3.1.tgz                                          | 0.3.1  | Returns true if a value exists, false if empty. Works with deeply nested values using object paths.                           |
| has-value-1.0.0.tgz                                          | 1.0.0  | Returns true if a value exists, false if empty. Works with deeply nested values using object paths.                           |
| has-values-0.1.4.tgz                                         | 0.1.4  | Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays. |
| has-values-1.0.0.tgz                                         | 1.0.0  | Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays. |
| hash-0.8.0.tgz                                               | 0.8.0  | A MurmurHash2 implementation                                                                                                  |
| hash-0.9.1.tgz                                               | 0.9.1  |                                                                                                                               |
| he-1.2.0.tgz                                                 | 1.2.0  | A robust HTML entities encoder/decoder with full Unicode support.                                                             |
| helper-annotate-as-pure-7.18.6.tgz                           | 7.18.6 | Helper function to annotate paths and nodes with <code>#__PURE__</code> comment                                               |
| helper-api-error-1.11.1.tgz                                  | 1.11.1 | Common API errors                                                                                                             |
| helper-api-error-1.11.6.tgz                                  | 1.11.6 |                                                                                                                               |
| helper-buffer-1.11.1.tgz                                     | 1.11.1 | Buffer manipulation utility                                                                                                   |
| helper-buffer-1.11.6.tgz                                     | 1.11.6 |                                                                                                                               |
| helper-builder-binary-assignment-operator-visitor-7.22.3.tgz | 7.22.3 |                                                                                                                               |
| helper-compilation-targets-7.22.1.tgz                        | 7.22.1 |                                                                                                                               |
| helper-create-class-features-plugin-7.22.1.tgz               | 7.22.1 |                                                                                                                               |
| helper-create-regexp-features-plugin-7.22.1.tgz              | 7.22.1 |                                                                                                                               |

|                                                        |        |                                                                                             |
|--------------------------------------------------------|--------|---------------------------------------------------------------------------------------------|
| helper-define-polyfill-provider-0.3.3.tgz              | 0.3.3  | Babel helper to create your own polyfill provider                                           |
| helper-environment-visitor-7.22.1.tgz                  | 7.22.1 |                                                                                             |
| helper-function-name-7.21.0.tgz                        | 7.21.0 |                                                                                             |
| helper-hoist-variables-7.18.6.tgz                      | 7.18.6 | Helper function to hoist variables                                                          |
| helper-member-expression-to-functions-7.22.3.tgz       | 7.22.3 |                                                                                             |
| helper-module-imports-7.21.4.tgz                       | 7.21.4 |                                                                                             |
| helper-module-transforms-7.22.1.tgz                    | 7.22.1 |                                                                                             |
| helper-numbers-1.11.1.tgz                              | 1.11.1 | Number parsing utility                                                                      |
| helper-numbers-1.11.6.tgz                              | 1.11.6 |                                                                                             |
| helper-optimize-call-expression-7.18.6.tgz             | 7.18.6 | Helper function to optimise call expression                                                 |
| helper-plugin-utils-7.21.5.tgz                         | 7.21.5 |                                                                                             |
| helper-remap-async-to-generator-7.18.9.tgz             | 7.18.9 | Helper function to remap async functions to generators                                      |
| helper-replace-supers-7.22.1.tgz                       | 7.22.1 |                                                                                             |
| helper-simple-access-7.21.5.tgz                        | 7.21.5 | Babel helper for ensuring that access to a given value is performed through simple accesses |
| helper-skip-transparent-expression-wrappers-7.20.0.tgz | 7.20.0 | Helper which skips types and parentheses                                                    |
| helper-split-export-declaration-7.18.6.tgz             | 7.18.6 |                                                                                             |
| helper-string-parser-7.21.5.tgz                        | 7.21.5 | A utility package to parse strings                                                          |
| helper-validator-identifier-7.19.1.tgz                 | 7.19.1 | Validate identifier/keywords name                                                           |
| helper-validator-option-7.21.0.tgz                     | 7.21.0 |                                                                                             |
| helper-wasm-bytecode-1.11.1.tgz                        | 1.11.1 | WASM's Bytecode constants                                                                   |

|                                   |        |                                                                                         |
|-----------------------------------|--------|-----------------------------------------------------------------------------------------|
| helper-wasm-bytecode-1.11.6.tgz   | 1.11.6 |                                                                                         |
| helper-wasm-section-1.11.1.tgz    | 1.11.1 |                                                                                         |
| helper-wasm-section-1.11.6.tgz    | 1.11.6 |                                                                                         |
| helper-wrap-function-7.20.5.tgz   | 7.20.5 |                                                                                         |
| helpers-7.22.3.tgz                | 7.22.3 |                                                                                         |
| highlight-7.18.6.tgz              | 7.18.6 | Syntax highlight JavaScript strings for output in terminals.                            |
| highlight-words-core-1.2.2.tgz    | 1.2.2  | Utility functions shared by react-highlight-words and react-native-highlight-words      |
| hoist-non-react-statics-2.5.5.tgz | 2.5.5  | Copies non-react specific statics from a child component to a parent component          |
| hoist-non-react-statics-3.3.1.tgz | 3.3.1  | TypeScript definitions for hoist-non-react-statics                                      |
| hoist-non-react-statics-3.3.2.tgz | 3.3.2  | Copies non-react specific statics from a child component to a parent component          |
| hosted-git-info-2.8.9.tgz         | 2.8.9  | Provides metadata and conversions from repository urls for Github, Bitbucket and Gitlab |
| html-encoding-sniffer-1.0.2.tgz   | 1.0.2  | Sniff the encoding from a HTML byte stream                                              |
| html-encoding-sniffer-2.0.1.tgz   | 2.0.1  | Sniff the encoding from a HTML byte stream                                              |
| html-escaper-2.0.2.tgz            | 2.0.2  | fast and safe way to escape and unescape &<>" chars                                     |
| html-loader-4.2.0.tgz             | 4.2.0  |                                                                                         |
| html-minifier-4.0.2.tgz           | 4.0.2  | TypeScript definitions for html-minifier                                                |
| html-minifier-terser-6.1.0.tgz    | 6.1.0  | Highly configurable, well-tested, JavaScript-based HTML minifier.                       |

|                                 |         |                                                                                    |
|---------------------------------|---------|------------------------------------------------------------------------------------|
| html-minifier-terser-6.1.0.tgz  | 6.1.0   | TypeScript definitions for html-minifier-terser                                    |
| html-minifier-terser-7.2.0.tgz  | 7.2.0   |                                                                                    |
| html-webpack-plugin-3.2.6.tgz   | 3.2.6   | TypeScript definitions for html-webpack-plugin                                     |
| html-webpack-plugin-5.5.1.tgz   | 5.5.1   |                                                                                    |
| htmlparser2-6.1.0.tgz           | 6.1.0   | Fast & forgiving HTML/XML parser                                                   |
| http-proxy-1.17.11.tgz          | 1.17.11 |                                                                                    |
| http-proxy-1.18.1.tgz           | 1.18.1  | HTTP proxying for the masses                                                       |
| http-proxy-agent-4.0.1.tgz      | 4.0.1   | An HTTP(s) proxy<br>`http.Agent`<br>implementation for HTTP                        |
| http-proxy-agent-7.0.0.tgz      | 7.0.0   |                                                                                    |
| http-proxy-middleware-1.3.1.tgz | 1.3.1   | The one-liner node.js proxy<br>middleware for connect,<br>express and browser-sync |
| http-signature-1.2.0.tgz        | 1.2.0   | Reference implementation<br>of Joyent's HTTP Signature<br>scheme.                  |
| http-signature-1.3.6.tgz        | 1.3.6   | Reference implementation<br>of Joyent's HTTP Signature<br>scheme.                  |
| https-proxy-agent-2.2.4.tgz     | 2.2.4   | An HTTP(s) proxy<br>`http.Agent`<br>implementation for HTTPS                       |
| https-proxy-agent-5.0.1.tgz     | 5.0.1   | An HTTP(s) proxy<br>`http.Agent`<br>implementation for HTTPS                       |
| https-proxy-agent-7.0.0.tgz     | 7.0.0   |                                                                                    |
| hub-5.25.0.tgz                  | 5.25.0  | Sentry hub which handles<br>global state managment.                                |
| human-signals-1.1.1.tgz         | 1.1.1   | Human-friendly process<br>signals                                                  |
| hyphenate-style-name-1.0.4.tgz  | 1.0.4   | Hyphenates a camelcased<br>CSS property name                                       |
| iconv-lite-0.4.24.tgz           | 0.4.24  | Convert character<br>encodings in pure<br>javascript.                              |

|                             |        |                                                                                                       |
|-----------------------------|--------|-------------------------------------------------------------------------------------------------------|
| iconv-lite-0.6.3.tgz        | 0.6.3  | Convert character encodings in pure javascript.                                                       |
| icss-utils-5.1.0.tgz        | 5.1.0  | ICSS utils for postcss ast                                                                            |
| ieee754-1.11.1.tgz          | 1.11.1 | IEEE754 decoder and encoder                                                                           |
| ieee754-1.11.6.tgz          | 1.11.6 |                                                                                                       |
| ieee754-1.2.0.tgz           | 1.2.0  | Read/write IEEE754 floating point numbers from/to a Buffer or array-like object                       |
| ieee754-1.2.1.tgz           | 1.2.1  | Read/write IEEE754 floating point numbers from/to a Buffer or array-like object                       |
| ignore-5.2.4.tgz            | 5.2.4  | Ignore is a manager and filter for .gitignore rules, the one used by eslint, gitbook and many others. |
| ignore-by-default-1.0.1.tgz | 1.0.1  | A list of directories you should ignore by default                                                    |
| image-size-0.5.5.tgz        | 0.5.5  | get dimensions of any image file                                                                      |
| immer-9.0.6.tgz             | 9.0.6  | Create your next immutable state by mutating the current one                                          |
| immutable-3.8.2.tgz         | 3.8.2  | Immutable Data Collections                                                                            |
| immutable-4.3.0.tgz         | 4.3.0  | Immutable Data Collections                                                                            |
| import-fresh-3.3.0.tgz      | 3.3.0  | Import a module while bypassing the cache                                                             |
| import-local-3.1.0.tgz      | 3.1.0  | Let a globally installed package use a locally installed version of itself if available               |
| imurmurhash-0.1.4.tgz       | 0.1.4  | An incremental implementation of MurmurHash3                                                          |
| indent-string-3.2.0.tgz     | 3.2.0  | Indent each line in a string                                                                          |
| indent-string-4.0.0.tgz     | 4.0.0  | Indent each line in a string                                                                          |
| indexof-0.0.1.tgz           | 0.0.1  | Microsoft sucks                                                                                       |
| inflight-1.0.6.tgz          | 1.0.6  | Add callbacks to requests in flight to avoid async duplication                                        |

|                                  |       |                                                                                            |
|----------------------------------|-------|--------------------------------------------------------------------------------------------|
| inherits-2.0.4.tgz               | 2.0.4 | Browser-friendly inheritance fully compatible with standard node.js inherits()             |
| ini-1.3.7.tgz                    | 1.3.7 | An ini encoder/decoder for node                                                            |
| ini-1.3.8.tgz                    | 1.3.8 | An ini encoder/decoder for node                                                            |
| inline-style-prefixer-6.0.4.tgz  | 6.0.4 | Run-time Autoprefixer for JavaScript style objects                                         |
| inquire-1.1.0.tgz                | 1.1.0 | Requires a module only if available and hides the require call from bundlers.              |
| inquirer-9.0.3.tgz               | 9.0.3 | TypeScript definitions for inquirer                                                        |
| inquirer-9.2.6.tgz               | 9.2.6 |                                                                                            |
| internal-slot-1.0.5.tgz          | 1.0.5 |                                                                                            |
| internmap-1.0.1.tgz              | 1.0.1 | Map and Set with automatic key interning                                                   |
| invariant-2.2.4.tgz              | 2.2.4 | invariant                                                                                  |
| invert-kv-2.0.0.tgz              | 2.0.0 | Invert the key/value of an object. Example: `{foo: 'bar'}` → `{bar: 'foo'}`                |
| ip-1.1.8.tgz                     | 1.1.8 | [](https://www.npmjs.com/package/ip)                   |
| ip-2.0.0.tgz                     | 2.0.0 | [](https://www.npmjs.com/package/ip)                   |
| is-accessor-descriptor-0.1.6.tgz | 0.1.6 | Returns true if a value has the characteristics of a valid JavaScript accessor descriptor. |
| is-accessor-descriptor-1.0.0.tgz | 1.0.0 | Returns true if a value has the characteristics of a valid JavaScript accessor descriptor. |
| is-array-buffer-3.0.2.tgz        | 3.0.2 |                                                                                            |
| is-arrayish-0.2.1.tgz            | 0.2.1 | Determines if an object can be used as an array                                            |
| is-bigint-1.0.4.tgz              | 1.0.4 | Is this value an ES BigInt?                                                                |
| is-binary-path-2.1.0.tgz         | 2.1.0 | Check if a file path is a binary file                                                      |

|                              |        |                                                                                                                                           |
|------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------|
| is-boolean-object-1.1.2.tgz  | 1.1.2  | Is this value a JS Boolean?<br>This module works cross-realm/iframe, and despite ES6 @@toStringTag.                                       |
| is-buffer-1.1.6.tgz          | 1.1.6  | Determine if an object is a Buffer                                                                                                        |
| is-callable-1.2.7.tgz        | 1.2.7  | Is this JS value callable?<br>Works with Functions and GeneratorFunctions, despite ES6 @@toStringTag.                                     |
| is-ci-2.0.0.tgz              | 2.0.0  | Detect if the current environment is a CI server                                                                                          |
| is-core-module-2.12.1.tgz    | 2.12.1 |                                                                                                                                           |
| is-data-descriptor-0.1.4.tgz | 0.1.4  | Returns true if a value has the characteristics of a valid JavaScript data descriptor.                                                    |
| is-data-descriptor-1.0.0.tgz | 1.0.0  | Returns true if a value has the characteristics of a valid JavaScript data descriptor.                                                    |
| is-date-object-1.0.5.tgz     | 1.0.5  | Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.                                      |
| is-descriptor-0.1.6.tgz      | 0.1.6  | Returns true if a value has the characteristics of a valid JavaScript descriptor.<br>Works for data descriptors and accessor descriptors. |
| is-descriptor-1.0.2.tgz      | 1.0.2  | Returns true if a value has the characteristics of a valid JavaScript descriptor.<br>Works for data descriptors and accessor descriptors. |
| is-docker-2.2.1.tgz          | 2.2.1  | Check if the process is running inside a Docker container                                                                                 |
| is-extendable-0.1.1.tgz      | 0.1.1  | Returns true if a value is any of the object types: array, regexp, plain object, function or date. This is useful for determining if a    |

|                                   |       |                                                                                                                                                                                                                                                                 |
|-----------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   |       | value can be extended, e.g. "can the value have keys?"                                                                                                                                                                                                          |
| is-extendable-1.0.1.tgz           | 1.0.1 | Returns true if a value is a plain object, array or function.                                                                                                                                                                                                   |
| is-extglob-2.1.1.tgz              | 2.1.1 | Returns true if a string has an extglob.                                                                                                                                                                                                                        |
| is-fullwidth-code-point-1.0.0.tgz | 1.0.0 | Check if the character represented by a given Unicode code point is fullwidth                                                                                                                                                                                   |
| is-fullwidth-code-point-2.0.0.tgz | 2.0.0 | Check if the character represented by a given Unicode code point is fullwidth                                                                                                                                                                                   |
| is-fullwidth-code-point-3.0.0.tgz | 3.0.0 | Check if the character represented by a given Unicode code point is fullwidth                                                                                                                                                                                   |
| is-generator-fn-2.1.0.tgz         | 2.1.0 | Check if something is a generator function                                                                                                                                                                                                                      |
| is-glob-4.0.3.tgz                 | 4.0.3 | Returns `true` if the given string looks like a glob pattern or an extglob pattern. This makes it easy to create code that only uses external modules like node-glob when necessary, resulting in much faster code execution and initialization time, and a bet |
| is-hotkey-0.1.4.tgz               | 0.1.4 | Check whether a browser event matches a hotkey.                                                                                                                                                                                                                 |
| is-hotkey-0.1.6.tgz               | 0.1.6 | Check whether a browser event matches a hotkey.                                                                                                                                                                                                                 |
| is-in-browser-1.1.3.tgz           | 1.1.3 | Simple check to see if current app is running in browser                                                                                                                                                                                                        |
| is-installed-globally-0.3.2.tgz   | 0.3.2 | Check if your package was installed globally                                                                                                                                                                                                                    |
| is-interactive-1.0.0.tgz          | 1.0.0 | Check if stdout or stderr is interactive                                                                                                                                                                                                                        |

|                                            |       |                                                                                                                   |
|--------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------|
| is-interactive-2.0.0.tgz                   | 2.0.0 | Check if stdout or stderr is interactive                                                                          |
| is-negative-zero-2.0.2.tgz                 | 2.0.2 | Is this value negative zero?<br>=== will lie to you                                                               |
| is-number-3.0.0.tgz                        | 3.0.0 | Returns true if the value is a number. comprehensive tests.                                                       |
| is-number-7.0.0.tgz                        | 7.0.0 | Returns true if a number or string value is a finite number. Useful for regex matches, parsing, user input, etc.  |
| is-number-object-1.0.7.tgz                 | 1.0.7 | Is this value a JS Number object? This module works cross-realm/iframe, and despite ES6<br>@@toStringTag.         |
| is-observable-1.1.0.tgz                    | 1.1.0 | Check if a value is an Observable                                                                                 |
| is-path-inside-3.0.3.tgz                   | 3.0.3 | Check if a path is inside another path                                                                            |
| is-plain-obj-3.0.0.tgz                     | 3.0.0 | Check if a value is a plain object                                                                                |
| is-plain-object-2.0.4.tgz                  | 2.0.4 | Returns true if an object was created by the `Object` constructor.                                                |
| is-potential-custom-element-name-1.0.1.tgz | 1.0.1 | Check whether a given string matches the `PotentialCustomElementName` production as defined in the HTML Standard. |
| is-promise-2.2.2.tgz                       | 2.2.2 | Test whether an object looks like a promises-a+ promise                                                           |
| is-regex-1.1.4.tgz                         | 1.1.4 | Is this value a JS regex?<br>Works cross-realm/iframe, and despite ES6<br>@@toStringTag                           |
| is-root-2.1.0.tgz                          | 2.1.0 | Check if the process is running as root user, for example, one started with `sudo`                                |

|                                  |        |                                                                                                                                                                  |
|----------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| is-shared-array-buffer-1.0.2.tgz | 1.0.2  | Is this value a JS SharedArrayBuffer?                                                                                                                            |
| is-stream-1.1.0.tgz              | 1.1.0  | Check if something is a Node.js stream                                                                                                                           |
| is-stream-2.0.1.tgz              | 2.0.1  | Check if something is a Node.js stream                                                                                                                           |
| is-string-1.0.7.tgz              | 1.0.7  | Is this value a JS String object or primitive? This module works cross-realm/iframe, and despite ES6 @@toStringTag.                                              |
| is-symbol-1.0.4.tgz              | 1.0.4  | Determine if a value is an ES6 Symbol or not.                                                                                                                    |
| is-typed-array-1.1.10.tgz        | 1.1.10 | Is this value a JS Typed Array? This module works cross-realm/iframe, does not depend on `instanceof` or mutable properties, and despite ES6 Symbol.toStringTag. |
| is-typedarray-1.0.0.tgz          | 1.0.0  | Detect whether or not an object is a Typed Array                                                                                                                 |
| is-unicode-supported-0.1.0.tgz   | 0.1.0  | Detect whether the terminal supports Unicode                                                                                                                     |
| is-unicode-supported-1.3.0.tgz   | 1.3.0  |                                                                                                                                                                  |
| is-weakref-1.0.2.tgz             | 1.0.2  | Is this value a JS WeakRef? This module works cross-realm/iframe, and despite ES6 @@toStringTag.                                                                 |
| is-what-3.14.1.tgz               | 3.14.1 | JS type check (TypeScript supported) functions like `isPlainObject() isArray()` etc. A simple & small integration.                                               |
| is-window-1.0.2.tgz              | 1.0.2  | Checks if the given value is a window object.                                                                                                                    |
| is-windows-1.0.2.tgz             | 1.0.2  | Returns true if the platform is windows. UMD module, works with node.js, commonjs, browser, AMD, electron, etc.                                                  |

|                                    |       |                                                                                      |
|------------------------------------|-------|--------------------------------------------------------------------------------------|
| is-wsl-2.2.0.tgz                   | 2.2.0 | Check if the process is running inside Windows Subsystem for Linux (Bash on Windows) |
| isarray-1.0.0.tgz                  | 1.0.0 | Array#isArray for older browsers                                                     |
| isarray-2.0.5.tgz                  | 2.0.5 | Array#isArray for older browsers                                                     |
| isexe-2.0.0.tgz                    | 2.0.0 | Minimal module to check if a file is executable.                                     |
| isobject-2.1.0.tgz                 | 2.1.0 | Returns true if the value is an object and not an array or null.                     |
| isobject-3.0.1.tgz                 | 3.0.1 | Returns true if the value is an object and not an array or null.                     |
| isomorphic-base64-1.0.2.tgz        | 1.0.2 | atob and btoa for browsers or node                                                   |
| isomorphic-fetch-2.2.1.tgz         | 2.2.1 | Isomorphic WHATWG Fetch API, for Node & Browserify                                   |
| isstream-0.1.2.tgz                 | 0.1.2 | Determine if an object is a Stream                                                   |
| istanbul-lib-coverage-2.0.4.tgz    | 2.0.4 | TypeScript definitions for istanbul-lib-coverage                                     |
| istanbul-lib-coverage-2.0.5.tgz    | 2.0.5 | Data library for istanbul coverage objects                                           |
| istanbul-lib-coverage-3.2.0.tgz    | 3.2.0 | Data library for istanbul coverage objects                                           |
| istanbul-lib-instrument-3.3.0.tgz  | 3.3.0 | Core istanbul API for JS code coverage                                               |
| istanbul-lib-instrument-4.0.3.tgz  | 4.0.3 | Core istanbul API for JS code coverage                                               |
| istanbul-lib-instrument-5.2.1.tgz  | 5.2.1 | Core istanbul API for JS code coverage                                               |
| istanbul-lib-report-3.0.0.tgz      | 3.0.0 | Base reporting library for istanbul                                                  |
| istanbul-lib-report-3.0.0.tgz      | 3.0.0 | TypeScript definitions for istanbul-lib-report                                       |
| istanbul-lib-source-maps-4.0.1.tgz | 4.0.1 | Source maps support for istanbul                                                     |
| istanbul-reports-1.1.2.tgz         | 1.1.2 | TypeScript definitions for istanbul-reports                                          |

|                                          |         |                                                                                                                                 |
|------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------|
| istanbul-reports-3.0.1.tgz               | 3.0.1   | TypeScript definitions for istanbul-reports                                                                                     |
| istanbul-reports-3.1.5.tgz               | 3.1.5   | istanbul reports                                                                                                                |
| jest-26.0.24.tgz                         | 26.0.24 | TypeScript definitions for Jest                                                                                                 |
| jest-26.6.3.tgz                          | 26.6.3  | Delightful JavaScript Testing.                                                                                                  |
| jest-29.5.1.tgz                          | 29.5.1  |                                                                                                                                 |
| jest-canvas-mock-2.3.0.tgz               | 2.3.0   | Mock a canvas in your jest tests.                                                                                               |
| jest-changed-files-26.6.2.tgz            | 26.6.2  | A module used internally by Jest to check which files have changed since you last committed in git or hg.                       |
| jest-cli-26.6.3.tgz                      | 26.6.3  | Delightful JavaScript Testing.                                                                                                  |
| jest-config-26.6.3.tgz                   | 26.6.3  |                                                                                                                                 |
| jest-coverage-badges-1.1.2.tgz           | 1.1.2   | Create a group of coverage badges from jest                                                                                     |
| jest-diff-26.6.2.tgz                     | 26.6.2  | Display differences clearly so people can review changes confidently.                                                           |
| jest-diff-29.5.0.tgz                     | 29.5.0  |                                                                                                                                 |
| jest-docblock-26.0.0.tgz                 | 26.0.0  | `jest-docblock` is a package that can extract and parse a specially-formatted comment called a "docblock" at the top of a file. |
| jest-dom-5.11.9.tgz                      | 5.11.9  | Custom jest matchers to test the state of the DOM                                                                               |
| jest-each-26.6.2.tgz                     | 26.6.2  | Parameterised tests for Jest                                                                                                    |
| jest-environment-jsdom-26.6.2.tgz        | 26.6.2  |                                                                                                                                 |
| jest-environment-jsdom-fifteen-1.0.2.tgz | 1.0.2   | JSDOM environment for Jest with JSDOM 15                                                                                        |
| jest-environment-node-26.6.2.tgz         | 26.6.2  |                                                                                                                                 |
| jest-get-type-26.3.0.tgz                 | 26.3.0  | A utility function to get the type of a value                                                                                   |
| jest-get-type-29.4.3.tgz                 | 29.4.3  |                                                                                                                                 |
| jest-haste-map-24.9.0.tgz                | 24.9.0  |                                                                                                                                 |
| jest-haste-map-26.6.2.tgz                | 26.6.2  |                                                                                                                                 |

|                                      |        |                                                                                                                                                                                                                                                                 |
|--------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| jest-jasmine2-26.6.3.tgz             | 26.6.3 |                                                                                                                                                                                                                                                                 |
| jest-junit-15.0.0.tgz                | 15.0.0 | A jest reporter that generates junit xml files                                                                                                                                                                                                                  |
| jest-leak-detector-26.6.2.tgz        | 26.6.2 | Module for verifying whether an object has been garbage collected or not.                                                                                                                                                                                       |
| jest-matcher-utils-26.6.2.tgz        | 26.6.2 | A set of utility functions for expect and related packages                                                                                                                                                                                                      |
| jest-matcher-utils-29.5.0.tgz        | 29.5.0 |                                                                                                                                                                                                                                                                 |
| jest-message-util-24.9.0.tgz         | 24.9.0 |                                                                                                                                                                                                                                                                 |
| jest-message-util-26.6.2.tgz         | 26.6.2 |                                                                                                                                                                                                                                                                 |
| jest-message-util-29.5.0.tgz         | 29.5.0 |                                                                                                                                                                                                                                                                 |
| jest-mock-24.9.0.tgz                 | 24.9.0 | ## API                                                                                                                                                                                                                                                          |
| jest-mock-26.6.2.tgz                 | 26.6.2 | ## API                                                                                                                                                                                                                                                          |
| jest-pnp-resolver-1.2.3.tgz          | 1.2.3  | plug'n'play resolver for Webpack                                                                                                                                                                                                                                |
| jest-regex-util-24.9.0.tgz           | 24.9.0 |                                                                                                                                                                                                                                                                 |
| jest-regex-util-26.0.0.tgz           | 26.0.0 |                                                                                                                                                                                                                                                                 |
| jest-resolve-26.6.2.tgz              | 26.6.2 |                                                                                                                                                                                                                                                                 |
| jest-resolve-dependencies-26.6.3.tgz | 26.6.3 |                                                                                                                                                                                                                                                                 |
| jest-runner-26.6.3.tgz               | 26.6.3 |                                                                                                                                                                                                                                                                 |
| jest-runtime-26.6.3.tgz              | 26.6.3 |                                                                                                                                                                                                                                                                 |
| jest-serializer-24.9.0.tgz           | 24.9.0 | Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `un |
| jest-serializer-26.6.2.tgz           | 26.6.2 | Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the                                                        |

|                          |        |                                                                                                                                                                 |
|--------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |        | advantage of being able to serialize `Map`, `Set`, `un                                                                                                          |
| jest-snapshot-26.6.2.tgz | 26.6.2 |                                                                                                                                                                 |
| jest-util-24.9.0.tgz     | 24.9.0 |                                                                                                                                                                 |
| jest-util-26.6.2.tgz     | 26.6.2 |                                                                                                                                                                 |
| jest-util-29.5.0.tgz     | 29.5.0 |                                                                                                                                                                 |
| jest-validate-26.6.2.tgz | 26.6.2 | Generic configuration validation tool that helps you with warnings, errors and deprecation messages as well as showing users examples of correct configuration. |
| jest-watcher-26.6.2.tgz  | 26.6.2 | Delightful JavaScript Testing.                                                                                                                                  |
| jest-worker-24.9.0.tgz   | 24.9.0 | Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.             |
| jest-worker-26.6.2.tgz   | 26.6.2 | Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.             |
| jest-worker-27.5.1.tgz   | 27.5.1 | Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.             |
| jest-worker-29.5.0.tgz   | 29.5.0 | Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.             |

|                                   |        |                                                                                                                                                                                                                                                                 |
|-----------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| jquery-3.5.1.tgz                  | 3.5.1  | JavaScript library for DOM operations                                                                                                                                                                                                                           |
| js-8.37.0.tgz                     | 8.37.0 |                                                                                                                                                                                                                                                                 |
| js-cookie-2.2.1.tgz               | 2.2.1  | A simple, lightweight JavaScript API for handling cookies                                                                                                                                                                                                       |
| js-cookie-2.2.5.tgz               | 2.2.5  | TypeScript definitions for js-cookie                                                                                                                                                                                                                            |
| js-sdsl-4.4.0.tgz                 | 4.4.0  |                                                                                                                                                                                                                                                                 |
| js-tokens-4.0.0.tgz               | 4.0.0  | A regex that tokenizes JavaScript.                                                                                                                                                                                                                              |
| js-yaml-3.14.1.tgz                | 3.14.1 | YAML 1.2 parser and serializer                                                                                                                                                                                                                                  |
| js-yaml-4.1.0.tgz                 | 4.1.0  | YAML 1.2 parser and serializer                                                                                                                                                                                                                                  |
| jsbn-0.1.1.tgz                    | 0.1.1  | The jsbn library is a fast, portable implementation of large-number math in pure JavaScript, enabling public-key crypto and other applications on desktop and mobile browsers.                                                                                  |
| jsdoc-type-pratt-parser-3.1.0.tgz | 3.1.0  | [![Npm Package](https://badgen.net/npm/v/jsdoc-type-pratt-parser)](https://www.npmjs.com/package/jsdoc-type-pratt-parser) [![Test Status](https://github.com/jsdoc-type-pratt-parser/jsdoc-type-pratt-parser/actions/workflows/test.yml/badge.svg?branch=main)] |
| jsdoc-type-pratt-parser-4.0.0.tgz | 4.0.0  | [![Npm Package](https://badgen.net/npm/v/jsdoc-type-pratt-parser)](https://www.npmjs.com/package/jsdoc-type-pratt-parser) [![Test Status](https://github.com/jsdoc-type-pratt-parser/jsdoc-type-pratt-                                                          |

|                                         |        |                                                                                                                         |
|-----------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------|
|                                         |        | parser/actions/workflows/test.yml/badge.svg?branch=main)]                                                               |
| jsdoccomment-0.36.1.tgz                 | 0.36.1 | Maintained replacement for ESLint's deprecated <code>SourceCode#getJSDocComment</code> along with other jsdoc utilities |
| jsdoccomment-0.37.1.tgz                 | 0.37.1 | Maintained replacement for ESLint's deprecated <code>SourceCode#getJSDocComment</code> along with other jsdoc utilities |
| jsdom-15.2.1.tgz                        | 15.2.1 | A JavaScript implementation of many web standards                                                                       |
| jsdom-16.7.0.tgz                        | 16.7.0 | A JavaScript implementation of many web standards                                                                       |
| jsesc-0.5.0.tgz                         | 0.5.0  | A JavaScript library for escaping JavaScript strings while generating the shortest possible valid output.               |
| jsesc-2.5.2.tgz                         | 2.5.2  | Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.              |
| json-bignum-0.0.3.tgz                   | 0.0.3  | Node.js JSON replacement which handles 64-bit integers and arbitrary-precision decimals.                                |
| json-file-reporter-1.3.0.tgz            | 1.3.0  | JSON file reporter for Mocha                                                                                            |
| json-markup-1.1.3.tgz                   | 1.1.3  | a json to html syntax highlighter                                                                                       |
| json-parse-better-errors-1.0.2.tgz      | 1.0.2  | JSON.parse with context information on error                                                                            |
| json-parse-even-better-errors-2.3.1.tgz | 2.3.1  | JSON.parse with context information on error                                                                            |
| json-schema-0.4.0.tgz                   | 0.4.0  | JSON Schema validation and specifications                                                                               |
| json-schema-7.0.12.tgz                  | 7.0.12 |                                                                                                                         |

|                                                 |        |                                                                                                                                             |
|-------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------|
| json-schema-traverse-0.4.1.tgz                  | 0.4.1  | Traverse JSON Schema passing each schema object to callback                                                                                 |
| json-schema-traverse-1.0.0.tgz                  | 1.0.0  | Traverse JSON Schema passing each schema object to callback                                                                                 |
| json-stable-stringify-without-jsonify-1.0.1.tgz | 1.0.1  | deterministic JSON.stringify() with custom sorting to get deterministic hashes from stringified results, with no public domain dependencies |
| json-stringify-safe-5.0.1.tgz                   | 5.0.1  | Like JSON.stringify, but doesn't blow up on circular refs.                                                                                  |
| json5-2.2.3.tgz                                 | 2.2.3  |                                                                                                                                             |
| jsonfile-4.0.0.tgz                              | 4.0.0  | Easily read/write JSON files.                                                                                                               |
| jsonfile-6.1.0.tgz                              | 6.1.0  | Easily read/write JSON files.                                                                                                               |
| jsprim-1.4.2.tgz                                | 1.4.2  | utilities for primitive JavaScript types                                                                                                    |
| jsprim-2.0.2.tgz                                | 2.0.2  | utilities for primitive JavaScript types                                                                                                    |
| jsurl-0.1.5.tgz                                 | 0.1.5  | URL friendly JSON-like formatting and parsing                                                                                               |
| jsurl-1.2.30.tgz                                | 1.2.30 | TypeScript definitions for jsurl                                                                                                            |
| jsx-ast-utils-3.3.3.tgz                         | 3.3.3  | AST utility module for statically analyzing JSX                                                                                             |
| keycharm-0.2.0.tgz                              | 0.2.0  | Simple, lightweight key-binding lib                                                                                                         |
| kind-of-3.2.2.tgz                               | 3.2.2  | Get the native type of a value.                                                                                                             |
| kind-of-4.0.0.tgz                               | 4.0.0  | Get the native type of a value.                                                                                                             |
| kind-of-5.1.0.tgz                               | 5.1.0  | Get the native type of a value.                                                                                                             |
| kind-of-6.0.3.tgz                               | 6.0.3  | Get the native type of a value.                                                                                                             |
| kleur-3.0.3.tgz                                 | 3.0.3  | The fastest Node.js library for formatting terminal text with ANSI colors~!                                                                 |
| klona-2.0.6.tgz                                 | 2.0.6  |                                                                                                                                             |

|                                  |        |                                                                                                                      |
|----------------------------------|--------|----------------------------------------------------------------------------------------------------------------------|
| lazy-ass-1.6.0.tgz               | 1.6.0  | Lazy assertions without performance penalty                                                                          |
| lcid-2.0.0.tgz                   | 2.0.0  | Mapping between standard locale identifiers and Windows locale identifiers (LCID)                                    |
| leb128-1.11.1.tgz                | 1.11.1 | LEB128 decoder and encoder                                                                                           |
| leb128-1.11.6.tgz                | 1.11.6 |                                                                                                                      |
| less-4.1.3.tgz                   | 4.1.3  | Leaner CSS                                                                                                           |
| less-loader-10.2.0.tgz           | 10.2.0 | A Less loader for webpack. Compiles Less to CSS.                                                                     |
| leven-3.1.0.tgz                  | 3.1.0  | Measure the difference between two strings using the fastest JS implementation of the Levenshtein distance algorithm |
| levn-0.3.0.tgz                   | 0.3.0  | Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible                               |
| levn-0.4.1.tgz                   | 0.4.1  | Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible                               |
| lilconfig-2.1.0.tgz              | 2.1.0  |                                                                                                                      |
| lines-and-columns-1.2.4.tgz      | 1.2.4  | Maps lines and columns to character offsets and back.                                                                |
| listr-0.14.3.tgz                 | 0.14.3 | Terminal task list                                                                                                   |
| listr-silent-renderer-1.1.1.tgz  | 1.1.1  | Supress Listr rendering output                                                                                       |
| listr-update-renderer-0.5.0.tgz  | 0.5.0  | Listr update renderer                                                                                                |
| listr-verbose-renderer-0.4.1.tgz | 0.4.1  | Listr verbose renderer                                                                                               |
| listr-verbose-renderer-0.5.0.tgz | 0.5.0  | Listr verbose renderer                                                                                               |
| load-json-file-4.0.0.tgz         | 4.0.0  | Read and parse a JSON file                                                                                           |
| load-nyc-config-1.1.0.tgz        | 1.1.0  | Utility function to load nyc configuration                                                                           |
| loader-runner-4.3.0.tgz          | 4.3.0  | Runs (webpack) loaders                                                                                               |
| loader-utils-1.4.2.tgz           | 1.4.2  | utils for webpack loaders                                                                                            |

|                            |          |                                                                                                                                                               |
|----------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| loader-utils-2.0.4.tgz     | 2.0.4    | utils for webpack loaders                                                                                                                                     |
| loader-utils-3.2.1.tgz     | 3.2.1    | utils for webpack loaders                                                                                                                                     |
| locate-path-3.0.0.tgz      | 3.0.0    | Get the first path that exists on disk of multiple paths                                                                                                      |
| locate-path-5.0.0.tgz      | 5.0.0    | Get the first path that exists on disk of multiple paths                                                                                                      |
| locate-path-6.0.0.tgz      | 6.0.0    | Get the first path that exists on disk of multiple paths                                                                                                      |
| lodash-4.14.195.tgz        | 4.14.195 |                                                                                                                                                               |
| lodash-4.17.21.tgz         | 4.17.21  | Lodash modular utilities.                                                                                                                                     |
| lodash.camelcase-4.3.0.tgz | 4.3.0    | The lodash method <code>_.camelCase</code> exported as a module.                                                                                              |
| lodash.debounce-4.0.8.tgz  | 4.0.8    | The lodash method <code>_.debounce</code> exported as a module.                                                                                               |
| lodash.isequal-4.5.0.tgz   | 4.5.0    | The Lodash method <code>_.isEqual</code> exported as a module.                                                                                                |
| lodash.memoize-4.1.2.tgz   | 4.1.2    | The lodash method <code>_.memoize</code> exported as a module.                                                                                                |
| lodash.merge-4.6.2.tgz     | 4.6.2    | The Lodash method <code>_.merge</code> exported as a module.                                                                                                  |
| lodash.once-4.1.1.tgz      | 4.1.1    | The lodash method <code>_.once</code> exported as a module.                                                                                                   |
| lodash.padend-4.6.1.tgz    | 4.6.1    | The lodash method <code>_.padEnd</code> exported as a module.                                                                                                 |
| lodash.sortby-4.7.0.tgz    | 4.7.0    | The lodash method <code>_.sortBy</code> exported as a module.                                                                                                 |
| lodash.uniq-4.5.0.tgz      | 4.5.0    | The lodash method <code>_.uniq</code> exported as a module.                                                                                                   |
| log-symbols-1.0.2.tgz      | 1.0.2    | Colored symbols for various log levels. Example:  success                |
| log-symbols-4.1.0.tgz      | 4.1.0    | Colored symbols for various log levels. Example: <code>` Success`</code> |

|                           |        |                                                                                                              |
|---------------------------|--------|--------------------------------------------------------------------------------------------------------------|
| log-symbols-5.1.0.tgz     | 5.1.0  | Colored symbols for various log levels. Example: `✓ Success`                                                 |
| log-update-2.3.0.tgz      | 2.3.0  | Log by overwriting the previous output in the terminal. Useful for rendering progress bars, animations, etc. |
| log4js-6.9.1.tgz          | 6.9.1  |                                                                                                              |
| long-4.2.2.tgz            | 4.2.2  | A Long class for representing a 64-bit two's-complement integer value.                                       |
| long-5.2.3.tgz            | 5.2.3  |                                                                                                              |
| loose-envify-1.4.0.tgz    | 1.4.0  | Fast (and loose) selective `process.env` replacer using js-tokens instead of an AST                          |
| lower-case-2.0.2.tgz      | 2.0.2  | Transforms the string to lower case                                                                          |
| lru-cache-5.1.1.tgz       | 5.1.1  | A cache object that deletes the least-recently-used items.                                                   |
| lru-cache-7.18.3.tgz      | 7.18.3 |                                                                                                              |
| lru-cache-9.1.1.tgz       | 9.1.1  | A cache object that deletes the least-recently-used items.                                                   |
| lru-memoize-1.1.0.tgz     | 1.1.0  | A utility to provide lru memoization for any js function                                                     |
| make-dir-2.1.0.tgz        | 2.1.0  | Make a directory and its parents if needed - Think `mkdir -p`                                                |
| make-dir-3.1.0.tgz        | 3.1.0  | Make a directory and its parents if needed - Think `mkdir -p`                                                |
| make-error-1.3.6.tgz      | 1.3.6  | Make your own error types!                                                                                   |
| makeerror-1.0.12.tgz      | 1.0.12 | A library to make errors.                                                                                    |
| map-age-cleaner-0.1.3.tgz | 0.1.3  | Automatically cleanup expired items in a Map                                                                 |
| map-cache-0.2.2.tgz       | 0.2.2  | Basic cache object for storing key-value pairs.                                                              |
| map-visit-1.0.0.tgz       | 1.0.0  | Map `visit` over an array of objects.                                                                        |

|                                   |        |                                                                                                                                                                                   |
|-----------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| marked-4.3.0.tgz                  | 4.3.0  | A markdown parser built for speed                                                                                                                                                 |
| material-0.2.4.tgz                | 0.2.4  | > materialdesignicons.com                                                                                                                                                         |
| material-colors-1.2.6.tgz         | 1.2.6  | Colors of Google's Material Design made available to coders                                                                                                                       |
| md5-2.3.0.tgz                     | 2.3.0  | js function for hashing messages with MD5                                                                                                                                         |
| md5-2.3.2.tgz                     | 2.3.2  | TypeScript definitions for md5                                                                                                                                                    |
| md5-file-4.0.0.tgz                | 4.0.0  | return an md5sum of a given file                                                                                                                                                  |
| mdn-data-2.0.14.tgz               | 2.0.14 | Open Web data by the Mozilla Developer Network                                                                                                                                    |
| media-query-list-parser-2.0.4.tgz | 2.0.4  | Parse CSS media query lists.                                                                                                                                                      |
| mem-4.3.0.tgz                     | 4.3.0  | Memoize functions - An optimization used to speed up consecutive function calls by caching the result of calls with identical input                                               |
| memfs-3.5.1.tgz                   | 3.5.1  |                                                                                                                                                                                   |
| memoize-0.7.4.tgz                 | 0.7.4  | emotion's memoize utility                                                                                                                                                         |
| memoize-0.8.1.tgz                 | 0.8.1  |                                                                                                                                                                                   |
| memoize-one-4.1.0.tgz             | 4.1.0  | A memoization library which only remembers the latest invocation                                                                                                                  |
| memoize-one-5.1.1.tgz             | 5.1.1  | A memoization library which only remembers the latest invocation                                                                                                                  |
| memoize-one-5.2.1.tgz             | 5.2.1  | A memoization library which only remembers the latest invocation                                                                                                                  |
| merge-class-names-1.4.2.tgz       | 1.4.2  | A function that merges given class names, no matter their format: string with single or multiple class names or an array of class names. Filters out invalid class names as well. |
| merge-stream-2.0.0.tgz            | 2.0.0  | Create a stream that emits events from multiple other streams                                                                                                                     |

|                                                             |        |                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| merge2-1.4.1.tgz                                            | 1.4.1  | Merge multiple streams into one stream in sequence or parallel.                                                                                                                                                                                 |
| micromatch-3.1.10.tgz                                       | 3.1.10 | Glob matching for javascript/node.js. A drop-in replacement and faster alternative to minimatch and multimatch.                                                                                                                                 |
| micromatch-4.0.5.tgz                                        | 4.0.5  | Glob matching for javascript/node.js. A replacement and faster alternative to minimatch and multimatch.                                                                                                                                         |
| microsoft.codecoverage.17.1.0.nupkg                         | 17.1.0 | Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and...                                                                                                                                         |
| microsoft.extensions.configuration.9.0.2.nupkg              | 9.0.2  | Implementation of key-value pair based configuration for Microsoft.Extensions.Configuration. Includes the memory configuration provider.                                                                                                        |
| microsoft.extensions.configuration.abstractions.9.0.2.nupkg | 9.0.2  | Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.                                              |
| microsoft.extensions.configuration.binder.8.0.0.nupkg       | 8.0.0  | Provides the functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration. This package enables you to represent the configuration data as strongly-typed classes defined in the application code. |

|                                                                   |       |                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| microsoft.extensions.configuration.fileextensions.9.0.2.nupkg     | 9.0.2 | Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.                                                                                                                                                                                |
| microsoft.extensions.configuration.json.9.0.2.nupkg               | 9.0.2 | JSON configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read your application's settings from a JSON file. You can use JsonConfigurationExtensions.AddJsonFile extension method on IConfigurationBuilder to add the JSON configuration provider to the configuration builder. |
| microsoft.extensions.dependencyinjection.abstractions.6.0.0.nupkg | 6.0.0 | <p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection...</p>                                                                                                                                                                                                                |
| microsoft.extensions.dependencymodel.8.0.0.nupkg                  | 8.0.0 | Provides abstractions for reading `.deps` files. When a .NET application is compiled, the SDK generates a JSON manifest file ( <code>&lt;ApplicationName&gt;.deps.json</code> ) that contains information about application dependencies.                                                                                            |
| microsoft.extensions.fileproviders.abstractions.9.0.2.nupkg       | 9.0.2 | <p>Abstractions of files and directories.</p> <p>Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FilePr</p>                                                                                                                                                                          |

|                                                             |             |                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             |             | <p>providers.IFileInfo</p> <p>Microsoft.Extensions.FilePr</p> <p>viders.IFileProvider</p>                                                                                                                                                                                              |
| microsoft.extensions.filepro<br>viders.physical.9.0.2.nupkg | 9.0.2       | File provider for physical files for Microsoft.Extensions.FilePr<br>viders.                                                                                                                                                                                                            |
| microsoft.extensions.filesys<br>temglobbing.9.0.2.nupkg     | 9.0.2       | File system globbing to find files matching a specified pattern.                                                                                                                                                                                                                       |
| microsoft.extensions.optio<br>ns.6.0.0.nupkg                | 6.0.0       | Provides a strongly typed way of specifying and accessing settings using dependency injection.                                                                                                                                                                                         |
| microsoft.extensions.primit<br>ives.9.0.2.nupkg             | 9.0.2       | <p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types:</p> <p>Microsoft.Extensions.Primit<br/>ives.IChangeToken</p> <p>Microsoft.Extensions.Primit<br/>ives.StringValues</p> <p>Microsoft.Extensions.Primit<br/>ives.StringSegment</p> |
| microsoft.testplatform.obje<br>ctmodel.17.1.0.nupkg         | 17.1.0      | The Microsoft Test Platform Object Model.                                                                                                                                                                                                                                              |
| microsoft.testplatform.test<br>host.17.1.0.nupkg            | 17.1.0      | Testplatform host executes the test using specified adapter.                                                                                                                                                                                                                           |
| microsoft.web.webview2.1.<br>0.1245.22.nupkg                | 1.0.1245.22 | The WebView2 control enables you to embed web technologies (HTML, CSS, and JavaScript) in your nativ...                                                                                                                                                                                |
| microsoft.win32.primitives.<br>4.3.0.nupkg                  | 4.3.0       | <p>Provides common types for Win32-based libraries.</p> <p>Commonly Used Types:</p>                                                                                                                                                                                                    |

|                                          |        |                                                                                                                        |
|------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------|
|                                          |        | System.ComponentModel.<br>Win32Ex...                                                                                   |
| microsoft.win32.registry.4.5<br>.0.nupkg | 4.5.0  | Provides support for<br>accessing and modifying<br>the Windows Registry.<br><br>Commonly Used Types:<br>Microsoft.W... |
| mime-1.3.2.tgz                           | 1.3.2  | TypeScript definitions for<br>mime                                                                                     |
| mime-1.6.0.tgz                           | 1.6.0  | A comprehensive library for<br>mime-type mapping                                                                       |
| mime-2.6.0.tgz                           | 2.6.0  | A comprehensive library for<br>mime-type mapping                                                                       |
| mime-3.0.1.tgz                           | 3.0.1  | TypeScript definitions for<br>mime                                                                                     |
| mime-db-1.52.0.tgz                       | 1.52.0 | Media Type Database                                                                                                    |
| mime-types-2.1.35.tgz                    | 2.1.35 | The ultimate javascript<br>content-type utility.                                                                       |
| mimic-fn-1.2.0.tgz                       | 1.2.0  | Make a function mimic<br>another one                                                                                   |
| mimic-fn-2.1.0.tgz                       | 2.1.0  | Make a function mimic<br>another one                                                                                   |
| min-indent-1.0.1.tgz                     | 1.0.1  | Get the shortest leading<br>whitespace from lines in a<br>string                                                       |
| mini-css-extract-plugin-<br>2.7.6.tgz    | 2.7.6  |                                                                                                                        |
| minimal-5.25.0.tgz                       | 5.25.0 | Sentry minimal library that<br>can be used in other<br>packages                                                        |
| minimatch-3.1.2.tgz                      | 3.1.2  | a glob matcher in javascript                                                                                           |
| minimatch-5.1.2.tgz                      | 5.1.2  | TypeScript definitions for<br>minimatch                                                                                |
| minimist-1.2.6.tgz                       | 1.2.6  | parse argument options                                                                                                 |
| minipass-4.2.8.tgz                       | 4.2.8  | minimal implementation of<br>a PassThrough stream                                                                      |
| minipass-6.0.2.tgz                       | 6.0.2  |                                                                                                                        |
| mitt-3.0.0.tgz                           | 3.0.0  | Tiny 200b functional Event<br>Emitter / pubsub.                                                                        |

|                                 |        |                                                                                                         |
|---------------------------------|--------|---------------------------------------------------------------------------------------------------------|
| mixin-deep-1.3.2.tgz            | 1.3.2  | Deeply mix the properties of objects into the first object. Like merge-deep, but doesn't clone.         |
| mkdirp-0.5.1.tgz                | 0.5.1  | Recursively mkdir, like `mkdir -p`                                                                      |
| mkdirp-0.5.6.tgz                | 0.5.6  | Recursively mkdir, like `mkdir -p`                                                                      |
| mkdirp-1.0.4.tgz                | 1.0.4  | Recursively mkdir, like `mkdir -p`                                                                      |
| mkdirp-classic-0.5.3.tgz        | 0.5.3  | Mirror of mkdirp 0.5.2                                                                                  |
| module-importer-1.0.1.tgz       | 1.0.1  | Universal module importer for Node.js                                                                   |
| moment-2.29.4.tgz               | 2.29.4 | Parse, validate, manipulate, and display dates                                                          |
| moment-timezone-0.5.41.tgz      | 0.5.41 | Parse and display moments in any timezone.                                                              |
| monaco-editor-0.20.0.tgz        | 0.20.0 | A browser based code editor                                                                             |
| monaco-editor-0.38.0.tgz        | 0.38.0 |                                                                                                         |
| moo-color-1.0.3.tgz             | 1.0.3  | A javascript class that provides convenience for color parsing and manipulating.                        |
| mousetrap-1.6.5.tgz             | 1.6.5  | Simple library for handling keyboard shortcuts                                                          |
| mousetrap-global-bind-1.1.0.tgz | 1.1.0  | Mousetrap plugin for global bindings (works in input elements) with an additionnal unbindGlobal method. |
| ms-2.0.0.tgz                    | 2.0.0  | Tiny milisecond conversion utility                                                                      |
| ms-2.1.2.tgz                    | 2.1.2  | Tiny millisecond conversion utility                                                                     |
| ms-2.1.3.tgz                    | 2.1.3  | Tiny millisecond conversion utility                                                                     |
| mute-stream-1.0.0.tgz           | 1.0.0  |                                                                                                         |
| nan-2.17.0.tgz                  | 2.17.0 | Native Abstractions for Node.js: C++ header for Node 0.8 -> 18 compatibility                            |

|                                 |        |                                                                                                                                                                                         |
|---------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| nano-css-5.3.5.tgz              | 5.3.5  | Smallest 5th gen CSS-in-JS library                                                                                                                                                      |
| nanoid-3.3.6.tgz                | 3.3.6  |                                                                                                                                                                                         |
| nanomatch-1.2.13.tgz            | 1.2.13 | Fast, minimal glob matcher for node.js. Similar to micromatch, minimatch and multimatch, but complete Bash 4.3 wildcard support only (no support for exglobs, posix brackets or braces) |
| natural-compare-1.4.0.tgz       | 1.4.0  | Compare strings containing a mix of letters and numbers in the way a human being would in sort order.                                                                                   |
| natural-compare-lite-1.4.0.tgz  | 1.4.0  | Compare strings containing a mix of letters and numbers in the way a human being would in sort order.                                                                                   |
| needle-3.2.0.tgz                | 3.2.0  | The leanest and most handsome HTTP client in the Nodelands.                                                                                                                             |
| neo-async-2.6.2.tgz             | 2.6.2  | Neo-Async is a drop-in replacement for Async, it almost fully covers its functionality and runs faster                                                                                  |
| netmask-2.0.2.tgz               | 2.0.2  | Parse and lookup IP network blocks                                                                                                                                                      |
| netstandard.library.1.6.1.nupkg | 1.6.1  | A set of standard .NET APIs that are prescribed to be used and supported together. This includes all...                                                                                 |
| newtonsoft.json.13.0.3.nupkg    | 13.0.3 | Json.NET is a popular high-performance JSON framework for .NET                                                                                                                          |
| nice-try-1.0.5.tgz              | 1.0.5  | Tries to execute a function and discards any error that occurs                                                                                                                          |
| no-case-3.0.4.tgz               | 3.0.4  | Transform into a lower cased string with spaces between words                                                                                                                           |

|                                  |          |                                                                                                                                                                            |
|----------------------------------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| node-12.12.50.tgz                | 12.12.50 | TypeScript definitions for Node.js                                                                                                                                         |
| node-12.20.55.tgz                | 12.20.55 | TypeScript definitions for Node.js                                                                                                                                         |
| node-20.2.5.tgz                  | 20.2.5   |                                                                                                                                                                            |
| node-abort-controller-3.1.1.tgz  | 3.1.1    |                                                                                                                                                                            |
| node-fetch-1.7.3.tgz             | 1.7.3    | A light-weight module that brings window.fetch to node.js and io.js                                                                                                        |
| node-fetch-2.6.11.tgz            | 2.6.11   |                                                                                                                                                                            |
| node-int64-0.4.0.tgz             | 0.4.0    | Support for representing 64-bit integers in JavaScript                                                                                                                     |
| node-notifier-8.0.2.tgz          | 8.0.2    | A Node.js module for sending notifications on native Mac, Windows (post and pre 8) and Linux (or Growl as fallback)                                                        |
| node-releases-2.0.12.tgz         | 2.0.12   |                                                                                                                                                                            |
| nodemon-2.0.22.tgz               | 2.0.22   |                                                                                                                                                                            |
| nopt-1.0.10.tgz                  | 1.0.10   | Option parsing for Node, supporting types, shorthands, etc. Used by npm.                                                                                                   |
| normalize-package-data-2.4.1.tgz | 2.4.1    | TypeScript definitions for normalize-package-data                                                                                                                          |
| normalize-package-data-2.5.0.tgz | 2.5.0    | Normalizes data that can be found in package.json files.                                                                                                                   |
| normalize-path-2.1.1.tgz         | 2.1.1    | Normalize file path slashes to be unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes unless disabled.             |
| normalize-path-3.0.0.tgz         | 3.0.0    | Normalize slashes in a file path to be posix/unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes, unless disabled. |

|                               |        |                                                                                                                                                                |
|-------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| normalize-range-0.1.2.tgz     | 0.1.2  | Utility for normalizing a numeric range, with a wrapping function useful for polar coordinates                                                                 |
| normalize-url-6.1.0.tgz       | 6.1.0  | Normalize a URL                                                                                                                                                |
| npm-run-path-2.0.2.tgz        | 2.0.2  | Get your PATH prepended with locally installed binaries                                                                                                        |
| npm-run-path-3.1.0.tgz        | 3.1.0  | Get your PATH prepended with locally installed binaries                                                                                                        |
| npm-run-path-4.0.1.tgz        | 4.0.1  | Get your PATH prepended with locally installed binaries                                                                                                        |
| nth-check-2.1.1.tgz           | 2.1.1  | Parses and compiles CSS nth-checks to highly optimized functions.                                                                                              |
| nuget.frameworks.5.11.0.nupkg | 5.11.0 | NuGet's understanding of target frameworks.                                                                                                                    |
| number-is-nan-1.0.1.tgz       | 1.0.1  | ES2015 Number.isNaN() ponyfill                                                                                                                                 |
| nwsapi-2.2.5.tgz              | 2.2.5  |                                                                                                                                                                |
| oauth-sign-0.9.0.tgz          | 0.9.0  | OAuth 1 signing. Formerly a vendor lib in mikeal/request, now a standalone module.                                                                             |
| object-assign-4.1.1.tgz       | 4.1.1  | ES2015 `Object.assign()` ponyfill                                                                                                                              |
| object-copy-0.1.0.tgz         | 0.1.0  | Copy static properties, prototype properties, and descriptors from one object to another.                                                                      |
| object-hash-1.3.1.tgz         | 1.3.1  | Generate hashes from javascript objects in node and the browser.                                                                                               |
| object-inspect-1.12.3.tgz     | 1.12.3 |                                                                                                                                                                |
| object-keys-1.1.1.tgz         | 1.1.1  | An Object.keys replacement, in case Object.keys is not available. From <a href="https://github.com/es-shims/es5-shim">https://github.com/es-shims/es5-shim</a> |
| object-schema-1.2.1.tgz       | 1.2.1  | An object schema merger/validator                                                                                                                              |

|                                            |       |                                                                                                                                     |
|--------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------|
| object-visit-1.0.1.tgz                     | 1.0.1 | Call a specified method on each value in the given object.                                                                          |
| object.assign-4.1.4.tgz                    | 4.1.4 | ES6 spec-compliant Object.assign shim. From <a href="https://github.com/es-shims/es6-shim">https://github.com/es-shims/es6-shim</a> |
| object.entries-1.1.6.tgz                   | 1.1.6 | ES2017 spec-compliant Object.entries shim.                                                                                          |
| object.fromentries-2.0.6.tgz               | 2.0.6 | ES proposal-spec-compliant Object.fromEntries shim.                                                                                 |
| object.getownpropertydescriptors-2.1.6.tgz | 2.1.6 |                                                                                                                                     |
| object.hasown-1.1.2.tgz                    | 1.1.2 | ES spec-compliant shim for Object.hasOwn                                                                                            |
| object.pick-1.3.0.tgz                      | 1.3.0 | Returns a filtered copy of an object with only the specified keys, similar to <code>_.pick</code> from lodash / underscore.         |
| object.values-1.1.6.tgz                    | 1.1.6 | ES2017 spec-compliant Object.values shim.                                                                                           |
| once-1.1.2.tgz                             | 1.1.2 | Creates a Promise that waits for a single event                                                                                     |
| once-1.4.0.tgz                             | 1.4.0 | Run a function exactly one time                                                                                                     |
| onetime-1.1.0.tgz                          | 1.1.0 | Only call a function once                                                                                                           |
| onetime-2.0.1.tgz                          | 2.0.1 | Ensure a function is only called once                                                                                               |
| onetime-5.1.2.tgz                          | 5.1.2 | Ensure a function is only called once                                                                                               |
| open-8.4.2.tgz                             | 8.4.2 |                                                                                                                                     |
| optionator-0.8.3.tgz                       | 0.8.3 | option parsing and help generation                                                                                                  |
| optionator-0.9.1.tgz                       | 0.9.1 | option parsing and help generation                                                                                                  |
| ora-5.4.1.tgz                              | 5.4.1 | Elegant terminal spinner                                                                                                            |
| ora-6.3.1.tgz                              | 6.3.1 |                                                                                                                                     |
| os-locale-3.1.0.tgz                        | 3.1.0 | Get the system locale                                                                                                               |
| os-tmpdir-1.0.2.tgz                        | 1.0.2 | Node.js os.tmpdir() ponyfill                                                                                                        |
| ospath-1.2.2.tgz                           | 1.2.2 | Operating system specific paths.                                                                                                    |

|                           |       |                                                                                                   |
|---------------------------|-------|---------------------------------------------------------------------------------------------------|
| p-defer-1.0.0.tgz         | 1.0.0 | Create a deferred promise                                                                         |
| p-each-series-2.2.0.tgz   | 2.2.0 | Iterate over promises serially                                                                    |
| p-finally-1.0.0.tgz       | 1.0.0 | `Promise#finally()` `ponyfill`<br>- Invoked when the promise is settled regardless of outcome     |
| p-finally-2.0.1.tgz       | 2.0.1 | `Promise#finally()` `ponyfill`<br>- Invoked when the promise is settled regardless of outcome     |
| p-is-promise-2.1.0.tgz    | 2.1.0 | Check if something is a promise                                                                   |
| p-limit-2.3.0.tgz         | 2.3.0 | Run multiple promise-returning & async functions with limited concurrency                         |
| p-limit-3.1.0.tgz         | 3.1.0 | Run multiple promise-returning & async functions with limited concurrency                         |
| p-locate-3.0.0.tgz        | 3.0.0 | Get the first fulfilled promise that satisfies the provided testing function                      |
| p-locate-4.1.0.tgz        | 4.1.0 | Get the first fulfilled promise that satisfies the provided testing function                      |
| p-locate-5.0.0.tgz        | 5.0.0 | Get the first fulfilled promise that satisfies the provided testing function                      |
| p-map-2.1.0.tgz           | 2.1.0 | Map over promises concurrently                                                                    |
| p-try-2.2.0.tgz           | 2.2.0 | `Start a promise chain                                                                            |
| pac-proxy-agent-6.0.3.tgz | 6.0.3 |                                                                                                   |
| pac-resolver-6.0.1.tgz    | 6.0.1 |                                                                                                   |
| pad-left-2.1.0.tgz        | 2.1.0 | Left pad a string with zeros or a specified string. Fastest implementation.                       |
| pako-0.2.9.tgz            | 0.2.9 | zlib port to javascript - fast, modularized, with browser support                                 |
| papaparse-5.3.0.tgz       | 5.3.0 | Fast and powerful CSV parser for the browser that supports web workers and streaming large files. |

|                              |        |                                                                     |
|------------------------------|--------|---------------------------------------------------------------------|
|                              |        | Converts CSV to JSON and JSON to CSV.                               |
| param-case-3.0.4.tgz         | 3.0.4  | Transform into a lower cased string with dashes between words       |
| parent-module-1.0.1.tgz      | 1.0.1  | Get the path of the parent module                                   |
| parse-json-4.0.0.tgz         | 4.0.0  | Parse JSON with more helpful errors                                 |
| parse-json-4.0.0.tgz         | 4.0.0  | TypeScript definitions for parse-json                               |
| parse-json-5.2.0.tgz         | 5.2.0  | Parse JSON with more helpful errors                                 |
| parse-node-version-1.0.1.tgz | 1.0.1  | Turn node's process.version into something useful.                  |
| parse5-5.1.0.tgz             | 5.1.0  | HTML parser and serializer.                                         |
| parse5-6.0.1.tgz             | 6.0.1  | HTML parser and serializer.                                         |
| parse5-7.1.2.tgz             | 7.1.2  |                                                                     |
| parser-5.42.0.tgz            | 5.42.0 | An ESLint custom parser which leverages TypeScript ESTree           |
| parser-5.57.1.tgz            | 5.57.1 | An ESLint custom parser which leverages TypeScript ESTree           |
| parser-7.22.4.tgz            | 7.22.4 |                                                                     |
| pascal-case-3.1.2.tgz        | 3.1.2  | Transform into a string of capitalized words without separators     |
| pascalcase-0.1.1.tgz         | 0.1.1  | Convert a string to pascal-case.                                    |
| path-1.1.2.tgz               | 1.1.2  | A minimal path module to resolve Unix, Windows and URL paths alike. |
| path-exists-3.0.0.tgz        | 3.0.0  | Check if a path exists                                              |
| path-exists-4.0.0.tgz        | 4.0.0  | Check if a path exists                                              |
| path-is-absolute-1.0.1.tgz   | 1.0.1  | Node.js 0.12 path.isAbsolute() ponyfill                             |
| path-key-2.0.1.tgz           | 2.0.1  | Get the PATH environment variable key cross-platform                |
| path-key-3.1.1.tgz           | 3.1.1  | Get the PATH environment variable key cross-platform                |
| path-parse-1.0.7.tgz         | 1.0.7  | Node.js path.parse() ponyfill                                       |

|                                                                                   |        |                                                                                                                                                                                                                        |
|-----------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| path-scurry-1.9.2.tgz                                                             | 1.9.2  |                                                                                                                                                                                                                        |
| path-type-3.0.0.tgz                                                               | 3.0.0  | Check if a path is a file, directory, or symlink                                                                                                                                                                       |
| path-type-4.0.0.tgz                                                               | 4.0.0  | Check if a path is a file, directory, or symlink                                                                                                                                                                       |
| pend-1.2.0.tgz                                                                    | 1.2.0  | dead-simple optimistic async helper                                                                                                                                                                                    |
| performance-now-2.1.0.tgz                                                         | 2.1.0  | Implements performance.now (based on process.hrtime).                                                                                                                                                                  |
| picocolors-1.0.0.tgz                                                              | 1.0.0  | The tiniest and the fastest library for terminal output formatting with ANSI colors                                                                                                                                    |
| picomatch-2.3.1.tgz                                                               | 2.3.1  | Blazing fast and accurate glob matcher written in JavaScript, with no dependencies and full support for standard and extended Bash glob features, including braces, extglobs, POSIX brackets, and regular expressions. |
| pify-2.3.0.tgz                                                                    | 2.3.0  | Promisify a callback-style function                                                                                                                                                                                    |
| pify-3.0.0.tgz                                                                    | 3.0.0  | Promisify a callback-style function                                                                                                                                                                                    |
| pify-4.0.1.tgz                                                                    | 4.0.1  | Promisify a callback-style function                                                                                                                                                                                    |
| pirates-4.0.5.tgz                                                                 | 4.0.5  | Properly hijack require                                                                                                                                                                                                |
| pixelmatch-5.3.0.tgz                                                              | 5.3.0  | The smallest and fastest pixel-level image comparison library.                                                                                                                                                         |
| pkg-dir-4.2.0.tgz                                                                 | 4.2.0  | Find the root directory of a Node.js project or npm package                                                                                                                                                            |
| pkg-up-3.1.0.tgz                                                                  | 3.1.0  | Find the closest package.json file                                                                                                                                                                                     |
| plugin-bugfix-safari-id-destructuring-collision-in-function-expression-7.18.6.tgz | 7.18.6 | Rename destructuring parameter to workaround <a href="https://bugs.webkit.org/show_bug.cgi?id=220517">https://bugs.webkit.org/show_bug.cgi?id=220517</a>                                                               |

|                                                                    |        |                                                                                                                    |
|--------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------|
| plugin-bugfix-v8-spread-parameters-in-optional-chaining-7.22.3.tgz | 7.22.3 |                                                                                                                    |
| plugin-proposal-async-generator-functions-7.20.7.tgz               | 7.20.7 |                                                                                                                    |
| plugin-proposal-class-properties-7.18.6.tgz                        | 7.18.6 | This plugin transforms static class properties as well as properties declared with the property initializer syntax |
| plugin-proposal-class-static-block-7.21.0.tgz                      | 7.21.0 |                                                                                                                    |
| plugin-proposal-dynamic-import-7.18.6.tgz                          | 7.18.6 | Transform import() expressions                                                                                     |
| plugin-proposal-export-namespace-from-7.18.9.tgz                   | 7.18.9 | Compile export namespace to ES2015                                                                                 |
| plugin-proposal-json-strings-7.18.6.tgz                            | 7.18.6 | Escape U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings                                          |
| plugin-proposal-logical-assignment-operators-7.20.7.tgz            | 7.20.7 |                                                                                                                    |
| plugin-proposal-nullish-coalescing-operator-7.18.6.tgz             | 7.18.6 | Remove nullish coalescing operator                                                                                 |
| plugin-proposal-numeric-separator-7.18.6.tgz                       | 7.18.6 | Remove numeric separators from Decimal, Binary, Hex and Octal literals                                             |
| plugin-proposal-object-rest-spread-7.20.7.tgz                      | 7.20.7 |                                                                                                                    |
| plugin-proposal-optional-catch-binding-7.18.6.tgz                  | 7.18.6 | Compile optional catch bindings                                                                                    |
| plugin-proposal-optional-chaining-7.21.0.tgz                       | 7.21.0 |                                                                                                                    |
| plugin-proposal-private-methods-7.18.6.tgz                         | 7.18.6 | This plugin transforms private class methods                                                                       |
| plugin-proposal-private-property-in-object-7.21.0.tgz              | 7.21.0 |                                                                                                                    |

|                                                       |         |                                                                                                   |
|-------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------|
| plugin-proposal-unicode-property-regex-7.18.6.tgz     | 7.18.6  | Compile Unicode property escapes in Unicode regular expressions to ES5.                           |
| plugin-syntax-async-generators-7.8.4.tgz              | 7.8.4   | Allow parsing of async generator functions                                                        |
| plugin-syntax-bigint-7.8.3.tgz                        | 7.8.3   | Allow parsing of BigInt literals                                                                  |
| plugin-syntax-class-properties-7.12.13.tgz            | 7.12.13 | Allow parsing of class properties                                                                 |
| plugin-syntax-class-static-block-7.14.5.tgz           | 7.14.5  | Allow parsing of class static blocks                                                              |
| plugin-syntax-dynamic-import-7.8.3.tgz                | 7.8.3   | Allow parsing of import()                                                                         |
| plugin-syntax-export-namespace-from-7.8.3.tgz         | 7.8.3   | Allow parsing of export namespace from                                                            |
| plugin-syntax-import-assertions-7.20.0.tgz            | 7.20.0  | Allow parsing of the module assertion attributes in the import statement                          |
| plugin-syntax-import-meta-7.10.4.tgz                  | 7.10.4  | Allow parsing of import.meta                                                                      |
| plugin-syntax-json-strings-7.8.3.tgz                  | 7.8.3   | Allow parsing of the U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings           |
| plugin-syntax-logical-assignment-operators-7.10.4.tgz | 7.10.4  | Allow parsing of the logical assignment operators                                                 |
| plugin-syntax-nullish-coalescing-operator-7.8.3.tgz   | 7.8.3   | Allow parsing of the nullish-coalescing operator                                                  |
| plugin-syntax-numeric-separator-7.10.4.tgz            | 7.10.4  | Allow parsing of Decimal, Binary, Hex and Octal literals that contain a Numeric Literal Separator |
| plugin-syntax-object-rest-spread-7.8.3.tgz            | 7.8.3   | Allow parsing of object rest/spread                                                               |
| plugin-syntax-optional-catch-binding-7.8.3.tgz        | 7.8.3   | Allow parsing of optional catch bindings                                                          |
| plugin-syntax-optional-chaining-7.8.3.tgz             | 7.8.3   | Allow parsing of optional properties                                                              |
| plugin-syntax-private-property-in-object-7.14.5.tgz   | 7.14.5  | Allow parsing of '#foo in obj' brand checks                                                       |

|                                                        |         |                                                                                  |
|--------------------------------------------------------|---------|----------------------------------------------------------------------------------|
| plugin-syntax-top-level-await-7.14.5.tgz               | 7.14.5  | Allow parsing of top-level await in modules                                      |
| plugin-transform-arrow-functions-7.21.5.tgz            | 7.21.5  | Compile ES2015 arrow functions to ES5                                            |
| plugin-transform-async-to-generator-7.20.7.tgz         | 7.20.7  |                                                                                  |
| plugin-transform-block-scoped-functions-7.18.6.tgz     | 7.18.6  | Babel plugin to ensure function declarations at the block level are block scoped |
| plugin-transform-block-scoping-7.21.0.tgz              | 7.21.0  |                                                                                  |
| plugin-transform-classes-7.21.0.tgz                    | 7.21.0  |                                                                                  |
| plugin-transform-computed-properties-7.21.5.tgz        | 7.21.5  | Compile ES2015 computed properties to ES5                                        |
| plugin-transform-destructuring-7.21.3.tgz              | 7.21.3  |                                                                                  |
| plugin-transform-dotall-regex-7.18.6.tgz               | 7.18.6  | Compile regular expressions using the `s` ( `dotAll` ) flag to ES5.              |
| plugin-transform-duplicate-keys-7.18.9.tgz             | 7.18.9  | Compile objects with duplicate keys to valid strict ES5                          |
| plugin-transform-exponentiation-operator-7.18.6.tgz    | 7.18.6  | Compile exponentiation operator to ES5                                           |
| plugin-transform-for-of-7.21.5.tgz                     | 7.21.5  | Compile ES2015 for...of to ES5                                                   |
| plugin-transform-function-name-7.18.9.tgz              | 7.18.9  | Apply ES2015 function.name semantics to all functions                            |
| plugin-transform-literals-7.18.9.tgz                   | 7.18.9  | Compile ES2015 unicode string and number literals to ES5                         |
| plugin-transform-member-expression-literals-7.18.6.tgz | 7.18.6  | Ensure that reserved words are quoted in property accesses                       |
| plugin-transform-modules-amd-7.20.11.tgz               | 7.20.11 | This plugin transforms ES2015 modules to AMD                                     |

|                                                          |        |                                                                                                                                    |
|----------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------|
| plugin-transform-modules-commonjs-7.21.5.tgz             | 7.21.5 | This plugin transforms ES2015 modules to CommonJS                                                                                  |
| plugin-transform-modules-systemjs-7.22.3.tgz             | 7.22.3 |                                                                                                                                    |
| plugin-transform-modules-umd-7.18.6.tgz                  | 7.18.6 | This plugin transforms ES2015 modules to UMD                                                                                       |
| plugin-transform-named-capturing-groups-regex-7.22.3.tgz | 7.22.3 |                                                                                                                                    |
| plugin-transform-new-target-7.22.3.tgz                   | 7.22.3 |                                                                                                                                    |
| plugin-transform-object-super-7.18.6.tgz                 | 7.18.6 | Compile ES2015 object super to ES5                                                                                                 |
| plugin-transform-optional-chaining-7.22.3.tgz            | 7.22.3 |                                                                                                                                    |
| plugin-transform-parameters-7.22.3.tgz                   | 7.22.3 |                                                                                                                                    |
| plugin-transform-property-literals-7.18.6.tgz            | 7.18.6 | Ensure that reserved words are quoted in object property keys                                                                      |
| plugin-transform-regenerator-7.21.5.tgz                  | 7.21.5 | Explode async and generator functions into a state machine.                                                                        |
| plugin-transform-reserved-words-7.18.6.tgz               | 7.18.6 | Ensure that no reserved words are used.                                                                                            |
| plugin-transform-shorthand-properties-7.18.6.tgz         | 7.18.6 | Compile ES2015 shorthand properties to ES5                                                                                         |
| plugin-transform-spread-7.20.7.tgz                       | 7.20.7 | Compile ES2015 spread to ES5                                                                                                       |
| plugin-transform-sticky-regex-7.18.6.tgz                 | 7.18.6 | Compile ES2015 sticky regex to an ES5 RegExp constructor                                                                           |
| plugin-transform-template-literals-7.18.9.tgz            | 7.18.9 | Compile ES2015 template literals to ES5                                                                                            |
| plugin-transform-typeof-symbol-7.18.9.tgz                | 7.18.9 | This transformer wraps all typeof expressions with a method that replicates native behaviour. (ie. returning “symbol” for symbols) |

|                                              |        |                                                                                                         |
|----------------------------------------------|--------|---------------------------------------------------------------------------------------------------------|
| plugin-transform-unicode-escapes-7.21.5.tgz  | 7.21.5 | Compile ES2015 Unicode escapes to ES5                                                                   |
| plugin-transform-unicode-regex-7.18.6.tgz    | 7.18.6 | Compile ES2015 Unicode regex to ES5                                                                     |
| pn-1.1.0.tgz                                 | 1.1.0  | Promisify the node standard library.                                                                    |
| pngjs-2.3.1.tgz                              | 2.3.1  | PNG encoder/decoder in pure JS, supporting any bit size & interlace, async & sync with full test suite. |
| pngjs-3.4.0.tgz                              | 3.4.0  | PNG encoder/decoder in pure JS, supporting any bit size & interlace, async & sync with full test suite. |
| pngjs-6.0.0.tgz                              | 6.0.0  | PNG encoder/decoder in pure JS, supporting any bit size & interlace, async & sync with full test suite. |
| pngjs-image-0.11.7.tgz                       | 0.11.7 | JavaScript-based PNG image encoder, decoder, and manipulator                                            |
| point-1.0.0.tgz                              | 1.0.0  | visx point                                                                                              |
| pool-1.1.0.tgz                               | 1.1.0  | A general purpose buffer pool.                                                                          |
| posix-character-classes-0.1.1.tgz            | 0.1.1  | POSIX character classes for creating regular expressions.                                               |
| postcss-8.4.24.tgz                           | 8.4.24 |                                                                                                         |
| postcss-attribute-case-insensitive-6.0.2.tgz | 6.0.2  | Enable support for case insensitive attribute matching in selectors                                     |
| postcss-calc-8.2.4.tgz                       | 8.2.4  | PostCSS plugin to reduce calc()                                                                         |
| postcss-cascade-layers-3.0.1.tgz             | 3.0.1  |                                                                                                         |
| postcss-clamp-4.1.0.tgz                      | 4.1.0  | PostCSS plugin to transform clamp() to combination of min/max                                           |
| postcss-color-function-2.2.2.tgz             | 2.2.2  |                                                                                                         |
| postcss-color-functional-notation-5.0.2.tgz  | 5.0.2  | Use space and slash separated color notation in CSS                                                     |

|                                             |        |                                                                                                        |
|---------------------------------------------|--------|--------------------------------------------------------------------------------------------------------|
| postcss-color-hex-alpha-9.0.2.tgz           | 9.0.2  |                                                                                                        |
| postcss-color-rebeccapurple-8.0.2.tgz       | 8.0.2  | Use the rebeccapurple color keyword in CSS                                                             |
| postcss-colormin-5.3.1.tgz                  | 5.3.1  |                                                                                                        |
| postcss-convert-values-5.1.3.tgz            | 5.1.3  | Convert values with PostCSS (e.g. ms -> s)                                                             |
| postcss-custom-media-9.1.3.tgz              | 9.1.3  | Use Custom Media Queries in CSS                                                                        |
| postcss-custom-properties-13.1.5.tgz        | 13.1.5 | Use Custom Properties Queries in CSS                                                                   |
| postcss-custom-selectors-7.1.3.tgz          | 7.1.3  | Use Custom Selectors in CSS                                                                            |
| postcss-dir-pseudo-class-7.0.2.tgz          | 7.0.2  | Use the :dir pseudo-class in CSS                                                                       |
| postcss-discard-comments-5.1.2.tgz          | 5.1.2  | Discard comments in your CSS files with PostCSS.                                                       |
| postcss-discard-duplicates-5.1.0.tgz        | 5.1.0  | Discard duplicate rules in your CSS files with PostCSS.                                                |
| postcss-discard-empty-5.1.1.tgz             | 5.1.1  | Discard empty rules and values with PostCSS.                                                           |
| postcss-discard-overridden-5.1.0.tgz        | 5.1.0  | PostCSS plugin to discard overridden @keyframes or @counter-style.                                     |
| postcss-double-position-gradients-4.0.3.tgz | 4.0.3  |                                                                                                        |
| postcss-flexbugs-fixes-5.0.2.tgz            | 5.0.2  | PostCSS plugin This project tries to fix all of flexbug's issues                                       |
| postcss-focus-visible-8.0.2.tgz             | 8.0.2  | Use the :focus-visible pseudo-selector in CSS                                                          |
| postcss-focus-within-7.0.2.tgz              | 7.0.2  |                                                                                                        |
| postcss-font-format-keywords-2.0.2.tgz      | 2.0.2  |                                                                                                        |
| postcss-font-variant-5.0.0.tgz              | 5.0.0  | PostCSS plugin to transform W3C font-variant properties to more compatible CSS (font-feature-settings) |
| postcss-gap-properties-4.0.1.tgz            | 4.0.1  |                                                                                                        |

|                                                            |       |                                                                                    |
|------------------------------------------------------------|-------|------------------------------------------------------------------------------------|
| postcss-hwb-function-2.2.2.tgz                             | 2.2.2 |                                                                                    |
| postcss-ic-unit-2.0.3.tgz                                  | 2.0.3 |                                                                                    |
| postcss-image-set-function-5.0.2.tgz                       | 5.0.2 | Display resolution-dependent images using the image-set() function in CSS          |
| postcss-initial-4.0.1.tgz                                  | 4.0.1 | PostCSS plugin to fallback initial keyword.                                        |
| postcss-is-pseudo-class-3.2.1.tgz                          | 3.2.1 |                                                                                    |
| postcss-lab-function-5.2.2.tgz                             | 5.2.2 |                                                                                    |
| postcss-loader-6.2.1.tgz                                   | 6.2.1 | PostCSS loader for webpack                                                         |
| postcss-logical-6.2.0.tgz                                  | 6.2.0 |                                                                                    |
| postcss-logical-float-and-clear-1.0.1.tgz                  | 1.0.1 | Use flow-relative (inline-start and inline-end) values for float and clear         |
| postcss-logical-resize-1.0.1.tgz                           | 1.0.1 |                                                                                    |
| postcss-logical-viewport-units-1.0.3.tgz                   | 1.0.3 | Use vb and vi length units in CSS                                                  |
| postcss-media-minmax-5.0.0.tgz                             | 5.0.0 | Using more intuitive `>=`, `<=`, `>`, `<` instead of media queries min/max prefix. |
| postcss-media-queries-aspect-ratio-number-values-1.0.2.tgz | 1.0.2 |                                                                                    |
| postcss-merge-longhand-5.1.7.tgz                           | 5.1.7 | Merge longhand properties into shorthand with PostCSS.                             |
| postcss-merge-rules-5.1.4.tgz                              | 5.1.4 |                                                                                    |
| postcss-minify-font-values-5.1.0.tgz                       | 5.1.0 | Minify font declarations with PostCSS                                              |
| postcss-minify-gradients-5.1.1.tgz                         | 5.1.1 | Minify gradient parameters with PostCSS.                                           |
| postcss-minify-params-5.1.4.tgz                            | 5.1.4 | Minify at-rule params with PostCSS                                                 |
| postcss-minify-selectors-5.2.1.tgz                         | 5.2.1 | Minify selectors with PostCSS.                                                     |

|                                              |        |                                                                                   |
|----------------------------------------------|--------|-----------------------------------------------------------------------------------|
| postcss-modules-extract-imports-3.0.0.tgz    | 3.0.0  | A CSS Modules transform to extract local aliases for inline imports               |
| postcss-modules-local-by-default-4.0.3.tgz   | 4.0.3  |                                                                                   |
| postcss-modules-scope-3.0.0.tgz              | 3.0.0  | A CSS Modules transform to extract export statements from local-scope classes     |
| postcss-modules-values-4.0.0.tgz             | 4.0.0  | PostCSS plugin for CSS Modules to pass arbitrary values between your module files |
| postcss-nested-calc-2.0.2.tgz                | 2.0.2  | Use nested calc() expressions in CSS                                              |
| postcss-nesting-11.2.2.tgz                   | 11.2.2 | Nest rules inside each other in CSS                                               |
| postcss-normalize-charset-5.1.0.tgz          | 5.1.0  | Add necessary or remove extra charset with PostCSS                                |
| postcss-normalize-display-values-2.0.1.tgz   | 2.0.1  | Use two values display syntax for inner and outer display types.                  |
| postcss-normalize-display-values-5.1.0.tgz   | 5.1.0  | Normalize multiple value display syntaxes into single values.                     |
| postcss-normalize-positions-5.1.1.tgz        | 5.1.1  | Normalize keyword values for position into length values.                         |
| postcss-normalize-repeat-style-5.1.1.tgz     | 5.1.1  | Convert two value syntax for repeat-style into one value.                         |
| postcss-normalize-string-5.1.0.tgz           | 5.1.0  | Normalize wrapping quotes for CSS string literals.                                |
| postcss-normalize-timing-functions-5.1.0.tgz | 5.1.0  | Normalize CSS animation/transition timing functions.                              |
| postcss-normalize-unicode-5.1.1.tgz          | 5.1.1  | Normalize unicode-range descriptors, and can convert to wildcard ranges.          |
| postcss-normalize-url-5.1.0.tgz              | 5.1.0  | Normalize URLs with PostCSS                                                       |
| postcss-normalize-whitespace-5.1.1.tgz       | 5.1.1  | Trim whitespace inside and around CSS rules & declarations.                       |

|                                                 |        |                                                                                                 |
|-------------------------------------------------|--------|-------------------------------------------------------------------------------------------------|
| postcss-oklab-function-2.2.2.tgz                | 2.2.2  |                                                                                                 |
| postcss-opacity-percentage-1.1.3.tgz            | 1.1.3  |                                                                                                 |
| postcss-ordered-values-5.1.3.tgz                | 5.1.3  | Ensure values are ordered consistently in your CSS.                                             |
| postcss-overflow-shorthand-4.0.1.tgz            | 4.0.1  | Use the overflow shorthand in CSS                                                               |
| postcss-page-break-3.0.4.tgz                    | 3.0.4  | PostCSS plugin postcss-page-break to fallback `break-` properties with `page-break-` alias      |
| postcss-place-8.0.1.tgz                         | 8.0.1  | Use a place-* shorthand for align-* and justify-* in CSS                                        |
| postcss-preset-env-8.0.1.tgz                    | 8.0.1  | Convert modern CSS into something browsers understand                                           |
| postcss-progressive-custom-properties-2.2.0.tgz | 2.2.0  |                                                                                                 |
| postcss-pseudo-class-any-link-8.0.2.tgz         | 8.0.2  | Use the :any-link pseudo-class in CSS                                                           |
| postcss-reduce-initial-5.1.2.tgz                | 5.1.2  |                                                                                                 |
| postcss-reduce-transforms-5.1.0.tgz             | 5.1.0  | Reduce transform functions with PostCSS.                                                        |
| postcss-replace-overflow-wrap-4.0.0.tgz         | 4.0.0  | PostCSS plugin to replace overflow-wrap with word-wrap or optionally retain both declarations.  |
| postcss-scope-pseudo-class-2.0.2.tgz            | 2.0.2  |                                                                                                 |
| postcss-selector-not-7.0.1.tgz                  | 7.0.1  | PostCSS plugin to transform :not() W3C CSS level 4 pseudo class to :not() CSS level 3 selectors |
| postcss-selector-parser-6.0.13.tgz              | 6.0.13 |                                                                                                 |
| postcss-stepped-value-functions-2.1.1.tgz       | 2.1.1  | Use round, rem and mod functions in CSS                                                         |
| postcss-svg-5.1.0.tgz                           | 5.1.0  | Optimise inline SVG with PostCSS.                                                               |
| postcss-text-decoration-shorthand-2.2.4.tgz     | 2.2.4  |                                                                                                 |

|                                            |        |                                                                                                                                                                                                     |
|--------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| postcss-trigonometric-functions-2.1.1.tgz  | 2.1.1  | Use sin(), cos(), tan(), acos(), atan(), and atan2() to compute trigonometric relationships                                                                                                         |
| postcss-unique-selectors-5.1.1.tgz         | 5.1.1  | Ensure CSS selectors are unique.                                                                                                                                                                    |
| postcss-unset-value-2.0.1.tgz              | 2.0.1  |                                                                                                                                                                                                     |
| postcss-value-parser-4.2.0.tgz             | 4.2.0  | Transforms css values and at-rule params into the tree                                                                                                                                              |
| power-assert-1.6.1.tgz                     | 1.6.1  | Power Assert in JavaScript                                                                                                                                                                          |
| power-assert-context-formatter-1.2.0.tgz   | 1.2.0  | format power-assert context                                                                                                                                                                         |
| power-assert-context-reducer-ast-1.2.0.tgz | 1.2.0  | append AST into power-assert context                                                                                                                                                                |
| power-assert-context-traversal-1.2.0.tgz   | 1.2.0  | traverse power-assert context                                                                                                                                                                       |
| power-assert-formatter-1.4.1.tgz           | 1.4.1  | Power Assert output formatter                                                                                                                                                                       |
| power-assert-renderer-assertion-1.2.0.tgz  | 1.2.0  | assertion renderer for power-assert context                                                                                                                                                         |
| power-assert-renderer-base-1.1.1.tgz       | 1.1.1  | base renderer for power-assert context                                                                                                                                                              |
| power-assert-renderer-comparison-1.2.0.tgz | 1.2.0  | comparison renderer for power-assert context                                                                                                                                                        |
| power-assert-renderer-diagram-1.2.0.tgz    | 1.2.0  | diagram renderer for power-assert context                                                                                                                                                           |
| power-assert-renderer-file-1.2.0.tgz       | 1.2.0  | filepath renderer for power-assert context                                                                                                                                                          |
| power-assert-util-string-width-1.2.0.tgz   | 1.2.0  | calculates width of given string                                                                                                                                                                    |
| preceptor-core-0.10.1.tgz                  | 0.10.1 | Core components for the preceptor test runner and aggregator                                                                                                                                        |
| prefix-style-2.0.1.tgz                     | 2.0.1  | gets a prefixed name for a css style                                                                                                                                                                |
| prelude-ls-1.1.2.tgz                       | 1.1.2  | prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript. |

|                                   |        |                                                                                                                                                                                                     |
|-----------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| prelude-ls-1.2.1.tgz              | 1.2.1  | prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript. |
| preset-env-7.20.2.tgz             | 7.20.2 | A Babel preset for each environment.                                                                                                                                                                |
| preset-modules-0.1.5.tgz          | 0.1.5  | A Babel preset that targets modern browsers by fixing engine bugs.                                                                                                                                  |
| prettier-1.19.1.tgz               | 1.19.1 | TypeScript definitions for prettier                                                                                                                                                                 |
| prettier-2.7.2.tgz                | 2.7.2  |                                                                                                                                                                                                     |
| prettier-2.8.8.tgz                | 2.8.8  | Prettier is an opinionated code formatter                                                                                                                                                           |
| prettier-linter-helpers-1.0.0.tgz | 1.0.0  | Utilities to help expose prettier output in linting tools                                                                                                                                           |
| pretty-bytes-5.6.0.tgz            | 5.6.0  | Convert bytes to a human readable string: 1337 → 1.34 kB                                                                                                                                            |
| pretty-error-4.0.0.tgz            | 4.0.0  | See nodejs errors with less clutter                                                                                                                                                                 |
| pretty-format-21.2.1.tgz          | 21.2.1 | Stringify any JavaScript value.                                                                                                                                                                     |
| pretty-format-26.6.2.tgz          | 26.6.2 | Stringify any JavaScript value.                                                                                                                                                                     |
| pretty-format-29.5.0.tgz          | 29.5.0 |                                                                                                                                                                                                     |
| prismjs-1.29.0.tgz                | 1.29.0 | Lightweight, robust, elegant syntax highlighting. A spin-off project from Dabblet.                                                                                                                  |
| process-nextick-args-2.0.1.tgz    | 2.0.1  | process.nextTick but always with args                                                                                                                                                               |
| progress-2.0.3.tgz                | 2.0.3  | Flexible ascii progress bar                                                                                                                                                                         |
| promise-6.0.0.tgz                 | 6.0.0  | Bare bones Promises/A+ implementation                                                                                                                                                               |
| promise-7.3.1.tgz                 | 7.3.1  | Bare bones Promises/A+ implementation                                                                                                                                                               |
| promise-deferred-1.1.1.tgz        | 1.1.1  | Minimalist creation of promise wrappers, exposing                                                                                                                                                   |

|                                |        |                                                                                                                                    |
|--------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------|
|                                |        | the ability to resolve or reject the inner promise                                                                                 |
| prompts-2.4.2.tgz              | 2.4.2  | Lightweight, beautiful and user-friendly prompts                                                                                   |
| prop-types-15.7.2.tgz          | 15.7.2 | Runtime type checking for React props and similar objects.                                                                         |
| prop-types-15.7.5.tgz          | 15.7.5 | TypeScript definitions for prop-types                                                                                              |
| prop-types-15.8.1.tgz          | 15.8.1 | Runtime type checking for React props and similar objects.                                                                         |
| propagating-hammerjs-1.5.0.tgz | 1.5.0  | Extend hammer.js with event propagation                                                                                            |
| protobufjs-7.3.2.tgz           | 7.3.2  |                                                                                                                                    |
| proxy-agent-6.2.1.tgz          | 6.2.1  |                                                                                                                                    |
| proxy-from-env-1.1.0.tgz       | 1.1.0  | Offers getProxyForUrl to get the proxy URL for a URL, respecting the *_PROXY (e.g. HTTP_PROXY) and NO_PROXY environment variables. |
| prrr-1.0.1.tgz                 | 1.0.1  | A better Object.defineProperty()                                                                                                   |
| psl-1.9.0.tgz                  | 1.9.0  | Domain name parser based on the Public Suffix List                                                                                 |
| pstree.remy-1.1.8.tgz          | 1.1.8  | Collects the full tree of processes from /proc                                                                                     |
| pump-3.0.0.tgz                 | 3.0.0  | pipe streams together and close all of them if one of them closes                                                                  |
| punycode-1.3.2.tgz             | 1.3.2  | A robust Punycode converter that fully complies to RFC 3492 and RFC 5891, and works on nearly all JavaScript platforms.            |
| punycode-2.3.0.tgz             | 2.3.0  |                                                                                                                                    |
| puppeteer-20.5.0.tgz           | 20.5.0 |                                                                                                                                    |
| puppeteer-7.0.4.tgz            | 7.0.4  | Stub TypeScript definitions entry for puppeteer, which provides its own types definitions                                          |

|                           |        |                                                                           |
|---------------------------|--------|---------------------------------------------------------------------------|
| puppeteer-core-1.18.1.tgz | 1.18.1 | A high-level API to control headless Chrome over the DevTools Protocol    |
| puppeteer-core-1.9.0.tgz  | 1.9.0  | TypeScript definitions for puppeteer-core                                 |
| puppeteer-core-20.5.0.tgz | 20.5.0 |                                                                           |
| qs-6.5.3.tgz              | 6.5.3  | A querystring parser that supports nesting and arrays, with a depth limit |
| qs-6.9.7.tgz              | 6.9.7  | TypeScript definitions for qs                                             |
| querystring-0.2.0.tgz     | 0.2.0  | Node's querystring module for all engines.                                |
| querystringify-2.2.0.tgz  | 2.2.0  | Querystringify - Small, simple but powerful query string parser.          |
| queue-microtask-1.2.3.tgz | 1.2.3  | fast, tiny `queueMicrotask` shim for modern engines                       |
| raf-3.4.1.tgz             | 3.4.1  | requestAnimationFrame polyfill for node and the browser                   |
| raf-schd-4.0.3.tgz        | 4.0.3  | A scheduler based on requestAnimationFrame                                |
| ramda-0.27.1.tgz          | 0.27.1 | A practical functional library for JavaScript programmers.                |
| randombytes-2.1.0.tgz     | 2.1.0  | random bytes from browserify stand alone                                  |
| range-parser-1.2.4.tgz    | 1.2.4  | TypeScript definitions for range-parser                                   |
| rc-align-2.4.5.tgz        | 2.4.5  | align ui component for react                                              |
| rc-align-4.0.15.tgz       | 4.0.15 |                                                                           |
| rc-animate-2.11.1.tgz     | 2.11.1 | css-transition ui component for react                                     |
| rc-cascader-1.0.1.tgz     | 1.0.1  | cascade select ui component for react                                     |
| rc-drawer-3.1.3.tgz       | 3.1.3  | drawer component for react                                                |
| rc-motion-1.1.2.tgz       | 1.1.2  | React lifecycle controlled motion library                                 |
| rc-motion-2.7.3.tgz       | 2.7.3  |                                                                           |
| rc-slider-9.7.5.tgz       | 9.7.5  | Slider UI component for React                                             |
| rc-time-picker-3.7.3.tgz  | 3.7.3  | React TimePicker                                                          |
| rc-tooltip-5.3.1.tgz      | 5.3.1  |                                                                           |

|                                   |          |                                                                     |
|-----------------------------------|----------|---------------------------------------------------------------------|
| rc-trigger-2.6.5.tgz              | 2.6.5    | base abstract trigger component for react                           |
| rc-trigger-4.4.3.tgz              | 4.4.3    | base abstract trigger component for react                           |
| rc-trigger-5.3.4.tgz              | 5.3.4    | base abstract trigger component for react                           |
| rc-util-4.21.1.tgz                | 4.21.1   | Common Utils For React Component                                    |
| rc-util-5.32.4.tgz                | 5.32.4   |                                                                     |
| re-resizable-6.9.9.tgz            | 6.9.9    | Resizable component for React.                                      |
| react-11.10.6.tgz                 | 11.10.6  |                                                                     |
| react-16.14.0.tgz                 | 16.14.0  | React is a JavaScript library for building user interfaces.         |
| react-16.14.42.tgz                | 16.14.42 |                                                                     |
| react-17.0.1.tgz                  | 17.0.1   | React is a JavaScript library for building user interfaces.         |
| react-18.2.7.tgz                  | 18.2.7   |                                                                     |
| react-beautiful-dnd-12.1.2.tgz    | 12.1.2   | TypeScript definitions for react-beautiful-dnd                      |
| react-beautiful-dnd-13.0.0.tgz    | 13.0.0   | Beautiful and accessible drag and drop for lists with React         |
| react-calendar-2.19.2.tgz         | 2.19.2   | Ultimate calendar for your React app.                               |
| react-color-2.18.0.tgz            | 2.18.0   | A Collection of Color Pickers from Sketch, Photoshop, Chrome & more |
| react-color-3.0.1.tgz             | 3.0.1    | TypeScript definitions for react-color                              |
| react-custom-scrollbars-4.2.1.tgz | 4.2.1    | React scrollbars component                                          |
| react-dev-utils-12.0.1.tgz        | 12.0.1   | webpack utilities used by Create React App                          |
| react-dev-utils-9.0.11.tgz        | 9.0.11   | TypeScript definitions for react-dev-utils                          |
| react-dom-17.0.1.tgz              | 17.0.1   | React package for working with the DOM.                             |
| react-dom-18.2.4.tgz              | 18.2.4   |                                                                     |
| react-draggable-4.4.5.tgz         | 4.4.5    | React draggable component                                           |
| react-error-overlay-6.0.11.tgz    | 6.0.11   | An overlay for displaying stack frames.                             |

|                                     |         |                                                                               |
|-------------------------------------|---------|-------------------------------------------------------------------------------|
| react-fast-compare-3.2.2.tgz        | 3.2.2   |                                                                               |
| react-grid-layout-1.2.0.tgz         | 1.2.0   | A draggable and resizable grid layout with responsive breakpoints, for React. |
| react-highlight-words-0.16.0.tgz    | 0.16.0  | React component to highlight words within a larger body of text               |
| react-hook-form-5.1.3.tgz           | 5.1.3   | Performant, flexible and extensible forms library for React Hooks             |
| react-icon-base-2.1.0.tgz           | 2.1.0   | base element for react-icons                                                  |
| react-icon-base-2.1.4.tgz           | 2.1.4   | TypeScript definitions for react-icon-base                                    |
| react-icons-2.2.7.tgz               | 2.2.7   | svg react icons of popular icon packs using ES6 imports                       |
| react-icons-2.2.7.tgz               | 2.2.7   | TypeScript definitions for react-icons                                        |
| react-immutable-proptypes-2.2.0.tgz | 2.2.0   | PropTypes validators that work with Immutable.js.                             |
| react-input-autosize-2.2.2.tgz      | 2.2.2   | Auto-resizing Input Component for React                                       |
| react-is-16.13.1.tgz                | 16.13.1 | Brand checking of React Elements.                                             |
| react-is-17.0.2.tgz                 | 17.0.2  | Brand checking of React Elements.                                             |
| react-is-18.2.0.tgz                 | 18.2.0  | Brand checking of React Elements.                                             |
| react-lifecycles-compat-3.0.4.tgz   | 3.0.4   | Backwards compatibility polyfill for React class components                   |
| react-loadable-5.5.0.tgz            | 5.5.0   | A higher order component for loading components with promises                 |
| react-loadable-5.5.2.tgz            | 5.5.2   | TypeScript definitions for react-loadable                                     |
| react-monaco-editor-0.36.0.tgz      | 0.36.0  | Monaco Editor for React                                                       |
| react-popover-2.2.4.tgz             | 2.2.4   | Official library to use Popper on React projects                              |

|                                                    |         |                                                                         |
|----------------------------------------------------|---------|-------------------------------------------------------------------------|
| react-redux-7.1.25.tgz                             | 7.1.25  | TypeScript definitions for react-redux                                  |
| react-redux-7.2.5.tgz                              | 7.2.5   | Official React bindings for Redux                                       |
| react-redux-7.2.9.tgz                              | 7.2.9   | Official React bindings for Redux                                       |
| react-resizable-1.11.1.tgz                         | 1.11.1  | A component that is resizable with handles.                             |
| react-reverse-portal-2.1.1.tgz                     | 2.1.1   | Build an element once, move it anywhere                                 |
| react-select-3.0.8.tgz                             | 3.0.8   | TypeScript definitions for react-select                                 |
| react-select-3.0.8.tgz                             | 3.0.8   | A Select control built with and for ReactJS                             |
| react-sizeme-2.6.12.tgz                            | 2.6.12  | Make your React Components aware of their width and/or height!          |
| react-split-pane-0.1.89.tgz                        | 0.1.89  | React split-pane component                                              |
| react-storybook-addon-props-combinations-1.1.0.tgz | 1.1.0   | Props Combinations addon for React Storybook                            |
| react-style-proptypes-3.2.2.tgz                    | 3.2.2   | validates style objects by ensuring they only have valid keys           |
| react-table-7.0.0.tgz                              | 7.0.0   | Hooks for building lightweight, fast and extendable datagrids for React |
| react-table-7.0.12.tgz                             | 7.0.12  | TypeScript definitions for react-table                                  |
| react-transition-group-4.4.1.tgz                   | 4.4.1   | A react component toolset for managing animations                       |
| react-transition-group-4.4.5.tgz                   | 4.4.5   | A react component toolset for managing animations                       |
| react-transition-group-4.4.6.tgz                   | 4.4.6   |                                                                         |
| react-unicons-1.1.4.tgz                            | 1.1.4   | 1100+ vector icons as easy to use React Components                      |
| react-use-13.27.0.tgz                              | 13.27.0 | Collection of React Hooks                                               |
| react-use-measure-2.0.3.tgz                        | 2.0.3   | measure view bounds                                                     |

|                                        |         |                                                                                     |
|----------------------------------------|---------|-------------------------------------------------------------------------------------|
| react-virtualized-auto-sizer-1.0.0.tgz | 1.0.0   | TypeScript definitions for react-virtualized-auto-sizer                             |
| react-virtualized-auto-sizer-1.0.2.tgz | 1.0.2   | Standalone version of the AutoSizer component from react-virtualized                |
| react-window-1.8.5.tgz                 | 1.8.5   | React components for efficiently rendering large, scrollable lists and tabular data |
| reactcss-1.2.3.tgz                     | 1.2.3   | Bringing Classes to Inline Styles                                                   |
| read-pkg-3.0.0.tgz                     | 3.0.0   | Read a package.json file                                                            |
| read-pkg-4.0.1.tgz                     | 4.0.1   | Read a package.json file                                                            |
| read-pkg-5.2.0.tgz                     | 5.2.0   | Read a package.json file                                                            |
| read-pkg-up-4.0.0.tgz                  | 4.0.0   | Read the closest package.json file                                                  |
| read-pkg-up-7.0.1.tgz                  | 7.0.1   | Read the closest package.json file                                                  |
| readable-stream-2.3.8.tgz              | 2.3.8   |                                                                                     |
| readable-stream-3.6.2.tgz              | 3.6.2   |                                                                                     |
| readdirp-3.6.0.tgz                     | 3.6.0   | Recursive version of fs.readdir with streaming API.                                 |
| realpath-native-1.1.0.tgz              | 1.1.0   | Use the system's native `realpath`                                                  |
| recompose-0.25.1.tgz                   | 0.25.1  | A React utility belt for function components and higher-order components            |
| recompose-0.30.10.tgz                  | 0.30.10 | TypeScript definitions for Recompose                                                |
| recursive-readdir-2.2.3.tgz            | 2.2.3   | Get an array of all files in a directory and subdirectories.                        |
| redent-3.0.0.tgz                       | 3.0.0   | Strip redundant indentation and indent the string                                   |
| reduce-flatten-1.0.1.tgz               | 1.0.1   | Flatten an array into the supplied array.                                           |
| redux-4.0.5.tgz                        | 4.0.5   | Predictable state container for JavaScript apps                                     |
| redux-4.2.1.tgz                        | 4.2.1   |                                                                                     |
| redux-logger-3.0.6.tgz                 | 3.0.6   | Logger for Redux                                                                    |
| redux-thunk-2.3.0.tgz                  | 2.3.0   | Thunk middleware for Redux.                                                         |

|                                          |         |                                                                                                            |
|------------------------------------------|---------|------------------------------------------------------------------------------------------------------------|
| redux-thunk-2.4.2.tgz                    | 2.4.2   | Thunk middleware for Redux.                                                                                |
| regenerate-1.4.2.tgz                     | 1.4.2   | Generate JavaScript-compatible regular expressions based on a given set of Unicode symbols or code points. |
| regenerate-unicode-properties-10.1.0.tgz | 10.1.0  | Regenerate sets for Unicode properties and values.                                                         |
| regenerator-runtime-0.11.1.tgz           | 0.11.1  | Runtime for Regenerator-compiled generator and async functions.                                            |
| regenerator-runtime-0.13.11.tgz          | 0.13.11 | Runtime for Regenerator-compiled generator and async functions.                                            |
| regenerator-runtime-0.13.3.tgz           | 0.13.3  | Runtime for Regenerator-compiled generator and async functions.                                            |
| regenerator-transform-0.15.1.tgz         | 0.15.1  | Explode async and generator functions into a state machine.                                                |
| regex-not-1.0.2.tgz                      | 1.0.2   | Create a javascript regular expression for matching everything except for the given string.                |
| regexp.prototype.flags-1.5.0.tgz         | 1.5.0   |                                                                                                            |
| regexp-3.2.0.tgz                         | 3.2.0   | Regular expression parser for ECMAScript.                                                                  |
| regexp-4.5.1.tgz                         | 4.5.1   | Regular expression parser for ECMAScript.                                                                  |
| regexpu-core-5.3.2.tgz                   | 5.3.2   |                                                                                                            |
| regjs-0.8.0.tgz                          | 0.8.0   |                                                                                                            |
| regjsparser-0.9.1.tgz                    | 0.9.1   | Parsing the JavaScript's RegExp in JavaScript.                                                             |
| relateurl-0.2.29.tgz                     | 0.2.29  | TypeScript definitions for relateurl                                                                       |
| relateurl-0.2.7.tgz                      | 0.2.7   | Minify URLs by converting them from absolute to relative.                                                  |
| remapping-2.2.1.tgz                      | 2.2.1   |                                                                                                            |

|                                          |         |                                                                                                                                                                     |
|------------------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| remove-trailing-separator-1.1.0.tgz      | 1.1.0   | Removes separators from the end of the string.                                                                                                                      |
| renderkid-3.0.0.tgz                      | 3.0.0   | Stylish console.log for node                                                                                                                                        |
| repeat-element-1.1.4.tgz                 | 1.1.4   | Create an array by repeating the given value n times.                                                                                                               |
| repeat-string-1.6.1.tgz                  | 1.6.1   | Repeat the given string n times. Fastest implementation for repeating a string.                                                                                     |
| replace-in-file-webpack-plugin-1.0.6.tgz | 1.0.6   | A webpack plugin to replace strings in file(s) after building                                                                                                       |
| reporters-26.6.2.tgz                     | 26.6.2  | Jest's reporters                                                                                                                                                    |
| request-2.88.11.tgz                      | 2.88.11 |                                                                                                                                                                     |
| request-2.88.2.tgz                       | 2.88.2  | Simplified HTTP request client.                                                                                                                                     |
| request-progress-3.0.0.tgz               | 3.0.0   | Tracks the download progress of a request made with mikeal/request, giving insight of various metrics including progress percent, download speed and time remaining |
| request-promise-core-1.1.4.tgz           | 1.1.4   | Core Promise support implementation for the simplified HTTP request client 'request'.                                                                               |
| request-promise-native-1.0.9.tgz         | 1.0.9   | The simplified HTTP request client 'request' with Promise support. Powered by native ES6 promises.                                                                  |
| require-directory-2.1.1.tgz              | 2.1.1   | Recursively iterates over specified directory, require()'ing each file, and returning a nested hash structure containing those modules.                             |
| require-from-string-2.0.2.tgz            | 2.0.2   | Require module from string                                                                                                                                          |
| require-main-filename-1.0.1.tgz          | 1.0.1   | shim for require.main.filename() that works in as many environments as possible                                                                                     |

|                                    |              |                                                                                              |
|------------------------------------|--------------|----------------------------------------------------------------------------------------------|
| require-main-filename-2.0.0.tgz    | 2.0.0        | shim for require.main.filename() that works in as many environments as possible              |
| requires-port-1.0.0.tgz            | 1.0.0        | Check if a protocol requires a certain port number to be added to an URL.                    |
| reselect-4.1.1.tgz                 | 4.1.1        | Selectors for Redux.                                                                         |
| reselect-4.1.8.tgz                 | 4.1.8        |                                                                                              |
| resize-observer-polyfill-1.5.1.tgz | 1.5.1        | A polyfill for the Resize Observer API                                                       |
| resolve-1.22.2.tgz                 | 1.22.2       |                                                                                              |
| resolve-2.0.0-next.4.tgz           | 2.0.0-next.4 | resolve like require.resolve() on behalf of files asynchronously and synchronously           |
| resolve-as-bin-2.1.0.tgz           | 2.1.0        | Resolve a local npm package as binary path                                                   |
| resolve-cwd-3.0.0.tgz              | 3.0.0        | Resolve the path of a module like `require.resolve()` but from the current working directory |
| resolve-from-4.0.0.tgz             | 4.0.0        | Resolve the path of a module like `require.resolve()` but from a given path                  |
| resolve-from-5.0.0.tgz             | 5.0.0        | Resolve the path of a module like `require.resolve()` but from a given path                  |
| resolve-uri-3.1.0.tgz              | 3.1.0        | Resolve a URI relative to an optional base URI                                               |
| resolve-url-0.2.1.tgz              | 0.2.1        | Like Node.js' `path.resolve` / `url.resolve` for the browser.                                |
| restore-cursor-1.0.1.tgz           | 1.0.1        | Gracefully restore the CLI cursor on exit                                                    |
| restore-cursor-2.0.0.tgz           | 2.0.0        | Gracefully restore the CLI cursor on exit                                                    |
| restore-cursor-3.1.0.tgz           | 3.1.0        | Gracefully restore the CLI cursor on exit                                                    |

|                                                                                       |        |                                                                                                        |
|---------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------|
| restore-cursor-4.0.0.tgz                                                              | 4.0.0  | Gracefully restore the CLI cursor on exit                                                              |
| restructured-0.0.11.tgz                                                               | 0.0.11 | A reStructuredText parser for JavaScript                                                               |
| ret-0.1.15.tgz                                                                        | 0.1.15 | Tokenizes a string that represents a regular expression.                                               |
| reusify-1.0.4.tgz                                                                     | 1.0.4  | Reuse objects and functions with style                                                                 |
| rfdc-1.3.0.tgz                                                                        | 1.3.0  | Really Fast Deep Clone                                                                                 |
| rimraf-2.0.5.tgz                                                                      | 2.0.5  | TypeScript definitions for rimraf                                                                      |
| rimraf-2.7.1.tgz                                                                      | 2.7.1  | A deep deletion module for node (like `rm -rf`)                                                        |
| rimraf-3.0.2.tgz                                                                      | 3.0.2  | A deep deletion module for node (like `rm -rf`)                                                        |
| rimraf-4.4.1.tgz                                                                      | 4.4.1  | A deep deletion module for node (like `rm -rf`)                                                        |
| rst2html-1.0.4.tgz                                                                    | 1.0.4  | Convert reStructured Text to HTML                                                                      |
| rsvp-4.8.5.tgz                                                                        | 4.8.5  | A lightweight library that provides tools for organizing asynchronous code                             |
| rtl-css-js-1.16.1.tgz                                                                 | 1.16.1 |                                                                                                        |
| run-async-3.0.0.tgz                                                                   | 3.0.0  |                                                                                                        |
| run-parallel-1.2.0.tgz                                                                | 1.2.0  | Run an array of functions in parallel                                                                  |
| runtime-7.22.3.tgz                                                                    | 7.22.3 |                                                                                                        |
| runtime-7.5.17.tgz                                                                    | 7.5.17 | Grafana Runtime Library                                                                                |
| runtime-corejs3-7.22.3.tgz                                                            | 7.22.3 |                                                                                                        |
| runtime.debian.8-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg  | 4.3.2  | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.fedora.23-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg | 4.3.2  | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.fedora.24-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg | 4.3.2  | Internal implementation package not meant for direct consumption. Please do not reference directly.... |

|                                                                                           |       |                                                                                                        |
|-------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------|
| runtime.opensuse.13.2-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.opensuse.42.1-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.osx.10.10-x64.runtime.native.system.security.cryptography.apple.4.3.0.nupkg       | 4.3.0 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.osx.10.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg     | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.rhel.7-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg        | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.ubuntu.14.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg  | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.ubuntu.16.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg  | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| runtime.ubuntu.16.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg  | 4.3.2 | Internal implementation package not meant for direct consumption. Please do not reference directly.... |
| rw-1.3.3.tgz                                                                              | 1.3.3 | Now stdin and stdout are files.                                                                        |
| rxjs-6.6.3.tgz                                                                            | 6.6.3 | Reactive Extensions for modern JavaScript                                                              |
| rxjs-6.6.7.tgz                                                                            | 6.6.7 | Reactive Extensions for modern JavaScript                                                              |
| rxjs-7.8.1.tgz                                                                            | 7.8.1 |                                                                                                        |
| safe-array-concat-1.0.0.tgz                                                               | 1.0.0 |                                                                                                        |
| safe-buffer-5.1.2.tgz                                                                     | 5.1.2 | Safer Node.js Buffer API                                                                               |
| safe-buffer-5.2.1.tgz                                                                     | 5.2.1 | Safer Node.js Buffer API                                                                               |

|                           |        |                                                                               |
|---------------------------|--------|-------------------------------------------------------------------------------|
| safe-regex-1.1.0.tgz      | 1.1.0  | detect possibly catastrophic, exponential-time regular expressions            |
| safe-regex-test-1.0.0.tgz | 1.0.0  | Give a regex, get a robust predicate function that tests it against a string. |
| safer-buffer-2.1.2.tgz    | 2.1.2  | Modern Buffer API polyfill without footguns                                   |
| sane-4.1.0.tgz            | 4.1.0  | Sane aims to be fast, small, and reliable file system watcher.                |
| sanitize-url-4.0.0.tgz    | 4.0.0  | A url sanitizer                                                               |
| sass-1.60.0.tgz           | 1.60.0 | A pure JavaScript implementation of Sass.                                     |
| sass-loader-12.6.0.tgz    | 12.6.0 | Sass loader for webpack                                                       |
| sax-0.2.0.tgz             | 0.2.0  | An evented streaming XML parser in JavaScript                                 |
| sax-1.2.4.tgz             | 1.2.4  | An evented streaming XML parser in JavaScript                                 |
| saxes-3.1.11.tgz          | 3.1.11 | An evented streaming XML parser in JavaScript                                 |
| saxes-5.0.1.tgz           | 5.0.1  | An evented streaming XML parser in JavaScript                                 |
| scale-1.4.0.tgz           | 1.4.0  | visx scale                                                                    |
| scheduler-0.16.3.tgz      | 0.16.3 | TypeScript definitions for scheduler                                          |
| scheduler-0.20.2.tgz      | 0.20.2 | Cooperative scheduler for the browser environment.                            |
| schema-0.1.3.tgz          | 0.1.3  | Schemas describing various structures used by nyc and istanbuljs              |
| schema-utils-2.7.0.tgz    | 2.7.0  | webpack Validation Utils                                                      |
| schema-utils-2.7.1.tgz    | 2.7.1  | webpack Validation Utils                                                      |
| schema-utils-3.1.2.tgz    | 3.1.2  |                                                                               |
| schema-utils-4.0.1.tgz    | 4.0.1  |                                                                               |
| schemas-29.4.3.tgz        | 29.4.3 |                                                                               |
| scope-manager-5.42.0.tgz  | 5.42.0 | TypeScript scope analyser for ESLint                                          |
| scope-manager-5.57.1.tgz  | 5.57.1 | TypeScript scope analyser for ESLint                                          |
| screenfull-5.2.0.tgz      | 5.2.0  | Simple wrapper for cross-browser usage of the JavaScript Fullscreen API,      |

|                                            |         |                                                                            |
|--------------------------------------------|---------|----------------------------------------------------------------------------|
|                                            |         | which lets you bring the page or any element into fullscreen.              |
| scrollbar-width-1.9.4.tgz                  | 1.9.4   | A tool to get browser's scrollbars width.                                  |
| search-query-parser-1.5.4.tgz              | 1.5.4   | Parser for advanced search query syntax                                    |
| select-1.1.2.tgz                           | 1.1.2   | Programmatically select the text of a HTML element                         |
| selection-is-backward-1.0.0.tgz            | 1.0.0   | Returns `true` if the Selection is "backward", `false` otherwise           |
| selector-specificity-2.2.0.tgz             | 2.2.0   |                                                                            |
| semver-6.2.3.tgz                           | 6.2.3   | TypeScript definitions for semver                                          |
| semver-7.5.0.tgz                           | 7.5.0   |                                                                            |
| semver-7.6.2.tgz                           | 7.6.2   |                                                                            |
| send-0.17.1.tgz                            | 0.17.1  | TypeScript definitions for send                                            |
| serialize-0.11.16.tgz                      | 0.11.16 | serialization utils for emotion                                            |
| serialize-1.1.2.tgz                        | 1.1.2   | serialization utils for emotion                                            |
| serialize-javascript-6.0.1.tgz             | 6.0.1   |                                                                            |
| serilog.3.1.1.nupkg                        | 3.1.1   | Simple .NET logging with fully-structured events                           |
| serilog.settings.configuration.8.0.0.nupkg | 8.0.0   | Microsoft.Extensions.Configuration (appsettings.json) support for Serilog. |
| serilog.sinks.console.5.0.1.nupkg          | 5.0.1   | A Serilog sink that writes log events to the console/terminal.             |
| serilog.sinks.eventlog.3.1.0.nupkg         | 3.1.0   | Serilog event sink that writes to the Windows event log.                   |
| serilog.sinks.file.5.0.0.nupkg             | 5.0.0   | Write Serilog events to text files in plain or JSON format.                |
| serve-static-1.15.1.tgz                    | 1.15.1  |                                                                            |

|                                 |       |                                                                                                                                                   |
|---------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| set-array-1.1.2.tgz             | 1.1.2 | Like a Set, but provides the index of the `key` in the backing array                                                                              |
| set-blocking-2.0.0.tgz          | 2.0.0 | set blocking stdio and stderr ensuring that terminal output does not truncate                                                                     |
| set-harmonic-interval-1.0.1.tgz | 1.0.1 | Works similar to `setInterval`, but calls all callbacks scheduled using `setHarmonicInterval` all at once, which have same delay in milliseconds. |
| set-value-4.0.1.tgz             | 4.0.1 | Set nested properties on an object using dot notation.                                                                                            |
| setimmediate-1.0.5.tgz          | 1.0.5 | A shim for the setImmediate efficient script yielding API                                                                                         |
| shallowequal-1.1.0.tgz          | 1.1.0 | Like lodash isEqualWith but for shallow equal.                                                                                                    |
| shape-1.4.0.tgz                 | 1.4.0 | visx shape                                                                                                                                        |
| shebang-command-1.2.0.tgz       | 1.2.0 | Get the command from a shebang                                                                                                                    |
| shebang-command-2.0.0.tgz       | 2.0.0 | Get the command from a shebang                                                                                                                    |
| shebang-regex-1.0.0.tgz         | 1.0.0 | Regular expression for matching a shebang                                                                                                         |
| shebang-regex-3.0.0.tgz         | 3.0.0 | Regular expression for matching a shebang line                                                                                                    |
| sheet-0.9.4.tgz                 | 0.9.4 | emotion's stylesheet                                                                                                                              |
| sheet-1.2.2.tgz                 | 1.2.2 |                                                                                                                                                   |
| shell-quote-1.7.3.tgz           | 1.7.3 | quote and parse shell commands                                                                                                                    |
| shellwords-0.1.1.tgz            | 0.1.1 | Manipulate strings according to the word parsing rules of the UNIX Bourne shell.                                                                  |
| side-channel-1.0.4.tgz          | 1.0.4 | Store information about any JS value in a side channel. Uses WeakMap if available.                                                                |
| signal-exit-3.0.7.tgz           | 3.0.7 | when you want to fire an event no matter how a process exits.                                                                                     |

|                                     |         |                                                                          |
|-------------------------------------|---------|--------------------------------------------------------------------------|
| simple-git-3.19.0.tgz               | 3.19.0  |                                                                          |
| simple-is-0.2.0.tgz                 | 0.2.0   | maximally minimal type-testing library                                   |
| simple-update-notifier-1.1.0.tgz    | 1.1.0   | Simple update notifier to check for npm updates for cli applications     |
| sinonjs__fake-timers-6.0.4.tgz      | 6.0.4   | TypeScript definitions for @sinonjs/fake-timers                          |
| sisteransi-1.0.5.tgz                | 1.0.5   | ANSI escape codes for some terminal swag                                 |
| sizzle-2.3.3.tgz                    | 2.3.3   | TypeScript definitions for sizzle                                        |
| slash-2.0.0.tgz                     | 2.0.0   | Convert Windows backslash paths to slash paths                           |
| slash-3.0.0.tgz                     | 3.0.0   | Convert Windows backslash paths to slash paths                           |
| slash-4.0.0.tgz                     | 4.0.0   | Convert Windows backslash paths to slash paths                           |
| slate-0.47.9.tgz                    | 0.47.9  | A completely customizable framework for building rich text editors.      |
| slate-0.47.9.tgz                    | 0.47.9  | TypeScript definitions for slate                                         |
| slate-base64-serializer-0.2.115.tgz | 0.2.115 | A Base64 serializer for Slate editors.                                   |
| slate-dev-environment-0.2.5.tgz     | 0.2.5   | INTERNAL: A set of environment-related constants for Slate's core.       |
| slate-hotkeys-0.2.11.tgz            | 0.2.11  | A set of function to detect common keypresses in a platform-agnostic way |
| slate-plain-serializer-0.7.11.tgz   | 0.7.11  | A plain text serializer for Slate editors.                               |
| slate-plain-serializer-0.7.13.tgz   | 0.7.13  | A plain text serializer for Slate editors.                               |
| slate-plain-serializer-0.7.2.tgz    | 0.7.2   | TypeScript definitions for slate-plain-serializer                        |
| slate-prop-types-0.5.44.tgz         | 0.5.44  | A set of React prop type checkers for Slate editors.                     |

|                                   |         |                                                                                                                                  |
|-----------------------------------|---------|----------------------------------------------------------------------------------------------------------------------------------|
| slate-react-0.22.10.tgz           | 0.22.10 | A set of React components for building completely customizable rich-text editors.                                                |
| slate-react-0.22.9.tgz            | 0.22.9  | TypeScript definitions for slate-react                                                                                           |
| slate-react-placeholder-0.2.9.tgz | 0.2.9   | A Slate plugin to render a placeholder with React.                                                                               |
| slice-ansi-0.0.4.tgz              | 0.0.4   | Slice a string with ANSI escape codes                                                                                            |
| smart-buffer-4.2.0.tgz            | 4.2.0   | smart-buffer is a Buffer wrapper that adds automatic read & write offset tracking, string operations, data insertions, and more. |
| snapdragon-0.8.2.tgz              | 0.8.2   | Fast, pluggable and easy-to-use parser-renderer factory.                                                                         |
| snapdragon-node-2.1.1.tgz         | 2.1.1   | Snapdragon utility for creating a new AST node in custom code, such as plugins.                                                  |
| snapdragon-util-3.0.1.tgz         | 3.0.1   | Utilities for the snapdragon parser/compiler.                                                                                    |
| socks-2.7.1.tgz                   | 2.7.1   | Fully featured SOCKS proxy client supporting SOCKSv4, SOCKSv4a, and SOCKSv5. Includes Bind and Associate functionality.          |
| socks-proxy-agent-8.0.1.tgz       | 8.0.1   |                                                                                                                                  |
| source-list-map-0.1.2.tgz         | 0.1.2   | TypeScript definitions for source-list-map                                                                                       |
| source-map-0.3.3.tgz              | 0.3.3   |                                                                                                                                  |
| source-map-0.5.6.tgz              | 0.5.6   | Generates and consumes source maps                                                                                               |
| source-map-0.5.7.tgz              | 0.5.7   | Generates and consumes source maps                                                                                               |
| source-map-0.6.1.tgz              | 0.6.1   | Generates and consumes source maps                                                                                               |
| source-map-0.7.4.tgz              | 0.7.4   | Generates and consumes source maps                                                                                               |
| source-map-24.9.0.tgz             | 24.9.0  |                                                                                                                                  |

|                                 |         |                                                                           |
|---------------------------------|---------|---------------------------------------------------------------------------|
| source-map-26.6.2.tgz           | 26.6.2  |                                                                           |
| source-map-js-1.0.2.tgz         | 1.0.2   | Generates and consumes source maps                                        |
| source-map-resolve-0.5.3.tgz    | 0.5.3   | Resolve the source map and/or sources for a generated file.               |
| source-map-resolve-0.6.0.tgz    | 0.6.0   | Resolve the source map and/or sources for a generated file.               |
| source-map-support-0.5.21.tgz   | 0.5.21  | Fixes stack traces for files with source maps                             |
| source-map-url-0.4.1.tgz        | 0.4.1   | Tools for working with sourceMappingURL comments.                         |
| sourcemap-codec-1.4.14.tgz      | 1.4.14  | Encode/decode sourcemap mappings                                          |
| sourcemap-codec-1.4.15.tgz      | 1.4.15  |                                                                           |
| sourcemap-codec-1.4.8.tgz       | 1.4.8   | Encode/decode sourcemap mappings                                          |
| spawn-command-0.0.2-1.tgz       | 0.0.2-1 | Spawn commands like `child_process.exec` does but return a `ChildProcess` |
| spdx-correct-3.2.0.tgz          | 3.2.0   |                                                                           |
| spdx-exceptions-2.3.0.tgz       | 2.3.0   | list of SPDX standard license exceptions                                  |
| spdx-expression-parse-3.0.1.tgz | 3.0.1   | parse SPDX license expressions                                            |
| spdx-license-ids-3.0.13.tgz     | 3.0.13  |                                                                           |
| split-string-3.1.0.tgz          | 3.1.0   | Split a string on a character except when the character is escaped.       |
| sprintf-js-1.0.3.tgz            | 1.0.3   | JavaScript sprintf implementation                                         |
| sshpk-1.17.0.tgz                | 1.17.0  | A library for finding and using SSH public keys                           |
| stable-0.1.8.tgz                | 0.1.8   | A stable array sort for JavaScript                                        |
| stack-generator-2.0.10.tgz      | 2.0.10  | Generate artificial backtrace by walking arguments.callee.caller chain    |

|                                |       |                                                                                                                                                                                                |
|--------------------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| stack-utils-1.0.1.tgz          | 1.0.1 | TypeScript definitions for stack-utils                                                                                                                                                         |
| stack-utils-1.0.5.tgz          | 1.0.5 | Captures and cleans stack traces                                                                                                                                                               |
| stack-utils-2.0.1.tgz          | 2.0.1 | TypeScript definitions for stack-utils                                                                                                                                                         |
| stack-utils-2.0.6.tgz          | 2.0.6 | Captures and cleans stack traces                                                                                                                                                               |
| stackframe-1.3.4.tgz           | 1.3.4 | JS Object representation of a stack frame                                                                                                                                                      |
| stacktrace-gps-3.1.2.tgz       | 3.1.2 | Turns partial code location into precise code location                                                                                                                                         |
| stacktrace-js-2.0.2.tgz        | 2.0.2 | Framework-agnostic, micro-library for getting stack traces in all environments                                                                                                                 |
| static-extend-0.1.2.tgz        | 0.1.2 | Adds a static `extend` method to a class, to simplify inheritance. Extends the static properties, prototype properties, and descriptors from a `Parent` constructor onto `Child` constructors. |
| stdin-discarder-0.1.0.tgz      | 0.1.0 | Discard stdin input except for Ctrl+C                                                                                                                                                          |
| stealthy-require-1.1.1.tgz     | 1.1.1 | The closest you can get to require something with bypassing the require cache                                                                                                                  |
| stream-buffers-1.0.1.tgz       | 1.0.1 | Buffer-backed Streams for reading and writing.                                                                                                                                                 |
| stream-to-observable-0.3.1.tgz | 0.3.1 | Convert Node Streams into ECMAScript-Observables                                                                                                                                               |
| streamroller-3.1.5.tgz         | 3.1.5 |                                                                                                                                                                                                |
| string-length-4.0.2.tgz        | 4.0.2 | Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes                                                                                          |
| string-width-1.0.2.tgz         | 1.0.2 | Get the visual width of a string - the number of                                                                                                                                               |

|                                      |       |                                                                                 |
|--------------------------------------|-------|---------------------------------------------------------------------------------|
|                                      |       | columns required to display it                                                  |
| string-width-2.1.1.tgz               | 2.1.1 | Get the visual width of a string - the number of columns required to display it |
| string-width-4.2.3.tgz               | 4.2.3 | Get the visual width of a string - the number of columns required to display it |
| string.prototype.matchall-4.0.8.tgz  | 4.0.8 | Spec-compliant polyfill for String.prototype.matchAll                           |
| string.prototype.trim-1.2.7.tgz      | 1.2.7 | ES5 spec-compliant shim for String.prototype.trim                               |
| string.prototype.trimend-1.0.6.tgz   | 1.0.6 | ES2019 spec-compliant String.prototype.trimEnd shim.                            |
| string.prototype.trimstart-1.0.6.tgz | 1.0.6 | ES2019 spec-compliant String.prototype.trimStart shim.                          |
| stringifier-1.4.0.tgz                | 1.4.0 | Yet another stringify function                                                  |
| string_decoder-1.1.1.tgz             | 1.1.1 | The string_decoder module from Node core                                        |
| string_decoder-1.3.0.tgz             | 1.3.0 | The string_decoder module from Node core                                        |
| strip-ansi-3.0.1.tgz                 | 3.0.1 | Strip ANSI escape codes                                                         |
| strip-ansi-4.0.0.tgz                 | 4.0.0 | Strip ANSI escape codes                                                         |
| strip-ansi-6.0.1.tgz                 | 6.0.1 | Strip ANSI escape codes from a string                                           |
| strip-ansi-7.1.0.tgz                 | 7.1.0 |                                                                                 |
| strip-bom-3.0.0.tgz                  | 3.0.0 | Strip UTF-8 byte order mark (BOM) from a string                                 |
| strip-bom-4.0.0.tgz                  | 4.0.0 | Strip UTF-8 byte order mark (BOM) from a string                                 |
| strip-eof-1.0.0.tgz                  | 1.0.0 | Strip the End-Of-File (EOF) character from a string/buffer                      |
| strip-final-newline-2.0.0.tgz        | 2.0.0 | Strip the final newline character from a string/buffer                          |
| strip-indent-3.0.0.tgz               | 3.0.0 | Strip leading whitespace from each line in a string                             |

|                                           |       |                                                                                                         |
|-------------------------------------------|-------|---------------------------------------------------------------------------------------------------------|
| strip-json-comments-3.1.1.tgz             | 3.1.1 | Strip comments from JSON. Lets you use comments in your JSON files!                                     |
| style-loader-3.3.3.tgz                    | 3.3.3 |                                                                                                         |
| stylehacks-5.1.1.tgz                      | 5.1.1 | Detect/remove browser hacks from CSS files.                                                             |
| stylis-0.8.5.tgz                          | 0.8.5 | A custom build of Stylis                                                                                |
| stylis-4.2.0.tgz                          | 4.2.0 |                                                                                                         |
| supports-color-2.0.0.tgz                  | 2.0.0 | Detect whether a terminal supports color                                                                |
| supports-color-4.5.0.tgz                  | 4.5.0 | Detect whether a terminal supports color                                                                |
| supports-color-5.5.0.tgz                  | 5.5.0 | Detect whether a terminal supports color                                                                |
| supports-color-6.1.0.tgz                  | 6.1.0 | Detect whether a terminal supports color                                                                |
| supports-color-7.2.0.tgz                  | 7.2.0 | Detect whether a terminal supports color                                                                |
| supports-color-8.1.1.tgz                  | 8.1.1 | Detect whether a terminal supports color                                                                |
| supports-hyperlinks-2.3.0.tgz             | 2.3.0 | Detect if your terminal emulator supports hyperlinks                                                    |
| supports-preserve-symlinks-flag-1.0.0.tgz | 1.0.0 | Determine if the current node version supports the `--preserve-symlinks` flag.                          |
| svgo-2.8.0.tgz                            | 2.8.0 | Nodejs-based tool for optimizing SVG vector graphics files                                              |
| symbol-observable-1.2.0.tgz               | 1.2.0 | Symbol.observable ponyfill                                                                              |
| symbol-tree-3.2.4.tgz                     | 3.2.4 | Turn any collection of objects into its own efficient tree or linked list using Symbol                  |
| system.appcontext.4.3.0.nupkg             | 4.3.0 | Provides the System.AppContext class, which allows access to the BaseDirectory property and other ap... |
| system.buffers.4.3.0.nupkg                | 4.3.0 | Provides resource pooling of any type for performance-critical                                          |

|                                                 |       |                                                                                                               |
|-------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
|                                                 |       | applications that allocate and deallo...                                                                      |
| system.collections.4.3.0.nupkg                  | 4.3.0 | Provides classes that define generic collections, which allow developers to create strongly typed co...       |
| system.collections.concurrent.4.3.0.nupkg       | 4.3.0 | Provides several thread-safe collection classes that should be used in place of the corresponding ty...       |
| system.console.4.3.0.nupkg                      | 4.3.0 | Provides the System.Console class, which represents the standard input, output and error streams for...       |
| system.diagnostics.debug.4.3.0.nupkg            | 4.3.0 | Provides classes and attributes that allows basic interaction with a debugger.<br><br>Commonly Used Types:... |
| system.diagnostics.diagnosticsource.4.3.0.nupkg | 4.3.0 | Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry...       |
| system.diagnostics.eventlog.4.5.0.nupkg         | 4.5.0 | Provides the System.Diagnostics.EventLog class, which allows the applications to use the windows eve...       |
| system.diagnostics.tools.4.3.0.nupkg            | 4.3.0 | Provides attributes, such as GeneratedCodeAttribute and SuppressMessageAttribute, that are emitted or...      |
| system.diagnostics.tracing.4.3.0.nupkg          | 4.3.0 | Provides class that enable you to create high performance tracing events to be captured by event tra...       |
| system.globalization.4.3.0.nupkg                | 4.3.0 | Provides classes that define culture-related information, including language, country/region, calend...       |

|                                             |       |                                                                                                               |
|---------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
| system.globalization.calendars.4.3.0.nupkg  | 4.3.0 | Provides classes for performing date calculations using specific calendars, including the Gregorian,...       |
| system.globalization.extensions.4.3.0.nupkg | 4.3.0 | Provides classes for performing Unicode string normalization, culture-specific string comparisons an...       |
| system.io.4.3.0.nupkg                       | 4.3.0 | Provides base input and output (I/O) types, including System.IO.Stream, System.IO.StreamReader and S...       |
| system.io.compression.4.3.0.nupkg           | 4.3.0 | Provides classes that support the compression and decompression of streams.<br><br>Commonly Used Types: Sy... |
| system.io.compression.zipfile.4.3.0.nupkg   | 4.3.0 | Provides classes that support the compression and decompression of streams using file system paths.<br>...    |
| system.io.filesystem.4.3.0.nupkg            | 4.3.0 | Provides types that allow reading and writing to files and types that provide basic file and directo...       |
| system.io.filesystem.primitives.4.3.0.nupkg | 4.3.0 | Provides common enumerations and exceptions for path-based I/O libraries.<br><br>Commonly Used Types: Syst... |

|                                     |       |                                                                                                                                                                                                  |
|-------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| system.io.pipelines.9.0.3.nupkg     | 9.0.3 | <p>Single producer single consumer byte buffer management.</p> <p>Commonly Used Types:<br/> System.IO.Pipelines.Pipe<br/> System.IO.Pipelines.PipeWriter<br/> System.IO.Pipelines.PipeReader</p> |
| system.linq.4.3.0.nupkg             | 4.3.0 | <p>Provides classes and interfaces that supports queries that use Language-Integrated Query (LINQ).</p> <p>Co...</p>                                                                             |
| system.linq.expressions.4.3.0.nupkg | 4.3.0 | <p>Provides classes, interfaces and enumerations that enable language-level code expressions to be repr...</p>                                                                                   |
| system.net.http.4.3.4.nupkg         | 4.3.4 | <p>Provides a programming interface for modern HTTP applications, including HTTP client components that...</p>                                                                                   |
| system.net.primitives.4.3.0.nupkg   | 4.3.0 | <p>Provides common types for network-based libraries, including<br/> System.Net.IPAddress,<br/> System.Net.IPEndPoint...</p>                                                                     |
| system.net.sockets.4.3.0.nupkg      | 4.3.0 | <p>Provides classes such as Socket, TcpClient and UdpClient, which enable developers to send and receiv...</p>                                                                                   |
| system.objectmodel.4.3.0.nupkg      | 4.3.0 | <p>Provides types and interfaces that allow the creation of observable types that provide notifications...</p>                                                                                   |
| system.reflection.4.3.0.nupkg       | 4.3.0 | <p>Provides types that retrieve information about assemblies, modules,</p>                                                                                                                       |

|                                                 |       |                                                                                                               |
|-------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
|                                                 |       | members, parameters, and other e...                                                                           |
| system.reflection.emit.4.3.0.nupkg              | 4.3.0 | Provides classes that allow a compiler or tool to emit metadata and optionally generate a PE file on...       |
| system.reflection.emit.ilgeneration.4.3.0.nupkg | 4.3.0 | Provides classes that allow a compiler or tool to emit Microsoft intermediate language (MSIL). The p...       |
| system.reflection.emit.lightweight.4.3.0.nupkg  | 4.3.0 | Provides the System.Reflection.Emit.DynamicMethod class, which represents a dynamic method that can ...       |
| system.reflection.extensions.4.3.0.nupkg        | 4.3.0 | Provides custom attribute extension methods for System.Reflection types.<br><br>Commonly Used Types: Syste... |
| system.reflection.metadata.1.6.0.nupkg          | 1.6.0 | This packages provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for perfo...       |
| system.reflection.primitives.4.3.0.nupkg        | 4.3.0 | Provides common enumerations for reflection-based libraries.<br><br>Commonly Used Types: System.Reflection... |
| system.reflection.typeextensions.4.3.0.nupkg    | 4.3.0 | Provides extensions methods for System.Type that are designed to be source-compatible with older fra...       |
| system.resources.resource manager.4.3.0.nupkg   | 4.3.0 | Provides classes and attributes that allow developers to create, store, and manage various culture-s...       |
| system.runtime.4.3.1.nupkg                      | 4.3.1 | Provides the fundamental primitives, classes and                                                              |

|                                                               |       |                                                                                                               |
|---------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
|                                                               |       | base classes that define commonly-used value and re...                                                        |
| system.runtime.extensions.4.3.0.nupkg                         | 4.3.0 | Provides commonly-used classes for performing mathematical functions, conversions, string comparison...       |
| system.runtime.handles.4.3.0.nupkg                            | 4.3.0 | Provides base classes, including System.Runtime.InteropServices.CriticalHandle and System.Runtime.In...       |
| system.runtime.interopservices.4.3.0.nupkg                    | 4.3.0 | Provides types that support COM interop and platform invoke services.<br><br>Commonly Used Types: System.R... |
| system.runtime.interopservices.runtimeinformation.4.3.0.nupkg | 4.3.0 | Provides APIs to query about runtime and OS information.<br><br>Commonly Used Types: System.Runtime.Intero... |
| system.runtime.numerics.4.3.0.nupkg                           | 4.3.0 | Provides the numeric types System.Numerics.BigInteger and System.Numerics.Complex, which complement ...       |
| system.security.accesscontrol.4.5.0.nupkg                     | 4.5.0 | Provides base classes that enable managing access and audit control lists on securable objects.<br><br>Com... |
| system.security.cryptography.algorithms.4.3.0.nupkg           | 4.3.0 | Provides base types for cryptographic algorithms, including hashing, encryption, and signing operati...       |
| system.security.cryptography.cng.4.3.0.nupkg                  | 4.3.0 | Provides cryptographic algorithm implementations                                                              |

|                                                            |       |                                                                                                               |
|------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
|                                                            |       | and key management with Windows Cryptographic Next ...                                                        |
| system.security.cryptographic.csp.4.3.0.nupkg              | 4.3.0 | Provides cryptographic algorithm implementations and key management with Windows Cryptographic API (...)      |
| system.security.cryptographic.encoding.4.3.0.nupkg         | 4.3.0 | Provides types for representing Abstract Syntax Notation One (ASN.1)-encoded data.<br><br>Commonly Used Ty... |
| system.security.cryptographic.openssl.4.3.0.nupkg          | 4.3.0 | Provides cryptographic algorithm implementations and key management for non-Windows systems with Ope...       |
| system.security.cryptographic.primitives.4.3.0.nupkg       | 4.3.0 | Provides common types for the cryptographic libraries.<br><br>Commonly Used Types: System.Security.Cryptog... |
| system.security.cryptographic.x509certificates.4.3.0.nupkg | 4.3.0 | Provides types for reading, exporting and verifying Authenticode X.509 v3 certificates. These certif...       |
| system.security.permissions.4.5.0.nupkg                    | 4.5.0 | Provides types supporting Code Access Security (CAS).<br>30ab651fcb4354552bd4891619a0bdd81e0ebdbf Whe...      |
| system.security.principal.windows.4.5.0.nupkg              | 4.5.0 | Provides classes for retrieving the current Windows user and for interacting with Windows users and ...       |
| system.text.encoding.4.3.0.nupkg                           | 4.3.0 | Provides base abstract encoding classes for converting blocks of                                              |

|                                             |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                             |       | characters to and from blocks of by...                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| system.text.encoding.extensions.4.3.0.nupkg | 4.3.0 | <p>Provides support for specific encodings, including ASCII, UTF-7, UTF-8, UTF-16, and UTF-32.</p> <p>Commonl...</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| system.text.encodings.web.9.0.3.nupkg       | 9.0.3 | <p>Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL).</p> <p>Commonly Used Types:<br/> System.Text.Encodings.Web.HtmlEncoder<br/> System.Text.Encodings.Web.UrlEncoder<br/> System.Text.Encodings.Web.JavaScriptEncoder</p>                                                                                                                                                                                                                                             |
| system.text.json.9.0.3.nupkg                | 9.0.3 | <p>Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data.</p> <p>The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need</p> |

|                                               |       |                                                                                                               |
|-----------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------|
|                                               |       | to use it in other target frameworks.                                                                         |
| system.text.regularexpressions.4.3.1.nupkg    | 4.3.1 | Provides the System.Text.RegularExpressions.Regex class, an implementation of a regular expression e...       |
| system.threading.4.3.0.nupkg                  | 4.3.0 | Provides the fundamental synchronization primitives, including System.Threading.Monitor and System.T...       |
| system.threading.accesscontrol.4.5.0.nupkg    | 4.5.0 | Provides support for managing access and audit control lists for synchronization primitives.<br><br>Common... |
| system.threading.tasks.4.3.0.nupkg            | 4.3.0 | Provides types that simplify the work of writing concurrent and asynchronous code.<br><br>Commonly Used Ty... |
| system.threading.tasks.extensions.4.3.0.nupkg | 4.3.0 | Provides additional types that simplify the work of writing concurrent and asynchronous code.<br><br>Commo... |
| system.threading.timer.4.3.0.nupkg            | 4.3.0 | Provides the System.Threading.Timer class, which is a mechanism for executing a method at specified ...       |
| system.xml.readerwriter.4.3.0.nupkg           | 4.3.0 | Provides provides a fast, non-cached, forward-only way to read and write Extensible Markup Language ...       |

|                                  |         |                                                                                                                                                                                                               |
|----------------------------------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| system.xml.xdocument.4.3.0.nupkg | 4.3.0   | Provides the classes for Language-Integrated Query (LINQ) to Extensible Markup Language (XML). LINQ ...                                                                                                       |
| systemjs-0.20.19.tgz             | 0.20.19 | Dynamic ES module loader                                                                                                                                                                                      |
| systemjs-plugin-css-0.1.37.tgz   | 0.1.37  | css<br>===                                                                                                                                                                                                    |
| table-layout-0.4.5.tgz           | 0.4.5   | Stylable text tables, handling ansi colour. Useful for console output.                                                                                                                                        |
| tapable-1.0.8.tgz                | 1.0.8   | TypeScript definitions for tapable                                                                                                                                                                            |
| tapable-1.1.3.tgz                | 1.1.3   | Just a little module for plugins.                                                                                                                                                                             |
| tapable-2.2.1.tgz                | 2.2.1   | Just a little module for plugins.                                                                                                                                                                             |
| tar-fs-2.1.1.tgz                 | 2.1.1   | filesystem bindings for tar-stream                                                                                                                                                                            |
| tar-stream-2.2.0.tgz             | 2.2.0   | tar-stream is a streaming tar parser and generator and nothing else. It is streams2 and operates purely using streams which means you can easily extract/parse tarballs without ever hitting the file system. |
| template-7.21.9.tgz              | 7.21.9  |                                                                                                                                                                                                               |
| terminal-link-2.1.1.tgz          | 2.1.1   | Create clickable links in the terminal                                                                                                                                                                        |
| terser-5.17.6.tgz                | 5.17.6  |                                                                                                                                                                                                               |
| terser-webpack-plugin-5.3.9.tgz  | 5.3.9   |                                                                                                                                                                                                               |
| test-exclude-5.2.3.tgz           | 5.2.3   | test for inclusion or exclusion of paths using pkg-conf and globs                                                                                                                                             |
| test-exclude-6.0.0.tgz           | 6.0.0   | test for inclusion or exclusion of paths using globs                                                                                                                                                          |
| test-result-24.9.0.tgz           | 24.9.0  |                                                                                                                                                                                                               |
| test-result-26.6.2.tgz           | 26.6.2  |                                                                                                                                                                                                               |
| test-sequencer-26.6.3.tgz        | 26.6.3  |                                                                                                                                                                                                               |
| test-value-3.0.0.tgz             | 3.0.0   | Test a value in a variety of ways                                                                                                                                                                             |

|                                      |        |                                                                                                          |
|--------------------------------------|--------|----------------------------------------------------------------------------------------------------------|
| testing-library__jest-dom-5.14.6.tgz | 5.14.6 |                                                                                                          |
| tether-1.4.7.tgz                     | 1.4.7  | A client-side library to make absolutely positioned elements attach to elements in the page efficiently. |
| tether-drop-1.5.0.tgz                | 1.5.0  |                                                                                                          |
| text-encoding-utf-8-1.0.2.tgz        | 1.0.2  | UTF-8 only polyfill for the Encoding Living Standard's API.                                              |
| text-encoding-utf-8-1.0.2.tgz        | 1.0.2  | TypeScript definitions for text-encoding-utf-8                                                           |
| text-table-0.2.0.tgz                 | 0.2.0  | borderless text tables with alignment                                                                    |
| throat-5.0.0.tgz                     | 5.0.0  | Throttle the parallelism of an asynchronous (promise returning) function / functions                     |
| throttle-debounce-2.3.0.tgz          | 2.3.0  | Throttle and debounce functions.                                                                         |
| throttleit-1.0.0.tgz                 | 1.0.0  | Throttle a function                                                                                      |
| through-0.0.30.tgz                   | 0.0.30 | TypeScript definitions for through                                                                       |
| through-2.3.8.tgz                    | 2.3.8  | simplified stream construction                                                                           |
| timsort-0.3.0.tgz                    | 0.3.0  | TimSort: Fast Sorting for Node.js                                                                        |
| tiny-emitter-2.1.0.tgz               | 2.1.0  | A tiny (less than 1k) event emitter library                                                              |
| tiny-invariant-1.3.1.tgz             | 1.3.1  | A tiny invariant function                                                                                |
| tiny-warning-0.0.3.tgz               | 0.0.3  | A tiny warning function                                                                                  |
| tinycolor2-1.4.1.tgz                 | 1.4.1  | Fast Color Parsing and Manipulation                                                                      |
| tinycolor2-1.6.0.tgz                 | 1.6.0  |                                                                                                          |
| tmp-0.0.33.tgz                       | 0.0.33 | Temporary file and directory creator                                                                     |
| tmp-0.1.0.tgz                        | 0.1.0  | TypeScript definitions for tmp                                                                           |
| tmp-0.2.1.tgz                        | 0.2.1  | Temporary file and directory creator                                                                     |
| tmpl-1.0.5.tgz                       | 1.0.5  | JavaScript micro templates.                                                                              |

|                              |        |                                                                                                                                       |
|------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------|
| to-camel-case-1.0.0.tgz      | 1.0.0  | Convert a string to camel case.                                                                                                       |
| to-fast-properties-2.0.0.tgz | 2.0.0  | Force V8 to use fast properties for an object                                                                                         |
| to-no-case-1.0.2.tgz         | 1.0.2  | Remove any existing casing from a string.                                                                                             |
| to-object-path-0.3.0.tgz     | 0.3.0  | Create an object path from a list or array of strings.                                                                                |
| to-regex-3.0.2.tgz           | 3.0.2  | Generate a regex from a string or array of strings.                                                                                   |
| to-regex-range-2.1.1.tgz     | 2.1.1  | Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions. |
| to-regex-range-5.0.1.tgz     | 5.0.1  | Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions. |
| to-space-case-1.0.0.tgz      | 1.0.0  | Convert a string to space case.                                                                                                       |
| toggle-selection-1.0.6.tgz   | 1.0.6  | Toggle current selected content in browser                                                                                            |
| toolkit-1.5.0.tgz            | 1.5.0  | The official, opinionated, batteries-included toolset for efficient Redux development                                                 |
| toolkit-7.5.17.tgz           | 7.5.17 | Grafana Toolkit                                                                                                                       |
| tooltip-1.3.0.tgz            | 1.3.0  | visx tooltip                                                                                                                          |
| touch-3.1.0.tgz              | 3.1.0  | like touch(1) in node                                                                                                                 |
| tough-cookie-4.1.3.tgz       | 4.1.3  |                                                                                                                                       |
| tr46-0.0.3.tgz               | 0.0.3  | An implementation of the Unicode TR46 spec                                                                                            |
| tr46-1.0.1.tgz               | 1.0.1  | An implementation of the Unicode TR46 spec                                                                                            |
| tr46-2.1.0.tgz               | 2.1.0  | An implementation of the Unicode UTS #46: Unicode IDNA Compatibility Processing                                                       |
| trace-mapping-0.3.18.tgz     | 0.3.18 |                                                                                                                                       |
| transform-24.9.0.tgz         | 24.9.0 |                                                                                                                                       |
| transform-26.6.2.tgz         | 26.6.2 |                                                                                                                                       |

|                           |           |                                                                                                           |
|---------------------------|-----------|-----------------------------------------------------------------------------------------------------------|
| traverse-0.6.7.tgz        | 0.6.7     | traverse and transform objects by visiting every node on a recursive walk                                 |
| traverse-7.22.4.tgz       | 7.22.4    |                                                                                                           |
| tree-kill-1.2.2.tgz       | 1.2.2     | kill trees of processes                                                                                   |
| ts-easing-0.2.0.tgz       | 0.2.0     | Collection of easing functions in TypeScript                                                              |
| ts-jest-26.4.4.tgz        | 26.4.4    | A preprocessor with source maps support to help use TypeScript with Jest                                  |
| ts-loader-9.4.2.tgz       | 9.4.2     |                                                                                                           |
| ts-loader-9.4.3.tgz       | 9.4.3     |                                                                                                           |
| ts-node-9.0.0.tgz         | 9.0.0     | TypeScript execution environment and REPL for node.js, with source map support                            |
| tsconfig-1.0.0-rc1.tgz    | 1.0.0-rc1 | Grafana's TypeScript config                                                                               |
| tslib-1.14.1.tgz          | 1.14.1    | Runtime library for TypeScript helper functions                                                           |
| tslib-2.0.3.tgz           | 2.0.3     | Runtime library for TypeScript helper functions                                                           |
| tslib-2.5.2.tgz           | 2.5.2     |                                                                                                           |
| tsutils-3.21.0.tgz        | 3.21.0    | utilities for working with typescript's AST                                                               |
| tti-polyfill-0.2.2.tgz    | 0.2.2     | Polyfill for Time to Interactive. See <a href="https://goo.gl/OSmrPk">https://goo.gl/OSmrPk</a>           |
| tunnel-agent-0.6.0.tgz    | 0.6.0     | HTTP proxy tunneling agent. Formerly part of mikeal/request, now a standalone module.                     |
| tween-functions-1.2.0.tgz | 1.2.0     | Robert Penner's easing functions, slightly modified                                                       |
| tweetnacl-0.14.5.tgz      | 0.14.5    | Port of TweetNaCl cryptographic library to JavaScript                                                     |
| type-check-0.3.2.tgz      | 0.3.2     | type-check allows you to check the types of JavaScript values at runtime with a Haskell like type syntax. |
| type-check-0.4.0.tgz      | 0.4.0     | type-check allows you to check the types of                                                               |

|                                |         |                                                                       |
|--------------------------------|---------|-----------------------------------------------------------------------|
|                                |         | JavaScript values at runtime with a Haskell like type syntax.         |
| type-detect-4.0.8.tgz          | 4.0.8   | Improved typeof detection for node.js and the browser.                |
| type-fest-0.20.2.tgz           | 0.20.2  | A collection of essential TypeScript types                            |
| type-fest-0.21.3.tgz           | 0.21.3  | A collection of essential TypeScript types                            |
| type-fest-0.6.0.tgz            | 0.6.0   | A collection of essential TypeScript types                            |
| type-fest-0.8.1.tgz            | 0.8.1   | A collection of essential TypeScript types                            |
| type-name-2.0.2.tgz            | 2.0.2   | Just a reasonable typeof                                              |
| type-of-2.0.1.tgz              | 2.0.1   | Type assertions aka less-broken typeof.                               |
| type-utils-5.42.0.tgz          | 5.42.0  | Type utilities for working with TypeScript + ESLint together          |
| type-utils-5.57.1.tgz          | 5.57.1  | Type utilities for working with TypeScript + ESLint together          |
| typebox-0.25.24.tgz            | 0.25.24 |                                                                       |
| typed-array-length-1.0.4.tgz   | 1.0.4   |                                                                       |
| typedarray-0.0.6.tgz           | 0.0.6   | TypedArray polyfill for old browsers                                  |
| typedarray-to-buffer-3.1.5.tgz | 3.1.5   | Convert a typed array to a Buffer without a copy                      |
| types-24.9.0.tgz               | 24.9.0  |                                                                       |
| types-26.6.2.tgz               | 26.6.2  |                                                                       |
| types-29.5.0.tgz               | 29.5.0  |                                                                       |
| types-5.24.2.tgz               | 5.24.2  | Types for all Sentry JavaScript SDKs                                  |
| types-5.25.0.tgz               | 5.25.0  | Types for all Sentry JavaScript SDKs                                  |
| types-5.42.0.tgz               | 5.42.0  | Types for the TypeScript-ESTree AST spec                              |
| types-5.57.1.tgz               | 5.57.1  |                                                                       |
| types-7.22.4.tgz               | 7.22.4  |                                                                       |
| typescript-4.1.2.tgz           | 4.1.2   | TypeScript is a language for application scale JavaScript development |

|                                                       |        |                                                                                                                                                     |
|-------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| typescript-4.8.4.tgz                                  | 4.8.4  | TypeScript is a language for application scale JavaScript development                                                                               |
| typescript-estree-5.42.0.tgz                          | 5.42.0 | A parser that converts TypeScript source code into an ESTree compatible form                                                                        |
| typescript-estree-5.57.1.tgz                          | 5.57.1 |                                                                                                                                                     |
| typical-2.6.1.tgz                                     | 2.6.1  | Robust Javascript type-checking                                                                                                                     |
| ua-parser-js-0.7.25.tgz                               | 0.7.25 | Lightweight JavaScript-based user-agent string parser                                                                                               |
| uglify-js-3.17.1.tgz                                  | 3.17.1 | TypeScript definitions for UglifyJS                                                                                                                 |
| ui-7.5.17.tgz                                         | 7.5.17 | Grafana Components Library                                                                                                                          |
| unbox-primitive-1.0.2.tgz                             | 1.0.2  | Unbox a boxed JS primitive value.                                                                                                                   |
| unbzip2-stream-1.4.3.tgz                              | 1.4.3  | streaming unbzip2 implementation in pure javascript for node and browsers                                                                           |
| undefsafe-2.0.5.tgz                                   | 2.0.5  | Undefined safe way of extracting object properties                                                                                                  |
| underscore-1.13.6.tgz                                 | 1.13.6 | JavaScript's functional programming helper library.                                                                                                 |
| unicode-canonical-property-names-ecmascript-2.0.0.tgz | 2.0.0  | The set of canonical Unicode property names supported in ECMAScript RegExp property escapes.                                                        |
| unicode-match-property-ecmascript-2.0.0.tgz           | 2.0.0  | Match a Unicode property or property alias to its canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript. |
| unicode-match-property-value-ecmascript-2.1.0.tgz     | 2.1.0  |                                                                                                                                                     |
| unicode-property-aliases-ecmascript-2.1.0.tgz         | 2.1.0  | Unicode property alias mappings in JavaScript format for property names that are supported in                                                       |

|                                       |        |                                                                                                                                              |
|---------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------|
|                                       |        | ECMAScript RegExp property escapes.                                                                                                          |
| union-value-1.0.1.tgz                 | 1.0.1  | Set an array of unique values as the property of an object. Supports setting deeply nested properties using using object-paths/dot notation. |
| unist-util-map-1.0.5.tgz              | 1.0.5  | Create a new Unist tree with all nodes that mapped by the provided function                                                                  |
| unitless-0.7.5.tgz                    | 0.7.5  | An object of css properties that don't accept values with units                                                                              |
| unitless-0.8.1.tgz                    | 0.8.1  |                                                                                                                                              |
| universal-deep-strict-equal-1.2.2.tgz | 1.2.2  | A port of Node v6's internal <code>_deepEqual</code> function in a universal style                                                           |
| universalify-0.1.2.tgz                | 0.1.2  | Make a callback- or promise-based function support both promises and callbacks.                                                              |
| universalify-0.2.0.tgz                | 0.2.0  | Make a callback- or promise-based function support both promises and callbacks.                                                              |
| universalify-2.0.0.tgz                | 2.0.0  | Make a callback- or promise-based function support both promises and callbacks.                                                              |
| UniversalWebConnector-1.0.0           | 1.0.0  |                                                                                                                                              |
| UniversalWebConnector.Logger-1.0.0    | 1.0.0  |                                                                                                                                              |
| unset-value-1.0.0.tgz                 | 1.0.0  | Delete nested properties from an object using dot notation.                                                                                  |
| untildify-4.0.0.tgz                   | 4.0.0  | Convert a tilde path to an absolute path: <code>~/dev` → `/Users/sindresorhus/dev`</code>                                                    |
| update-browserslist-db-1.0.11.tgz     | 1.0.11 |                                                                                                                                              |

|                                               |        |                                                                                                            |
|-----------------------------------------------|--------|------------------------------------------------------------------------------------------------------------|
| uplot-1.6.9.tgz                               | 1.6.9  | A small, fast chart for time series, lines, areas, ohlc & bars                                             |
| uri-js-4.4.1.tgz                              | 4.4.1  | An RFC 3986/3987 compliant, scheme extendable URI/IRI parsing/validating/resolving library for JavaScript. |
| urix-0.1.0.tgz                                | 0.1.0  | Makes Windows-style paths more unix and URI friendly.                                                      |
| url-0.11.0.tgz                                | 0.11.0 | The core `url` packaged standalone for use with Browserify.                                                |
| url-loader-2.3.0.tgz                          | 2.3.0  | A loader for webpack which transforms files into base64 URIs                                               |
| url-parse-1.5.10.tgz                          | 1.5.10 | Small footprint URL parser that works seamlessly across Node.js and browser environments                   |
| use-3.1.1.tgz                                 | 3.1.1  | Easily add plugin support to your node.js application.                                                     |
| use-insertion-effect-with-fallbacks-1.0.1.tgz | 1.0.1  |                                                                                                            |
| use-memo-one-1.1.3.tgz                        | 1.1.3  | useMemo and useCallback but with a stable cache                                                            |
| utf8-1.1.0.tgz                                | 1.1.0  | A minimal UTF8 implementation for number arrays.                                                           |
| utf8-1.11.1.tgz                               | 1.11.1 | UTF8 encoder/decoder for WASM                                                                              |
| utf8-1.11.6.tgz                               | 1.11.6 |                                                                                                            |
| util-deprecate-1.0.2.tgz                      | 1.0.2  | The Node.js `util.deprecate()` function with browser support                                               |
| util.promisify-1.1.2.tgz                      | 1.1.2  | Polyfill/shim for util.promisify in node versions < v8                                                     |
| utila-0.4.0.tgz                               | 0.4.0  | notareplacementforunders core                                                                              |
| utils-0.11.3.tgz                              | 0.11.3 | internal utils for emotion                                                                                 |
| utils-1.2.1.tgz                               | 1.2.1  | internal utils for emotion                                                                                 |

|                                        |        |                                                                               |
|----------------------------------------|--------|-------------------------------------------------------------------------------|
| utils-5.24.2.tgz                       | 5.24.2 | Utilities for all Sentry JavaScript SDKs                                      |
| utils-5.25.0.tgz                       | 5.25.0 | Utilities for all Sentry JavaScript SDKs                                      |
| utils-5.42.0.tgz                       | 5.42.0 | Utilities for working with TypeScript + ESLint together                       |
| utils-5.57.1.tgz                       | 5.57.1 | Utilities for working with TypeScript + ESLint together                       |
| uuid-3.4.0.tgz                         | 3.4.0  | RFC4122 (v1, v4, and v5) UUIDs                                                |
| uuid-8.3.0.tgz                         | 8.3.0  | RFC4122 (v1, v4, and v5) UUIDs                                                |
| uuid-8.3.0.tgz                         | 8.3.0  | TypeScript definitions for uuid                                               |
| uuid-8.3.2.tgz                         | 8.3.2  | RFC4122 (v1, v4, and v5) UUIDs                                                |
| v8-coverage-0.2.3.tgz                  | 0.2.3  | Helper functions for V8 coverage files.                                       |
| v8-to-istanbul-7.1.2.tgz               | 7.1.2  | convert from v8 coverage format to istanbul's format                          |
| validate-npm-package-license-3.0.4.tgz | 3.0.4  | Give me a string and I'll tell you if it's a valid npm package license string |
| verror-1.10.0.tgz                      | 1.10.0 | richer JavaScript errors                                                      |
| visitor-keys-5.42.0.tgz                | 5.42.0 | Visitor keys used to help traverse the TypeScript-ESTree AST                  |
| visitor-keys-5.57.1.tgz                | 5.57.1 |                                                                               |
| visjs-network-4.25.0.tgz               | 4.25.0 | A dynamic, browser-based network visualization library.                       |
| vm2-3.9.19.tgz                         | 3.9.19 |                                                                               |
| w3c-hr-time-1.0.2.tgz                  | 1.0.2  | An implementation of the W3C High Resolution Time Level 2 specification.      |
| w3c-xmlserializer-1.1.2.tgz            | 1.1.2  | A per-spec XML serializer implementation                                      |
| w3c-xmlserializer-2.0.0.tgz            | 2.0.0  | A per-spec XML serializer implementation                                      |
| walker-1.0.8.tgz                       | 1.0.8  | A simple directory tree walker.                                               |
| warning-4.0.3.tgz                      | 4.0.3  | A mirror of Facebook's Warning                                                |

|                              |         |                                                                               |
|------------------------------|---------|-------------------------------------------------------------------------------|
| wasm-edit-1.11.1.tgz         | 1.11.1  | > Rewrite a WASM binary                                                       |
| wasm-edit-1.11.6.tgz         | 1.11.6  |                                                                               |
| wasm-gen-1.11.1.tgz          | 1.11.1  | WebAssembly binary format printer                                             |
| wasm-gen-1.11.6.tgz          | 1.11.6  |                                                                               |
| wasm-opt-1.11.1.tgz          | 1.11.1  |                                                                               |
| wasm-opt-1.11.6.tgz          | 1.11.6  |                                                                               |
| wasm-parser-1.11.1.tgz       | 1.11.1  | WebAssembly binary format parser                                              |
| wasm-parser-1.11.6.tgz       | 1.11.6  |                                                                               |
| wast-printer-1.11.1.tgz      | 1.11.1  | WebAssembly text format printer                                               |
| wast-printer-1.11.6.tgz      | 1.11.6  |                                                                               |
| watch-1.0.4.tgz              | 1.0.4   | Utilities for watching file trees.                                            |
| watchpack-2.4.0.tgz          | 2.4.0   | Wrapper library for directory and file watching.                              |
| wcwidth-1.0.1.tgz            | 1.0.1   | Port of C's wcwidth() and wcswidth()                                          |
| weak-memoize-0.2.5.tgz       | 0.2.5   | A memoization function that uses a WeakMap                                    |
| weak-memoize-0.3.1.tgz       | 0.3.1   |                                                                               |
| webidl-conversions-3.0.1.tgz | 3.0.1   | Implements the WebIDL algorithms for converting to and from JavaScript values |
| webidl-conversions-4.0.2.tgz | 4.0.2   | Implements the WebIDL algorithms for converting to and from JavaScript values |
| webidl-conversions-5.0.0.tgz | 5.0.0   | Implements the WebIDL algorithms for converting to and from JavaScript values |
| webidl-conversions-6.1.0.tgz | 6.1.0   | Implements the WebIDL algorithms for converting to and from JavaScript values |
| webpack-4.41.33.tgz          | 4.41.33 | TypeScript definitions for webpack                                            |
| webpack-5.28.0.tgz           | 5.28.0  | TypeScript definitions for webpack                                            |
| webpack-5.28.1.tgz           | 5.28.1  | TypeScript definitions for webpack                                            |
| webpack-5.76.2.tgz           | 5.76.2  |                                                                               |
| webpack-5.84.1.tgz           | 5.84.1  |                                                                               |

|                                 |        |                                                                                                |
|---------------------------------|--------|------------------------------------------------------------------------------------------------|
| webpack-dev-server-3.11.6.tgz   | 3.11.6 | TypeScript definitions for webpack-dev-server                                                  |
| webpack-preprocessor-5.17.0.tgz | 5.17.0 |                                                                                                |
| webpack-sources-3.2.0.tgz       | 3.2.0  | TypeScript definitions for webpack-sources                                                     |
| webpack-sources-3.2.3.tgz       | 3.2.3  | Source code handling classes for webpack                                                       |
| whatwg-encoding-1.0.5.tgz       | 1.0.5  | Decode strings according to the WHATWG Encoding Standard                                       |
| whatwg-fetch-3.1.0.tgz          | 3.1.0  | A window.fetch polyfill.                                                                       |
| whatwg-fetch-3.6.2.tgz          | 3.6.2  | A window.fetch polyfill.                                                                       |
| whatwg-mimetype-2.3.0.tgz       | 2.3.0  | Parses, serializes, and manipulates MIME types, according to the WHATWG MIME Sniffing Standard |
| whatwg-url-5.0.0.tgz            | 5.0.0  | An implementation of the WHATWG URL Standard's URL API and parsing machinery                   |
| whatwg-url-7.1.0.tgz            | 7.1.0  | An implementation of the WHATWG URL Standard's URL API and parsing machinery                   |
| whatwg-url-8.7.0.tgz            | 8.7.0  | An implementation of the WHATWG URL Standard's URL API and parsing machinery                   |
| which-1.3.1.tgz                 | 1.3.1  | Like which(1) unix command. Find the first instance of an executable in the PATH.              |
| which-2.0.2.tgz                 | 2.0.2  | Like which(1) unix command. Find the first instance of an executable in the PATH.              |
| which-boxed-primitive-1.0.2.tgz | 1.0.2  | Which kind of boxed JS primitive is this?                                                      |
| which-module-2.0.1.tgz          | 2.0.1  | Find the module object for something that was require()d                                       |

|                              |        |                                                                                                                                 |
|------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------|
| which-typed-array-1.1.9.tgz  | 1.1.9  | Which kind of Typed Array is this JavaScript value?<br>Works cross-realm, without `instanceof`, and despite Symbol.toStringTag. |
| why-did-you-render-4.0.6.tgz | 4.0.6  | Monkey patches React to notify you about avoidable re-renders.                                                                  |
| word-wrap-1.2.5.tgz          | 1.2.5  |                                                                                                                                 |
| wordwrapjs-3.0.0.tgz         | 3.0.0  | Word-wrapping for javascript.                                                                                                   |
| wrap-ansi-2.1.0.tgz          | 2.1.0  | Wordwrap a string with ANSI escape codes                                                                                        |
| wrap-ansi-3.0.1.tgz          | 3.0.1  | Wordwrap a string with ANSI escape codes                                                                                        |
| wrap-ansi-6.2.0.tgz          | 6.2.0  | Wordwrap a string with ANSI escape codes                                                                                        |
| wrap-ansi-7.0.0.tgz          | 7.0.0  | Wordwrap a string with ANSI escape codes                                                                                        |
| wrappy-1.0.2.tgz             | 1.0.2  | Callback wrapping utility                                                                                                       |
| write-file-atomic-2.4.1.tgz  | 2.4.1  | Write files in an atomic fashion w/configurable ownership                                                                       |
| write-file-atomic-3.0.3.tgz  | 3.0.3  | Write files in an atomic fashion w/configurable ownership                                                                       |
| ws-6.2.2.tgz                 | 6.2.2  | Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js                                       |
| ws-7.5.9.tgz                 | 7.5.9  | Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js                                       |
| ws-8.13.0.tgz                | 8.13.0 |                                                                                                                                 |
| xml-1.0.1.tgz                | 1.0.1  | Fast and simple xml generator. Supports attributes, CDATA, etc. Includes tests and examples.                                    |
| xml-name-validator-3.0.0.tgz | 3.0.0  | Validates whether a string matches the production for                                                                           |

|                                           |        |                                                                                                          |
|-------------------------------------------|--------|----------------------------------------------------------------------------------------------------------|
|                                           |        | an XML name or qualified name                                                                            |
| xmlchars-2.2.0.tgz                        | 2.2.0  | Utilities for determining if characters belong to character classes defined by the XML specs.            |
| xss-1.0.6.tgz                             | 1.0.6  | Sanitize untrusted HTML (to prevent XSS) with a configuration specified by a Whitelist                   |
| xtend-4.0.2.tgz                           | 4.0.2  | extend like a boss                                                                                       |
| xunit.2.4.1.nupkg                         | 2.4.1  | xUnit.net is a developer testing framework, built to support Test Driven Development.                    |
| xunit.abstractions.2.0.3.nupkg            | 2.0.3  | Common abstractions used to exchange information between xUnit.net and version-independent runners (...) |
| xunit.analyzers.0.10.0.nupkg              | 0.10.0 | Code Analyzers for xUnit.net                                                                             |
| xunit.assert.2.4.1.nupkg                  | 2.4.1  | Includes the assertion library from xUnit.net (xunit.assert.dll).                                        |
| xunit.core.2.4.1.nupkg                    | 2.4.1  | Includes the libraries for writing unit tests with xUnit.net.                                            |
| xunit.extensibility.core.2.4.1.nupkg      | 2.4.1  | Includes xunit.core.dll for extensibility purposes.                                                      |
| xunit.extensibility.execution.2.4.1.nupkg | 2.4.1  | Includes xunit.execution.*.dll for extensibility purposes.                                               |
| xunit.runner.visualstudio.2.4.3.nupkg     | 2.4.3  | Visual Studio 2017 15.9+ Test Explorer runner for the xUnit.net framework. Capable of running xUnit....  |
| xvfb-1.2.4.tgz                            | 1.2.4  | Easily start and stop an X Virtual Frame Buffer from your node apps.                                     |
| y18n-4.0.3.tgz                            | 4.0.3  | the bare-bones internationalization library used by yargs                                                |

|                         |         |                                                           |
|-------------------------|---------|-----------------------------------------------------------|
| y18n-5.0.8.tgz          | 5.0.8   | the bare-bones internationalization library used by yargs |
| yallist-3.1.1.tgz       | 3.1.1   | Yet Another Linked List                                   |
| yaml-1.10.2.tgz         | 1.10.2  | JavaScript parser and stringifier for YAML                |
| yargs-12.0.5.tgz        | 12.0.5  | yargs the modern, pirate-themed, successor to optimist.   |
| yargs-13.0.12.tgz       | 13.0.12 | TypeScript definitions for yargs                          |
| yargs-15.0.15.tgz       | 15.0.15 |                                                           |
| yargs-15.4.1.tgz        | 15.4.1  | yargs the modern, pirate-themed, successor to optimist.   |
| yargs-17.0.24.tgz       | 17.0.24 |                                                           |
| yargs-17.7.1.tgz        | 17.7.1  | yargs the modern, pirate-themed, successor to optimist.   |
| yargs-parser-11.1.1.tgz | 11.1.1  | the mighty option parser used by yargs                    |
| yargs-parser-18.1.3.tgz | 18.1.3  | the mighty option parser used by yargs                    |
| yargs-parser-20.2.9.tgz | 20.2.9  | the mighty option parser used by yargs                    |
| yargs-parser-21.0.0.tgz | 21.0.0  | TypeScript definitions for yargs-parser                   |
| yargs-parser-21.1.1.tgz | 21.1.1  | the mighty option parser used by yargs                    |
| yauzl-2.10.0.tgz        | 2.10.0  | yet another unzip library for node                        |
| yauzl-2.10.0.tgz        | 2.10.0  | TypeScript definitions for yauzl                          |
| yn-3.1.1.tgz            | 3.1.1   | Parse yes/no like values                                  |
| yocto-queue-0.1.0.tgz   | 0.1.0   | Tiny queue data structure                                 |