

Name	Version	Description
requires-port-1.0.0.tgz	1.0.0	Check if a protocol requires a certain port number to be added to an URL.
tr46-0.0.3.tgz	0.0.3	An implementation of the Unicode TR46 spec
webidl-conversions-3.0.1.tgz	3.0.1	Implements the WebIDL algorithms for converting to and from JavaScript values
pako-0.2.9.tgz	0.2.9	zlib port to javascript - fast, modularized, with browser support
lodash.clonedeep-4.5.0.tgz	4.5.0	The lodash method <code>_.cloneDeep</code> exported as a module.
lodash.isequal-4.5.0.tgz	4.5.0	The Lodash method <code>_.isEqual</code> exported as a module.
performance-now-2.1.0.tgz	2.1.0	Implements <code>performance.now</code> (based on <code>process.hrtime</code>).
jquery-1.11.1.min.js	1.11.1	JavaScript library for DOM operations
jquery-ui-1.11.3.js	1.11.3	A curated set of user interface interactions, effects, widgets, and themes built on top of the jQuery JavaScript Library.
jquery.maskedinput-1.3.1.js	1.3.1	jQuery Masked Input Plugin
jquery.mobile-1.4.2.min.js	1.4.2	Touch-Optimized Web Framework for Smartphones & Tablets
clone-1.0.4.tgz	1.0.4	deep cloning of objects and arrays
safer-buffer-2.1.2.tgz	2.1.2	Modern Buffer API polyfill without footguns
rgbcolor-1.0.1.tgz	1.0.1	A module to parse color values
regression-2.0.1.tgz	2.0.1	Javascript least squares data fitting methods
system.security.permissions.4.5.0.nupkg	4.5.0	Provides types supporting Code Access Security (CAS).

		30ab651fcb4354552bd489 1619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
system.configuration.configurationmanager.4.5.0.nupkg	4.5.0	Provides types that support using configuration files. Commonly Used Types: System.Configuration.Co...
system.security.accesscontrol.4.5.0.nupkg	4.5.0	Provides base classes that enable managing access and audit control lists on securable objects. Com...
system.security.cryptography.protecteddata.4.5.0.nupkg	4.5.0	Provides access to Windows Data Protection Api. Commonly Used Types: System.Security.Cryptography.D...
system.diagnostics.eventlog.4.5.0.nupkg	4.5.0	Provides the System.Diagnostics.EventLog class, which allows the applications to use the windows event log service. Commonly Used Types: System.Diagnostics.EventLog 30ab651fcb4354552bd489 1619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
system.threading.accesscontrol.4.5.0.nupkg	4.5.0	Provides support for managing access and audit control lists for synchronization primitives.

		Common...
runtime.win.system.diagnostics.debug.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.win.system.io.filesystem.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.win.system.runtime.extensions.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.win.microsoft.win32.primitives.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.win.system.net.primitives.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
xunit.abstractions.2.0.3.nupkg	2.0.3	Common abstractions used to exchange information between xUnit.net and version-independent runners (...)
raf-3.4.1.tgz	3.4.1	requestAnimationFrame polyfill for node and the browser
roboto-fontface-0.10.0.tgz	0.10.0	A simple package providing the Roboto fontface.
xunit.extensibility.core.2.4.1.nupkg	2.4.1	Includes xunit.core.dll for extensibility purposes.
microsoft.aspnetcore.razor.design.2.2.0.nupkg	2.2.0	Razor is a markup syntax for adding server-side logic to web pages. This package contains MSBuild su...
newtonsoft.json.bson.1.0.2.nupkg	1.0.2	Json.NET BSON adds support for reading and writing BSON
system.runtime.loader.4.0.0.nupkg	4.0.0	Provides the System.Runtime.Loader.As

		semblyLoadContext class, which provides members for loading ass...
system.collections.concurrent.4.3.0.nupkg	4.3.0	<p>Provides several thread-safe collection classes that should be used in place of the corresponding types in the System.Collections.NonGeneric and System.Collections packages whenever multiple threads are accessing the collection concurrently.</p> <p>Commonly Used Types: System.Collections.Concurrent.ConcurrentDictionary<TKey, TValue> System.Collections.Concurrent.ConcurrentQueue<T> System.Collections.Concurrent.ConcurrentBag<T> System.Collections.Concurrent.BlockingCollection<T> System.Collections.Concurrent.ConcurrentStack<T></p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
system.diagnostics.tracing.4.3.0.nupkg	4.3.0	Provides class that enable you to create high performance tracing events to be captured by event tra...
system.threading.4.3.0.nupkg	4.3.0	Provides the fundamental synchronization primitives, including System.Threading.Monitor and System.T...

<p>system.security.cryptography.x509certificates.4.3.0.nu pkg</p>	<p>4.3.0</p>	<p>Provides types for reading, exporting and verifying Authenticode X.509 v3 certificates. These certificates are signed with a private key that uniquely and positively identifies the holder of the certificate.</p> <p>Commonly Used Types: System.Security.Cryptography.X509Certificates.X509Certificate2 System.Security.Cryptography.X509Certificates.X509Certificate System.Security.Cryptography.X509Certificates.X509ContentType System.Security.Cryptography.X509Certificates.StoreLocation System.Security.Cryptography.X509Certificates.StoreName System.Security.Cryptography.X509Certificates.X509FindType System.Security.Cryptography.X509Certificates.X509ChainStatus System.Security.Cryptography.X509Certificates.X509Certificate2Collection System.Security.Cryptography.X509Certificates.X509EnhancedKeyUsageExtension System.Security.Cryptography.X509Certificates.X509Chain</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
---	--------------	---

system.reflection.primitives.4.3.0.nupkg	4.3.0	Provides common enumerations for reflection-based libraries. Commonly Used Types: System.Reflection...
system.reflection.4.3.0.nupkg	4.3.0	Provides types that retrieve information about assemblies, modules, members, parameters, and other e...
system.runtime.interopservices.4.3.0.nupkg	4.3.0	Provides types that support COM interop and platform invoke services. Commonly Used Types: System.R...
system.xml.xdocument.4.3.0.nupkg	4.3.0	Provides the classes for Language-Integrated Query (LINQ) to Extensible Markup Language (XML). LINQ ...
system.io.filesystem.primitives.4.3.0.nupkg	4.3.0	Provides common enumerations and exceptions for path-based I/O libraries. Commonly Used Types: Syst...
system.net.primitives.4.3.0.nupkg	4.3.0	Provides common types for network-based libraries, including System.Net.IPAddress, System.Net.IPEndPoint, and System.Net.CookieContainer. Commonly Used Types: System.Net.HttpStatusCode System.Net.Sockets.SocketError System.Net.Cookie

		<p>System.Net.Sockets.Socket Exception System.Net.IPEndPoint System.Net.ICredentials System.Net.NetworkCredential System.Net.IPAddress System.Net.CookieCollection System.Net.CookieContainer</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
system.resources.resource manager.4.3.0.nupkg	4.3.0	<p>Provides classes and attributes that allow developers to create, store, and manage various culture-specific resources used in an application.</p> <p>Commonly Used Types: System.Resources.ResourceManager System.Resources.NeutralResourcesLanguageAttribute System.Resources.SatelliteContractVersionAttribute System.Resources.MissingManifestResourceException</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
system.globalization.4.3.0.nupkg	4.3.0	<p>Provides classes that define culture-related information, including language, country/region, calend...</p>
system.runtime.extensions.4.3.0.nupkg	4.3.0	<p>Provides commonly-used classes for performing mathematical functions,</p>

		conversions, string comparison...
system.security.cryptography.primitives.4.3.0.nupkg	4.3.0	Provides common types for the cryptographic libraries. Commonly Used Types: System.Security.Cryptog...
system.linq.expressions.4.3.0.nupkg	4.3.0	Provides classes, interfaces and enumerations that enable language-level code expressions to be repr...
system.threading.tasks.4.3.0.nupkg	4.3.0	Provides types that simplify the work of writing concurrent and asynchronous code. Commonly Used Ty...
system.reflection.extensions.4.3.0.nupkg	4.3.0	Provides custom attribute extension methods for System.Reflection types. Commonly Used Types: Syste...
system.xml.readerwriter.4.3.0.nupkg	4.3.0	Provides provides a fast, non-cached, forward-only way to read and write Extensible Markup Language ...
system.diagnostics.debug.4.3.0.nupkg	4.3.0	Provides classes and attributes that allows basic interaction with a debugger. Commonly Used Types:...
system.io.compression.zipfile.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams using file system paths. ...
system.linq.4.3.0.nupkg	4.3.0	Provides classes and interfaces that supports queries that use Language-Integrated Query (LINQ).

		Co...
system.collections.4.3.0.nupkg	4.3.0	Provides classes that define generic collections, which allow developers to create strongly typed co...
system.objectmodel.4.3.0.nupkg	4.3.0	Provides types and interfaces that allow the creation of observable types that provide notifications...
system.net.sockets.4.3.0.nupkg	4.3.0	Provides classes such as Socket, TcpClient and UdpClient, which enable developers to send and receiv...
system.runtime.4.3.0.nupkg	4.3.0	Provides the fundamental primitives, classes and base classes that define commonly-used value and re...
system.runtime.numerics.4.3.0.nupkg	4.3.0	Provides the numeric types System.Numerics.BigInteger and System.Numerics.Complex, which complement ...
system.diagnostics.tools.4.3.0.nupkg	4.3.0	Provides attributes, such as GeneratedCodeAttribute and SuppressMessageAttribute, that are emitted or...
system.text.encoding.4.3.0.nupkg	4.3.0	Provides base abstract encoding classes for converting blocks of characters to and from blocks of bytes. Commonly Used Types: System.Text.Encoding System.Text.DecoderFallbackException System.Text.Decoder System.Text.EncoderFallback

		<p> ckException System.Text.Encoder System.Text.EncoderFallback System.Text.EncoderFallbackBuffer System.Text.DecoderFallback System.Text.DecoderFallbackBuffer System.Text.DecoderExceptionFallback </p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
system.appcontext.4.3.0.nupkg	4.3.0	Provides the System.AppContext class, which allows access to the BaseDirectory property and other ap...
system.io.4.3.0.nupkg	4.3.0	Provides base input and output (I/O) types, including System.IO.Stream, System.IO.StreamReader and S...
system.runtime.interopservices.runtimeinformation.4.3.0.nupkg	4.3.0	<p>Provides APIs to query about runtime and OS information.</p> <p>Commonly Used Types: System.Runtime.Intero...</p>
system.threading.timer.4.3.0.nupkg	4.3.0	Provides the System.Threading.Timer class, which is a mechanism for executing a method at specified ...
system.security.cryptography.encoding.4.3.0.nupkg	4.3.0	<p>Provides types for representing Abstract Syntax Notation One (ASN.1)-encoded data.</p> <p>Commonly Used Ty...</p>

system.globalization.calendars.4.3.0.nupkg	4.3.0	Provides classes for performing date calculations using specific calendars, including the Gregorian,...
system.console.4.3.0.nupkg	4.3.0	Provides the System.Console class, which represents the standard input, output and error streams for...
system.io.compression.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams. Commonly Used Types: Sy...
microsoft.win32.primitives.4.3.0.nupkg	4.3.0	Provides common types for Win32-based libraries. Commonly Used Types: System.ComponentModel. Win32Ex...
system.io.filesystem.4.3.0.nupkg	4.3.0	Provides types that allow reading and writing to files and types that provide basic file and directo...
system.runtime.handles.4.3.0.nupkg	4.3.0	Provides base classes, including System.Runtime.InteropServices.CriticalHandle and System.Runtime.In...
system.text.encoding.extensions.4.3.0.nupkg	4.3.0	Provides support for specific encodings, including ASCII, UTF-7, UTF-8, UTF-16, and UTF-32. Commonl...
system.security.cryptography.algorithms.4.3.0.nupkg	4.3.0	Provides base types for cryptographic algorithms, including hashing, encryption, and signing operati...

system.buffers.4.3.0.nupkg	4.3.0	Provides resource pooling of any type for performance-critical applications that allocate and deallo...
system.reflection.emit.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit metadata and optionally generate a PE file on...
system.numerics.vectors.4.4.0.nupkg	4.4.0	Provides hardware-accelerated numeric types, suitable for high-performance processing and graphics a...
system.valuetuple.4.5.0.nupkg	4.5.0	<p>Provides the System.ValueTuple structs, which implement the underlying types for tuples in C# and Visual Basic.</p> <p>Commonly Used Types: System.ValueTuple System.ValueTuple<T1> System.ValueTuple<T1, T2> System.ValueTuple<T1, T2, T3> System.ValueTuple<T1, T2, T3, T4> System.ValueTuple<T1, T2, T3, T4, T5> System.ValueTuple<T1, T2, T3, T4, T5, T6> System.ValueTuple<T1, T2, T3, T4, T5, T6, T7> System.ValueTuple<T1, T2, T3, T4, T5, T6, T7, TRest></p> <p>30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.</p>
system.security.principal.windows.4.5.0.nupkg	4.5.0	Provides classes for retrieving the current

		Windows user and for interacting with Windows users and ...
system.xml.readerwriter.4.3.1.nupkg	4.3.1	Provides provides a fast, non-cached, forward-only way to read and write Extensible Markup Language ...
system.net.http.4.3.4.nupkg	4.3.4	Provides a programming interface for modern HTTP applications, including HTTP client components that...
netstandard.library.1.6.1.nupkg	1.6.1	A set of standard .NET APIs that are prescribed to be used and supported together. This includes all...
microsoft.csharp.4.5.0.nupkg	4.5.0	Provides support for compilation and code generation, including dynamic, using the C# language. Com...
system.reflection.emit.lightweight.4.3.0.nupkg	4.3.0	Provides the System.Reflection.Emit.DynamicMethod class, which represents a dynamic method that can ...
system.numerics.vectors.4.5.0.nupkg	4.5.0	Provides hardware-accelerated numeric types, suitable for high-performance processing and graphics a...
microsoft.win32.registry.4.5.0.nupkg	4.5.0	Provides support for accessing and modifying the Windows Registry. Commonly Used Types: Microsoft.W...
system.threading.overlapped.4.3.0.nupkg	4.3.0	Provides common types for interacting with asynchronous (or

		overlapped) input and output (I/O). Com...
microsoft.identitymodel.xml.5.2.4.nupkg	5.2.4	Includes types that provide support for Reading / Writing XML with Enveloped Signatures.
microsoft.identitymodel.tokens.saml.5.2.4.nupkg	5.2.4	Includes types that provide support for SamlTokens version 1 and 2.
system.reflection.typeextensions.4.4.0.nupkg	4.4.0	Provides extensions methods for System.Type that are designed to be source-compatible with older fra...
system.text.encoding.codepages.4.4.0.nupkg	4.4.0	Provides support for code-page based encodings, including Windows-1252, Shift-JIS, and GB2312. Comm...
system.diagnostics.diagnosticsource.4.3.0.nupkg	4.3.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry...
runtime.opensuse.42.1-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.osx.10.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.rhel.7-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.24-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....

runtime.ubuntu.14.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.debian.8-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.23-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.opensuse.13.2-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
validation.2.4.15.nupkg	2.4.15	Method input validation and runtime checks that report errors or throw exceptions when failures are ...
system.reflection.typeextensions.4.3.0.nupkg	4.3.0	Provides extensions methods for System.Type that are designed to be source-compatible with older fra...
microsoft.diasymreader.native.1.7.0.nupkg	1.7.0	Microsoft DiaSymReader
runtime.any.system.text.encoding.extensions.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.resources.resourcemanager.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....

runtime.any.system.collections.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.globalization.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.runtime.handles.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.threading.tasks.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.globalization.calendars.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.reflection.primitives.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.diagnostics.tracing.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.io.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.runtime.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.reflection.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.any.system.text.encoding.4.3.0.nupkg	4.3.0	Internal implementation package not meant for

		direct consumption. Please do not reference directly....
runtime.any.system.runtime.interopservices.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
system.security.cryptography.cng.4.5.0.nupkg	4.5.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic Next ...
system.data.datasetextensions.4.5.0.nupkg	4.5.0	Provides extensions to form LINQ expressions and method queries against DataTable objects. Commonly...
runtime.osx.10.10-x64.runtime.native.system.security.cryptography.apple.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
system.security.cryptography.cng.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic Next ...
system.security.cryptography.csp.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic API (...)
system.globalization.extensions.4.3.0.nupkg	4.3.0	Provides classes for performing Unicode string normalization, culture-specific string comparisons an...
system.reflection.emit.ilgeneration.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit Microsoft intermediate language (MSIL). The p...
system.security.cryptography.openssl.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management for

		non-Windows systems with Ope...
system.text.encoding.code pages.4.3.0.nupkg	4.3.0	Provides support for code-page based encodings, including Windows-1252, Shift-JIS, and GB2312. Comm...
system.codedom.4.4.0.nupkg	4.4.0	Provides types that can be used to model the structure of a source code document and to output sourc...
system.runtime.extensions.4.3.1.nupkg	4.3.1	Provides commonly-used classes for performing mathematical functions, conversions, string comparison...
event-target-shim-5.0.1.tgz	5.0.1	An implementation of WHATWG EventTarget interface.
system.runtime.4.3.1.nupkg	4.3.1	Provides the fundamental primitives, classes and base classes that define commonly-used value and re...
abort-controller-3.0.0.tgz	3.0.0	An implementation of WHATWG AbortController interface.
runtime.win7.system.private.uri.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
object-keys-1.1.1.tgz	1.1.1	An Object.keys replacement, in case Object.keys is not available. From https://github.com/es-shims/es5-shim
system.text.regularexpressions.4.3.1.nupkg	4.3.1	Provides the System.Text.RegularExpressions.Regex class, an implementation of a regular expression e...

serilog.sinks.eventlog.3.1.0.nupkg	3.1.0	Serilog event sink that writes to the Windows event log.
dfa-1.2.0.tgz	1.2.0	A state machine compiler
tinyqueue-2.0.3.tgz	2.0.3	The smallest and simplest JavaScript priority queue
whatwg-url-5.0.0.tgz	5.0.0	An implementation of the WHATWG URL Standard's URL API and parsing machinery
base64-js-1.3.1.tgz	1.3.1	Base64 encoding/decoding in pure JS
polly.extensions.http.3.0.0.nupkg	3.0.0	Polly.Extensions.Http is an extensions package containing opinionated convenience methods for config...
system.private.uri.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
microsoft.extensions.dependencymodel.3.0.0.nupkg	3.0.0	Abstractions for reading `.deps` files.
png-js-1.0.0.tgz	1.0.0	A PNG decoder in JavaScript
tiny-inflate-1.0.3.tgz	1.0.3	A tiny inflate implementation
unicode-trie-2.0.0.tgz	2.0.0	Unicode Trie data structure for fast character metadata lookup, ported from ICU
microsoft.net.http.headers.2.2.8.nupkg	2.2.8	HTTP header parser implementations. This package was built from the source code at https://github.c...
system.reflection.typeextensions.4.7.0.nupkg	4.7.0	Provides extensions methods for System.Type that are designed to be source-compatible with older fra...
system.security.cryptography.cng.4.7.0.nupkg	4.7.0	Provides cryptographic algorithm implementations

		and key management with Windows Cryptographic Next ...
microsoft.entityframeworkcore.3.1.0.nupkg	3.1.0	Entity Framework Core is a lightweight and extensible version of the popular Entity Framework data a...
microsoft.entityframeworkcore.abstractions.3.1.0.nupkg	3.1.0	Provides abstractions and attributes that are used to configure Entity Framework Core
system.security.cryptography.pkcs.4.7.0.nupkg	4.7.0	Provides support for PKCS and CMS algorithms. Commonly Used Types: System.Security.Cryptography.Pkcs.EnvelopedCms When using NuGet 3.x this package requires at least version 3.4.
microsoft.bcl.hashcode.1.1.0.nupkg	1.1.0	Provides the HashCode type for .NET Standard 2.0. This package is not required starting with .NET St...
microsoft.aspnetcore.mvc.versioning.4.1.1.nupkg	4.1.1	A service API versioning library for Microsoft ASP.NET Core.
microsoft.aspnetcore.mvc.versioning.apiexplorer.4.1.1.nupkg	4.1.1	ASP.NET Core MVC API explorer functionality for discovering metadata such as the list of API-version...
universalify-0.2.0.tgz	0.2.0	Make a callback- or promise-based function support both promises and callbacks.
runtime.any.system.runtime.4.3.1.nupkg	4.3.1	Internal implementation package not meant for direct consumption. Please do not reference directly....
microsoft.extensions.configuration.abstractions.3.1.3.nupkg	3.1.3	Abstractions of key-value pair based configuration. Commonly used types:

		<p>Microsoft.Extensions.Configuration.IConfiguration</p> <p>Microsoft.Extensions.Configuration.IConfigurationBuilder</p> <p>Microsoft.Extensions.Configuration.IConfigurationProvider</p> <p>Microsoft.Extensions.Configuration.IConfigurationRoot</p> <p>Microsoft.Extensions.Configuration.IConfigurationSection</p>
<p>microsoft.extensions.primitives.3.1.3.nupkg</p>	<p>3.1.3</p>	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Microsoft.Extensions.Primitives.IChangeToken</p> <p>Microsoft.Extensions.Primitives.StringValues</p> <p>Microsoft.Extensions.Primitives.StringSegment</p>
<p>system.buffers.4.5.1.nupkg</p>	<p>4.5.1</p>	<p>Provides resource pooling of any type for performance-critical applications that allocate and deallo...</p>
<p>system.threading.tasks.extensions.4.5.4.nupkg</p>	<p>4.5.4</p>	<p>Provides additional types that simplify the work of writing concurrent and asynchronous code.</p> <p>Commonly Used Types:</p> <p>System.Threading.Tasks.ValueTask<TResult></p> <p>7601f4f6225089ffb291dc7d58293c7bbf5c5d4f</p>
<p>system.memory.4.5.4.nupkg</p>	<p>4.5.4</p>	<p>Provides types for efficient representation and pooling of managed, stack, and native memory segment...</p>

system.runtime.compilerservices.unsafe.4.5.3.nupkg	4.5.3	Provides the System.Runtime.CompilerServices.Unsafe class, which provides generic, low-level functions.
xbehave.2.4.1.nupkg	2.4.1	An xUnit.net extension for describing your tests using natural language. Installing this package in...
xbehave.core.2.4.1.nupkg	2.4.1	Includes the libraries for writing tests with xBehave.net. Installing this package installs xunit.co...
system.commandline.2.0.0-beta1.20104.2.nupkg	2.0.0-beta1.20104.2	This package includes a powerful command line parser and other tools for building command line applications.
system.collections.immutable.1.7.1.nupkg	1.7.1	This package provides collections that are thread safe and guaranteed to never change their contents.
microsoft.bcl.asyncinterfaces.1.1.1.nupkg	1.1.1	Provides the IAsyncEnumerable<T> and IAsyncDisposable interfaces and helper types for .NET Standard ...
system.io.pipelines.4.7.2.nupkg	4.7.2	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader When using NuGet 3.x this

		package requires at least version 3.4.
polylabel-1.1.0.tgz	1.1.0	A JS library for finding optimal label position inside a polygon
querystringify-2.2.0.tgz	2.2.0	Querystringify - Small, simple but powerful query string parser.
system.commandline.2.0.0-beta1.20371.2.nupkg	2.0.0-beta1.20371.2	This package includes a powerful command line parser and other tools for building command line appli...
interop.uiautomationclient.10.19041.0.nupkg	10.19041.0	The UI Automation COM-to-.NET adapter makes it possible to use the new Windows Automation API 3.0 CO...
identitymodel.aspnetcore.accessstokenvalidation.1.0.0-preview.3.nupkg	1.0.0-preview.3	Package Description
runtime.win7-x86.runtime.native.system.io.compression.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
swashbuckle.aspnetcore.re doc.5.6.3.nupkg	5.6.3	Middleware to expose an embedded version of ReDoc from an ASP.NET Core application
system.componentmodel.annotations.5.0.0.nupkg	5.0.0	Provides attributes that are used to define metadata for objects used as data sources. Commonly Use...
j2n.2.0.0-beta-0009.nupkg	2.0.0-beta-0009	J2N is a library that helps bridge the gap between .NET and Java. It provides components to assist w...
lucene.net.queryparser.4.8.0-beta00012.nupkg	4.8.0-beta00012	Query parsers and parsing framework for the Lucene.Net full-text search

		engine library from The Apac...
lucene.net.queries.4.8.0-beta00012.nupkg	4.8.0-beta00012	Extended Filters and Queries for the Lucene.Net full-text search engine library from The Apache Soft...
lucene.net.analysis.common.4.8.0-beta00012.nupkg	4.8.0-beta00012	Analyzers for indexing content in different languages and domains for the Lucene.Net full-text searc...
lucene.net.4.8.0-beta00012.nupkg	4.8.0-beta00012	Lucene.Net is a full-text search engine library capable of advanced text analysis, indexing, and sea...
lucene.net.sandbox.4.8.0-beta00012.nupkg	4.8.0-beta00012	Various third party contributions and new ideas extensions for the Lucene.Net full-text search engin...
microsoft.win32.registry.5.0.0.nupkg	5.0.0	Provides support for accessing and modifying the Windows Registry. Commonly Used Types: Microsoft.W...
system.security.principal.windows.5.0.0.nupkg	5.0.0	Provides classes for retrieving the current Windows user and for interacting with Windows users and ...
system.security.accesscontrol.5.0.0.nupkg	5.0.0	Provides base classes that enable managing access and audit control lists on securable objects. Com...
system.security.cryptography.cng.5.0.0.nupkg	5.0.0	Provides cryptographic algorithm implementations and key management with

		Windows Cryptographic Next ...
wcwidth.0.2.0.nupkg	0.2.0	A .NET library that calculates the width of Unicode characters.
system.commandline.2.0.0-beta1.20574.7.nupkg	2.0.0-beta1.20574.7	This package includes a powerful command line parser and other tools for building command line appli...
flurl.3.0.1.nupkg	3.0.1	A fluent, portable URL builder. To make HTTP calls off the fluent chain, check out Flurl.Http.
postgresqlcopyhelper.2.8.0.nupkg	2.8.0	A library for Bulk Copy / Bulk Inserts with PostgreSQL.
novell.directory.ldap.netstandard.3.6.0.nupkg	3.6.0	LDAP client library - .NET Standard 1.3/2.0/2.1 and .NET5 - compatible .NET platforms: .NET5, .NET C...
winscp.5.17.10.nupkg	5.17.10	The WinSCP .NET assembly is a .NET wrapper around WinSCP's scripting interface.
portable.bouncycastle.1.8.10.nupkg	1.8.10	BouncyCastle portable version with support for .NET 4, .NET Standard 2.0
lindhart.analyser.missingawaitwarning.2.0.0.nupkg	2.0.0	When using dependency injection and async-await pattern it is possible to end up with an interface w...
serilog.sinks.debug.2.0.0.nupkg	2.0.0	A Serilog sink that writes log events to the debug output window.
smtpserver.8.0.5.nupkg	8.0.5	.NET SmtpServer
microsoft.codeanalysis.analyzerutilities.3.3.0.nupkg	3.3.0	Analyzer utilities for various analyses, including Dataflow analysis based on ControlFlowGraph API i...
pinvoke.kernel32.0.7.104.nupkg	0.7.104	P/Invoke methods for the Windows Kernel32.dll.
pinvoke.windows.core.0.7.104.nupkg	0.7.104	P/Invoke types for common Windows APIs.

commander-7.2.0.tgz	7.2.0	the complete solution for node.js command-line programs
pinvoke.gdi32.0.7.104.nupkg	0.7.104	P/Invoke methods for the Windows Gdi32.dll.
pinvoke.user32.0.7.104.nupkg	0.7.104	P/Invoke methods for the Windows User32.dll.
pinvoke.windows.shellscalingapi.0.7.104.nupkg	0.7.104	P/Invoke methods for the Windows Windows.ShellScalingApi.dll.
system.memory.data.1.0.2.nupkg	1.0.2	Contains the BinaryData type, which is useful for converting between strings, streams, JSON, and bytes.
nunit.3.13.2.nupkg	3.13.2	NUnit is a unit-testing framework for all .NET languages with a strong TDD focus.
dapper.2.0.90.nupkg	2.0.90	A high performance Micro-ORM supporting SQL Server, MySQL, Sqlite, SqlCE, Firebird etc..
iconv-lite-0.6.3.tgz	0.6.3	Convert character encodings in pure javascript.
nunit3testadapter.4.0.0.nupkg	4.0.0	NUnit 3 adapter for running tests in Visual Studio and DotNet. Works with NUnit 3.x, use the NUnit 2...
d3-interpolate-3.0.1.tgz	3.0.1	Interpolate numbers, colors, strings, arrays, objects, whatever!
d3-selection-3.0.0.tgz	3.0.0	Data-driven DOM manipulation: select elements and join them to data.
d3-dispatch-3.0.1.tgz	3.0.1	Register named callbacks and call them with arguments.
d3-quadtree-3.0.1.tgz	3.0.1	Two-dimensional recursive spatial subdivision.

d3-ease-3.0.1.tgz	3.0.1	Easing functions for smooth animation.
d3-force-3.0.0.tgz	3.0.0	Force-directed graph layout using velocity Verlet integration.
d3-timer-3.0.1.tgz	3.0.1	An efficient queue capable of managing thousands of concurrent animations.
d3-transition-3.0.1.tgz	3.0.1	Animated transitions for D3 selections.
microsoft.web.webview2.1.0.864.35.nupkg	1.0.864.35	The WebView2 control enables you to embed web technologies (HTML, CSS, and JavaScript) in your nativ...
serilog.sinks.file.5.0.0.nupkg	5.0.0	Write Serilog events to text files in plain or JSON format.
serilog.sinks.async.1.5.0.nupkg	1.5.0	Asynchronous sink wrapper for Serilog.
yamldotnet.11.2.1.nupkg	11.2.1	This package contains the YAML parser and serializer.
restructure-2.0.2.tgz	2.0.2	Declaratively encode and decode binary data
nuget.frameworks.5.11.0.nupkg	5.11.0	NuGet's understanding of target frameworks.
serilog.enrichers.environment.2.2.0.nupkg	2.2.0	Enrich Serilog log events with properties from System.Environment.
mimekit.2.15.0.nupkg	2.15.0	An Open Source library for creating and parsing MIME, S/MIME and PGP messages on desktop and mobile ...
mailkit.2.15.0.nupkg	2.15.0	An Open Source .NET mail-client library for Windows, Mac, Linux, and mobile platforms such as iOS an...
docker.dotnet.3.125.5.nupkg	3.125.5	Docker.DotNet is a library that allows you to interact with the Docker Remote API programmatically w...
internmap-2.0.3.tgz	2.0.3	Map and Set with automatic key interning

microsoft.visualstudio.threading.analyzers.17.0.63.nupkg	17.0.63	Static code analyzer to detect common mistakes or potential issues regarding threading and async cod...
nito.disposables.2.2.1.nupkg	2.2.1	IDisposable and IAsyncDisposable helper types.
nito.collections.deque.1.1.1.nupkg	1.1.1	A double-ended queue.
nito.asyncex.coordination.5.1.2.nupkg	5.1.2	Asynchronous coordination primitives.
nito.cancellation.1.1.2.nupkg	1.1.2	Helper types for working with cancellation tokens and sources.
nito.asyncex.tasks.5.1.2.nupkg	5.1.2	Common helper methods for tasks as used in asynchronous programming.
nito.asyncex.context.5.1.2.nupkg	5.1.2	A single-threaded async-compatible context.
nito.asyncex.interop.waithandles.5.1.2.nupkg	5.1.2	Task wrappers for WaitHandles.
nito.asyncex.5.1.2.nupkg	5.1.2	A helper library for the Task-Based Asynchronous Pattern (TAP).
nito.asyncex.oop.5.1.2.nupkg	5.1.2	Interfaces and utility methods for combining async with OOP.
serilog.settings.configuration.3.3.0.nupkg	3.3.0	Microsoft.Extensions.Configuration (appsettings.json) support for Serilog.
microsoft.codeanalysis.analyzers.3.3.3.nupkg	3.3.3	Analyzers for consumers of Microsoft.CodeAnalysis NuGet package, i.e. extensions and applications bu...
microsoft.entityframeworkcore.6.0.0.nupkg	6.0.0	Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change ...
microsoft.extensions.logging.6.0.0.nupkg	6.0.0	Logging infrastructure default implementation for

		Microsoft.Extensions.Logging.
system.text.encodings.web.6.0.0.nupkg	6.0.0	<p>Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL).</p> <p>Commonly Used Types: System.Text.Encodings.Web.HtmlEncoder System.Text.Encodings.Web.UrlEncoder System.Text.Encodings.Web.JavaScriptEncoder</p>
microsoft.extensions.fileproviders.abstractions.6.0.0.nupkg	6.0.0	<p>Abstractions of files and directories.</p> <p>Commonly Used Types: Microsoft.Extensions.FileProviders.IDir...</p>
system.diagnostics.diagnosticsource.6.0.0.nupkg	6.0.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry...
system.collections.immutable.6.0.0.nupkg	6.0.0	This package provides collections that are thread safe and guaranteed to never change their contents...
system.runtime.compilerservices.unsafe.6.0.0.nupkg	6.0.0	Provides the System.Runtime.CompilerServices.Unsafe class, which provides generic, low-level functio...
microsoft.entityframeworkcore.abstractions.6.0.0.nupkg	6.0.0	Provides abstractions and attributes that are used to configure Entity Framework Core
microsoft.extensions.dependencyinjection.6.0.0.nupkg	6.0.0	Default implementation of dependency injection for

		Microsoft.Extensions.DependencyInjection.
microsoft.extensions.logging.eventlog.6.0.0.nupkg	6.0.0	Windows Event Log logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.filesystemglobbing.6.0.0.nupkg	6.0.0	File system globbing to find files matching a specified pattern.
system.diagnostics.eventlog.6.0.0.nupkg	6.0.0	Provides the System.Diagnostics.EventLog class, which allows the applications to use the windows event log service. Commonly Used Types: System.Diagnostics.EventLog
microsoft.win32.systemevents.6.0.0.nupkg	6.0.0	Provides access to Windows system event notifications. Commonly Used Types: Microsoft.Win32.SystemE...
system.security.accesscontrol.6.0.0.nupkg	6.0.0	Provides base classes that enable managing access and audit control lists on securable objects. Com...
system.text.encoding.codepages.6.0.0.nupkg	6.0.0	Provides support for code-page based encodings, including Windows-1252, Shift-JIS, and GB2312. Comm...
system.windows.extensions.6.0.0.nupkg	6.0.0	Provides miscellaneous Windows-specific types Commonly Used Types: System.Security.Cryptography.X50...

system.security.permissions.6.0.0.nupkg	6.0.0	Provides types supporting Code Access Security (CAS).
system.drawing.common.6.0.0.nupkg	6.0.0	Provides access to GDI+ graphics functionality. Commonly Used Types: System.Drawing.Bitmap System.D...
system.security.cryptography.protecteddata.6.0.0.nupkg	6.0.0	Provides access to Windows Data Protection Api. Commonly Used Types: System.Security.Cryptography.D...
system.runtime.caching.6.0.0.nupkg	6.0.0	Provides classes to use caching facilities. Commonly Used Types: System.Runtime.Caching.CacheEntryC...
microsoft.bcl.asyncinterfaces.6.0.0.nupkg	6.0.0	Provides the IAsyncEnumerable<T> and IAsyncDisposable interfaces and helper types for .NET Standard ...
system.codedom.6.0.0.nupkg	6.0.0	Provides types that can be used to model the structure of a source code document and to output sourc...
system.management.6.0.0.nupkg	6.0.0	Provides access to a rich set of management information and management events about the system, devices, and applications instrumented to the Windows Management Instrumentation (WMI) infrastructure. Commonly Used Types:

		System.Management.ManagementClass System.Management.ManagementObject System.Management.SelectQuery
microsoft.aspnetcore.razor.language.6.0.0.nupkg	6.0.0	Razor is a markup syntax for adding server-side logic to web pages. This package contains the Razor ...
microsoft.codeanalysis.razor.6.0.0.nupkg	6.0.0	Razor is a markup syntax for adding server-side logic to web pages. This package contains the Razor ...
system.composition.typeparts.6.0.0.nupkg	6.0.0	Provides some extension methods for the Managed Extensibility Framework. Commonly Used Types: System...
system.composition.attribute.6.0.0.nupkg	6.0.0	Provides common attributes used by System.Composition types. Commonly Used Types: System.Compositio...
system.composition.hosting.6.0.0.nupkg	6.0.0	Provides Managed Extensibility Framework types that are useful to developers of extensible applicati...
system.composition.runtime.6.0.0.nupkg	6.0.0	Contains runtime components of the Managed Extensibility Framework. Commonly Used Types: System.Com...
system.composition.6.0.0.nupkg	6.0.0	This packages provides a version of the Managed Extensibility Framework (MEF) that is lightweight an...

system.composition.convention.6.0.0.nupkg	6.0.0	Provides types that support using Managed Extensibility Framework with a convention-based configurat...
microsoft.sourcelink.common.1.1.1.nupkg	1.1.1	MSBuild tasks providing source control information.
microsoft.build.tasks.git.1.1.1.nupkg	1.1.1	MSBuild tasks providing git repository information.
system.threading.channels.6.0.0.nupkg	6.0.0	Provides types for passing data between producers and consumers. Commonly Used Types: System.Thread...
serilog.sinks.console.4.0.1.nupkg	4.0.1	A Serilog sink that writes log events to the console/terminal.
microsoft.aspnetcore.mvc.razor.extensions.6.0.0.nupkg	6.0.0	ASP.NET Core design time hosting infrastructure for the Razor view engine. This package was built f...
microsoft.sourcelink.github.1.1.1.nupkg	1.1.1	Generates source link for GitHub repositories.
humanizer.core.2.14.1.nupkg	2.14.1	Humanizer core package that contains the library and the neutral language (English) resources
system.linq.async.6.0.1.nupkg	6.0.1	Provides support for Language-Integrated Query (LINQ) over IEnumerable<T> sequences.
xunit.stafact.1.1.11.nupkg	1.1.11	Run your xunit-based tests on an STA thread with the WPF Dispatcher, a WinForms SynchronizationConte...
url-parse-1.5.10.tgz	1.5.10	Small footprint URL parser that works seamlessly across Node.js and browser environments

system.reflection.metadata .6.0.1.nupkg	6.0.1	<p>This packages provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for performance and is the ideal choice for building higher-level libraries that intend to provide their own object model, such as compilers.</p> <p>Commonly Used Types: System.Reflection.Metadata.MetadataReader System.Reflection.PortableExecutable.PEReader System.Reflection.Metadata.Ecma335.MetadataBuilder System.Reflection.PortableExecutable.PEBuilder System.Reflection.PortableExecutable.ManagedPEBuilder</p>
d3-color-3.1.0.tgz	3.1.0	Color spaces! RGB, HSL, Cubehelix, Lab and HCL (Lch).
jpeg-exif-1.1.4.tgz	1.1.4	Use for parse .jpg file exif info (including GPS info.).
d3-geo-projection-4.0.0.tgz	4.0.0	Extended geographic projections for d3-geo.
functions-have-names-1.2.3.tgz	1.2.3	Does this JS environment support the `name` property on functions?
serilog.2.11.0.nupkg	2.11.0	Simple .NET logging with fully-structured events
spectre.console.0.44.0.nupkg	0.44.0	A library that makes it easier to create beautiful console applications.
mono.texttemplating.2.2.1.nupkg	2.2.1	Open source implementation of the T4 templating engine

		This package allows embedding the T4 engine ...
eventsourcing-2.0.2.tgz	2.0.2	W3C compliant EventSource client for Node.js and browser (polyfill)
system.memory.4.5.5.nupkg	4.5.5	Provides types for efficient representation and pooling of managed, stack, and native memory segment...
brotli-1.3.3.tgz	1.3.3	A port of the Brotli compression algorithm as used in WOFF2
unicode-properties-1.4.1.tgz	1.4.1	Provides fast access to unicode character properties
system.commandline.2.0.0-beta4.22272.1.nupkg	2.0.0-beta4.22272.1	This package includes a powerful command line parser and other tools for building command line appli...
system.commandline.namingconventionbinder.2.0.0-beta4.22272.1.nupkg	2.0.0-beta4.22272.1	This package provides command handler support for System.CommandLine performs parameter and model bi...
configureawaitchecker.analyzer.5.0.0.1.nupkg	5.0.0.1	Checks for `ConfigureAwait(false)` usage. More info: * https://www.tabsoverspaces.com/id/233852 * h...
microsoft.aspnetcore.connections.abstractions.6.0.7.nupkg	6.0.7	Core components of ASP.NET Core networking protocol stack. This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fb

		dc2c4ffbd57c1f53f21649ef94c35c
microsoft.aspnetcore.signalr.common.6.0.7.nupkg	6.0.7	<p>Common serialization primitives for SignalR Clients Servers</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fbdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.aspnetcore.signalr.client.6.0.7.nupkg	6.0.7	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fbdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.aspnetcore.http.connections.common.6.0.7.nupkg	6.0.7	<p>Common primitives for ASP.NET Connection Handlers and clients</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fbdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.aspnetcore.http.connections.client.6.0.7.nupkg	6.0.7	<p>Client for ASP.NET Core Connection Handlers</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fbdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.extensions.features.6.0.7.nupkg	6.0.7	<p>Provides abstractions for a loosely coupled collection of features.</p>

		<p>Commonly Used Types: Microsoft.AspNetCore.Http.Features.IFeatureCollection Microsoft.AspNetCore.Http.Features.FeatureCollection</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.aspnetcore.signalr.client.core.6.0.7.nupkg	6.0.7	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.aspnetcore.signalr.protocols.json.6.0.7.nupkg	6.0.7	<p>Implements the SignalR Hub Protocol using System.Text.Json.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/773e8cc3fdc2c4ffbd57c1f53f21649ef94c35c</p>
microsoft.sqlserver.server.1.0.0.nupkg	1.0.0	<p>This is a helper library for Microsoft.Data.SqlClient enabling cross framework support of UDT types....</p>
xunit.extensibility.core.2.4.2.nupkg	2.4.2	<p>Includes xunit.core.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.</p>

xunit.extensibility.execution.2.4.2.nupkg	2.4.2	Includes xunit.execution.*.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.
xunit.core.2.4.2.nupkg	2.4.2	Includes the libraries for writing unit tests with xUnit.net.
xunit.assert.2.4.2.nupkg	2.4.2	Includes the assertion library from xUnit.net (xunit.assert.dll). Supports .NET Standard 1.1.
xunit.2.4.2.nupkg	2.4.2	<p>xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features.</p> <p>Installing this package installs xunit.core, xunit.assert, and xunit.analyzers.</p>
xunit.analyzers.1.0.0.nupkg	1.0.0	xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features.
xunit.runner.utility.2.4.2.nupkg	2.4.2	Includes the version-independent runner for xUnit.net to run both v1.9.2 and v2.0+ tests (xunit.runner.utility.*.dll). Supports .NET 3.5, .NET 4.5.2 or later, .NET Standard 1.1, .NET Standard 1.5, UWP, and .NET Core 1.0 or later.

mimekitlite.2.15.1.nupkg	2.15.1	An Open Source library for creating and parsing MIME messages.
microsoft.testplatform.objectmodel.17.3.0.nupkg	17.3.0	The Microsoft Test Platform Object Model.
microsoft.visualstudio.threading.analyzers.17.3.44.nupkg	17.3.44	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
system.security.cryptography.xml.4.7.1.nupkg	4.7.1	<p>Provides classes to support the creation and validation of XML digital signatures. The classes in this namespace implement the World Wide Web Consortium Recommendation, "XML-Signature Syntax and Processing", described at http://www.w3.org/TR/xmlsig-core/.</p> <p>Commonly Used Types: System.Security.Cryptography.Xml.CipherData System.Security.Cryptography.Xml.CipherReference System.Security.Cryptography.Xml.DataObject System.Security.Cryptography.Xml.DataReference System.Security.Cryptography.Xml.DSAKeyValue System.Security.Cryptography.Xml.EncryptedData System.Security.Cryptography.Xml.EncryptedKey System.Security.Cryptography.Xml.EncryptedReference System.Security.Cryptography.Xml.EncryptedType System.Security.Cryptography.Xml.EncryptedXml System.Security.Cryptography</p>

		<p>System.Security.Cryptography.Xml.EncryptionMethod</p> <p>System.Security.Cryptography.Xml.EncryptionProperty</p> <p>System.Security.Cryptography.Xml.EncryptionPropertyCollection</p> <p>System.Security.Cryptography.Xml.KeyInfo</p> <p>System.Security.Cryptography.Xml.KeyInfoClause</p> <p>System.Security.Cryptography.Xml.KeyInfoEncryptedKey</p> <p>System.Security.Cryptography.Xml.KeyInfoName</p> <p>System.Security.Cryptography.Xml.KeyInfoNode</p> <p>System.Security.Cryptography.Xml.KeyInfoRetrievalMethod</p> <p>System.Security.Cryptography.Xml.KeyInfoX509Data</p> <p>System.Security.Cryptography.Xml.KeyReference</p> <p>System.Security.Cryptography.Xml.Reference</p> <p>System.Security.Cryptography.Xml.ReferenceList</p> <p>System.Security.Cryptography.Xml.RSAKeyValue</p> <p>System.Security.Cryptography.Xml.Signature</p> <p>System.Security.Cryptography.Xml.SignedInfo</p> <p>System.Security.Cryptography.Xml.SignedXml</p> <p>System.Security.Cryptography.Xml.Transform</p> <p>System.Security.Cryptography.Xml.TransformChain</p> <p>System.Security.Cryptography.Xml.XmlDecryptionTransform</p> <p>System.Security.Cryptography.Xml.XmlEncryptionMethod</p>
--	--	---

		<p>hy.Xml.XmlDsigBase64Transform</p> <p>System.Security.Cryptography.Xml.XmlDsigC14NTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigC14NWithCommentsTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigEnvelopedSignatureTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigExcC14NTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigExcC14NWithCommentsTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigXPathTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigXsltTransform</p> <p>System.Security.Cryptography.Xml.XmlLicenseTransform</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
<p>microsoft.extensions.apidescription.server.6.0.5.nupkg</p>	<p>6.0.5</p>	<p>MSBuild tasks and targets for build-time Swagger and OpenApi document generation</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetscore/tree/e5f183b656a0e8bc087108130a5a9b54ae94494e</p>
<p>communitytoolkit.mvvm.8.0.0.nupkg</p>	<p>8.0.0</p>	<p>This package includes a .NET MVVM library with helpers such as:</p>

		<p>- ObservableObject: a base class for objects implementing the INotifyPropertyChanged interface.</p>
serilog.exceptions.8.4.0.nupkg	8.4.0	<p>Log exception details and custom properties that are not output in Exception.ToString().</p>
system.configuration.configurationmanager.6.0.1.nupkg	6.0.1	<p>Provides types that support using configuration files.</p> <p>Commonly Used Types: System.Configuration.Configuration System.Configuration.ConfigurationManager</p>
microsoft.aspnetcore.signalr.common.6.0.9.nupkg	6.0.9	<p>Common serialization primitives for SignalR Clients Servers</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>
microsoft.extensions.features.6.0.9.nupkg	6.0.9	<p>Provides abstractions for a loosely coupled collection of features.</p>
microsoft.aspnetcore.connections.abstractions.6.0.9.nupkg	6.0.9	<p>Core components of ASP.NET Core networking protocol stack.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>

<p>microsoft.aspnetcore.http.connections.common.6.0.9.nupkg</p>	<p>6.0.9</p>	<p>Common primitives for ASP.NET Connection Handlers and clients</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>
<p>microsoft.aspnetcore.signalr.protocols.json.6.0.9.nupkg</p>	<p>6.0.9</p>	<p>Implements the SignalR Hub Protocol using System.Text.Json.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>
<p>microsoft.aspnetcore.signalr.client.core.6.0.9.nupkg</p>	<p>6.0.9</p>	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>
<p>microsoft.aspnetcore.signalr.client.6.0.9.nupkg</p>	<p>6.0.9</p>	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>
<p>microsoft.aspnetcore.http.connections.client.6.0.9.nupkg</p>	<p>6.0.9</p>	<p>Client for ASP.NET Core Connection Handlers</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2</p>

		spnetcore/tree/3fe12b935c03138f76364dc877a7e069e254b5b2
serilog.exceptions.entityframeworkcore.8.4.0.nupkg	8.4.0	Log exception details and custom properties that are not output in Exception.ToString(). Contains custom destructurers for Entity Framework Core exceptions.
system.io.pipelines.6.0.3.nupkg	6.0.3	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader
nstack.core.1.0.3.nupkg	1.0.3	NStack.Core brings a set of updated string APIs to .NET. It starts with a new string type that is focused on Unicode code-points as opposed to the historical chars and UTF-16 encoding and introduces a utf8 string that supports slicing
terminal.gui.1.8.2.nupkg	1.8.2	Cross Platform Terminal UI toolkit for .NET
jsonsubtypes.2.0.1.nupkg	2.0.1	Discriminated Json Subtypes Converter implementation for .NET
harfbuzzsharp.2.8.2.3.nupkg	2.8.2.3	HarfBuzzSharp is a cross-platform OpenType text shaping engine for .NET platforms.
microsoft.extensions.logging.configuration.7.0.0.nupkg	7.0.0	Configuration support for Microsoft.Extensions.Logging.

microsoft.extensions.configuration.7.0.0.nupkg	7.0.0	Implementation of key-value pair based configuration for Microsoft.Extensions.Configuration. Includes the memory configuration provider.
microsoft.extensions.options.configurationextensions.7.0.0.nupkg	7.0.0	Provides additional configuration specific functionality related to Options.
microsoft.extensions.filesystemglobbing.7.0.0.nupkg	7.0.0	File system globbing to find files matching a specified pattern.
microsoft.extensions.logging.debug.7.0.0.nupkg	7.0.0	Debug output logger provider implementation for Microsoft.Extensions.Logging. This logger logs messages to a debugger monitor by writing messages with System.Diagnostics.Debug.WriteLine().
microsoft.extensions.configuration.json.7.0.0.nupkg	7.0.0	JSON configuration provider implementation for Microsoft.Extensions.Configuration.
microsoft.extensions.logging.console.7.0.0.nupkg	7.0.0	Console logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.configuration.binder.7.0.0.nupkg	7.0.0	Functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration.
microsoft.extensions.logging.abstractions.7.0.0.nupkg	7.0.0	Logging abstractions for Microsoft.Extensions.Logging. Commonly Used Types: Microsoft.Extensions.Logging.ILogger

		<p>Microsoft.Extensions.Logging.ILoggerFactory</p> <p>Microsoft.Extensions.Logging.ILogger<TCategoryName></p> <p>Microsoft.Extensions.Logging.LogLevel</p> <p>Microsoft.Extensions.Logging.Logger<T></p> <p>Microsoft.Extensions.Logging.LogMessage</p> <p>Microsoft.Extensions.Logging.Abstractions.NullLogger</p>
microsoft.extensions.primitives.7.0.0.nupkg	7.0.0	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types:</p> <p>Microsoft.Extensions.Primitives.IChangeToken</p> <p>Microsoft.Extensions.Primitives.StringValues</p> <p>Microsoft.Extensions.Primitives.StringSegment</p>
microsoft.extensions.logging.7.0.0.nupkg	7.0.0	<p>Logging infrastructure default implementation for Microsoft.Extensions.Logging.</p>
microsoft.extensions.fileproviders.physical.7.0.0.nupkg	7.0.0	<p>File provider for physical files for Microsoft.Extensions.FileProviders.</p>
microsoft.extensions.fileproviders.abstractions.7.0.0.nupkg	7.0.0	<p>Abstractions of files and directories.</p> <p>Commonly Used Types:</p> <p>Microsoft.Extensions.FileProviders.IDirectoryContents</p> <p>Microsoft.Extensions.FileProviders.IFileInfo</p> <p>Microsoft.Extensions.FileProviders.IFileProvider</p>

microsoft.extensions.options.7.0.0.nupkg	7.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.
microsoft.bcl.asyncinterfaces.7.0.0.nupkg	7.0.0	Provides the <code>IAsyncEnumerable<T></code> and <code>IAsyncDisposable</code> interfaces and helper types for .NET Standard 2.0. This package is not required starting with .NET Standard 2.1 and .NET Core 3.0.
microsoft.win32.systemevents.7.0.0.nupkg	7.0.0	Provides access to Windows system event notifications. Commonly Used Types: <code>Microsoft.Win32.SystemEvents</code>
system.drawing.common.7.0.0.nupkg	7.0.0	Provides access to GDI+ graphics functionality. Commonly Used Types: <code>System.Drawing.Bitmap</code> <code>System.Drawing.BitmapData</code> <code>System.Drawing.Brush</code> <code>System.Drawing.Font</code> <code>System.Drawing.Graphics</code> <code>System.Drawing.Icon</code> Since .NET 7, non-Windows platforms are not supported, even with the runtime configuration switch. See https://aka.ms/systemdrawingnonwindows for more information.
system.collections.immutable.7.0.0.nupkg	7.0.0	This package provides collections that are thread safe and guaranteed to never change their

		<p>contents, also known as immutable collections. Like strings, any methods that perform modifications will not change the existing instance but instead return a new instance. For efficiency reasons, the implementation uses a sharing mechanism to ensure that newly created instances share as much data as possible with the previous instance while ensuring that operations have a predictable time complexity.</p> <p>The System.Collections.Immutable library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.</p>
system.text.encoding.codepages.7.0.0.nupkg	7.0.0	<p>Provides support for code-page based encodings, including Windows-1252, Shift-JIS, and GB2312.</p> <p>Commonly Used Types: System.Text.CodePagesEncodingProvider</p>
microsoft.extensions.configuration.abstractions.7.0.0.nupkg	7.0.0	<p>Abstractions of key-value pair based configuration.</p> <p>Commonly Used Types: Microsoft.Extensions.Configuration.IConfiguration Microsoft.Extensions.Configuration.IConfigurationBuilder Microsoft.Extensions.Confi</p>

		<p>guration.IConfigurationProvider Microsoft.Extensions.Configuration.IConfigurationRoot Microsoft.Extensions.Configuration.IConfigurationSection</p>
microsoft.extensions.configuration.fileextensions.7.0.0.nupkg	7.0.0	Extension methods for configuring file-based configuration providers for Microsoft.Extensions.Configuration.
microsoft.extensions.dependencyinjection.7.0.0.nupkg	7.0.0	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
microsoft.extensions.dependencyinjection.abstractions.7.0.0.nupkg	7.0.0	<p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection</p>
microsoft.extensions.hosting.abstractions.7.0.0.nupkg	7.0.0	Hosting and startup abstractions for applications.
system.io.pipelines.7.0.0.nupkg	7.0.0	<p>Single producer single consumer byte buffer management.</p> <p>Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader</p>
system.threading.channels.7.0.0.nupkg	7.0.0	<p>Provides types for passing data between producers and consumers.</p> <p>Commonly Used Types: System.Threading.Channel</p>

		System.Threading.Channel <T>
system.composition.attributedmodel.7.0.0.nupkg	7.0.0	Provides common attributes used by System.Composition types. Commonly Used Types: System.Composition.ExportAttribute System.Composition.ImportAttribute System.Composition.Convention.AttributedModelProvider
fontawesome.sharp.6.1.1.nupkg	6.1.1	A library for embedding Font Awesome icons in WPF & Windows Forms applications
system.reflection.metadata.7.0.0.nupkg	7.0.0	This package provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for performance and is the ideal choice for building higher-level libraries that intend to provide their own object model, such as compilers. The metadata format is defined by the ECMA-335 - Common Language Infrastructure (CLI) specification. The System.Reflection.Metadata library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.
system.composition.convention.7.0.0.nupkg	7.0.0	Provides types that support using Managed Extensibility Framework with a

		<p>convention-based configuration model.</p> <p>Commonly Used Types: System.Composition.Convention.ConventionBuilder System.Composition.Convention.ExportConventionBuilder System.Composition.Convention.ImportConventionBuilder System.Composition.Convention.PartConventionBuilder System.Composition.Convention.ParameterImportConventionBuilder</p>
system.composition.runtime.7.0.0.nupkg	7.0.0	<p>Contains runtime components of the Managed Extensibility Framework.</p> <p>Commonly Used Types: System.Composition.CompositionContext</p>
system.composition.hosting.7.0.0.nupkg	7.0.0	<p>Provides Managed Extensibility Framework types that are useful to developers of extensible applications, or hosts.</p> <p>Commonly Used Types: System.Composition.Hosting.CompositionHost</p>
system.composition.typeparts.7.0.0.nupkg	7.0.0	<p>Provides some extension methods for the Managed Extensibility Framework.</p> <p>Commonly Used Types: System.Composition.CompositionContextExtensions System.Composition.Hosting.ContainerConfiguration</p>

microsoft.aspnetcore.authentication.jwtbearer.3.1.32.nupkg	3.1.32	<p>ASP.NET Core middleware that enables an application to receive an OpenID Connect bearer token.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/3eeb12e106b9e913c3a4dec1a7d16da7b74149eb</p>
castle.core.5.1.1.nupkg	5.1.1	Castle Core, including DynamicProxy, Logging Abstractions and DictionaryAdapter
microsoft.codeanalysis.analyzers.3.3.4.nupkg	3.3.4	<p>Analyzers for consumers of Microsoft.CodeAnalysis NuGet package, i.e. extensions and applications built on top of .NET Compiler Platform (Roslyn). This package is included as a development dependency of Microsoft.</p>
microsoft.codeanalysis.common.4.5.0.nupkg	4.5.0	<p>A shared package used by the Microsoft .NET Compiler Platform ("Roslyn").</p> <p>Do not install this package manually, it will be added as a prerequisite by other packages that require it.</p>
microsoft.codeanalysis.csharp.4.5.0.nupkg	4.5.0	.NET Compiler Platform ("Roslyn") support for C#, Microsoft.CodeAnalysis.CSharp.dll.

microsoft.codeanalysis.workspaces.common.4.5.0.nupkg	4.5.0	<p>A shared package used by the .NET Compiler Platform ("Roslyn") including support for analyzing projects and solutions.</p> <p>Do not install this package manually, it will be added as a prerequisite by other packages that require it.</p>
microsoft.codeanalysis.csharp.workspaces.4.5.0.nupkg	4.5.0	.NET Compiler Platform ("Roslyn") support for analyzing C# projects and solutions.
nuget.frameworks.6.5.0.nupkg	6.5.0	NuGet's understanding of target frameworks.
newtonsoft.json.13.0.3.nupkg	13.0.3	Json.NET is a popular high-performance JSON framework for .NET
system.diagnostics.diagnosticsource.6.0.1.nupkg	6.0.1	<p>Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools)</p> <p>Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource</p>
identitymodel.aspnetcore.oauth2introspection.6.2.0.nupkg	6.2.0	ASP.NET Core authentication handler for validating tokens using OAuth 2.0 introspection
avalonedit.6.3.0.90.nupkg	6.3.0.90	AvalonEdit is the WPF-based text editor used in SharpDevelop.

mono.cecil.0.11.5.nupkg	0.11.5	Cecil is a library written by Jb Evain to generate and inspect programs and libraries in the ECMA CIL format.
eventemitter3-5.0.1.tgz	5.0.1	
microsoft.visualstudio.validation.17.6.11.nupkg	17.6.11	Common input validation and state verification utility methods.
microsoft.visualstudio.threading.17.6.40.nupkg	17.6.40	Async synchronization primitives, async collections, TPL and dataflow extensions. The JoinableTaskFactory allows synchronously blocking the UI thread for async work. This package is applicable to any .NET application (not just Visual Studio).
microsoft.visualstudio.threading.analyzers.17.6.40.nupkg	17.6.40	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
fast-diff-1.3.0.tgz	1.3.0	
system.reactive.6.0.0.nupkg	6.0.0	Reactive Extensions (Rx) for .NET
system.reactive.linq.6.0.0.nupkg	6.0.0	Legacy facade for Reactive Extensions (Rx) for .NET
system.reactive.core.6.0.0.nupkg	6.0.0	Legacy facade for Reactive Extensions (Rx) for .NET
d3-array-3.2.4.tgz	3.2.4	
modernwpfui.0.9.6.nupkg	0.9.6	Modern styles and controls for your WPF applications.
quill-delta-5.1.0.tgz	5.1.0	
system.reflection.metadata.7.0.2.nupkg	7.0.2	This package provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for performance and is the ideal choice for building higher-level libraries that intend to provide their own object model, such as compilers.

		<p>The metadata format is defined by the ECMA-335 - Common Language Infrastructure (CLI) specification.</p> <p>The System.Reflection.Metadata library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.</p>
polly.7.2.4.nupkg	7.2.4	<p>Polly is a library that allows developers to express resilience and transient fault handling policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback in a fluent and thread-safe manner.</p>
system.security.cryptography.pkcs.7.0.3.nupkg	7.0.3	<p>Provides support for PKCS and CMS algorithms.</p> <p>Commonly Used Types: System.Security.Cryptography.Pkcs.EnvelopedCms</p>
system.reflection.metadata.loadcontext.7.0.0.nupkg	7.0.0	<p>Provides read-only reflection on assemblies in an isolated context with support for assemblies that target different processor architectures and runtimes. Using MetadataLoadContext enables you to inspect assemblies without loading them into the main execution context. Assemblies in MetadataLoadContext are treated only as metadata,</p>

		that is, you can read information about their members, but cannot execute any code contained in them.
jetbrains.annotations.2023.2.0.nupkg	2023.2.0	Annotations to increase accuracy of JetBrains Rider and ReSharper code inspections
nerdbank.streams.2.10.69.nupkg	2.10.69	Streams for full duplex in-proc communication, wrap a WebSocket, split a stream into multiple channels, etc.
microsoft.visualstudio.threading.analyzers.17.7.30.nupkg	17.7.30	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
avalonia.controls.datagrid.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
microcom.runtime.0.11.0.nupkg	0.11.0	IDL-based COM interop codegen. Consumes MIDL-like IDL file, generates efficient cross-platform C# interop and C++ header files.
avalonia.themes.simple.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.

<p>avalonia.controls.colorpicker.11.0.0.nupkg</p>	<p>11.0.0</p>	<p>Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.</p>
<p>avalonia.remote.protocol.11.0.0.nupkg</p>	<p>11.0.0</p>	<p>Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.</p>
<p>avalonia.diagnostics.11.0.0.nupkg</p>	<p>11.0.0</p>	<p>Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.</p>
<p>avalonia.angle.windows.natives.2.1.0.2023020321.nupkg</p>	<p>2.1.0.2023020321</p>	<p>Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.</p>
<p>avalonia.11.0.0.nupkg</p>	<p>11.0.0</p>	<p>Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a</p>

		wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.buildservices.0.0.28.nupkg	0.0.28	Package Description
avalonia.themes.fluent.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
microsoft.codeanalysis.common.4.7.0.nupkg	4.7.0	A shared package used by the Microsoft .NET Compiler Platform ("Roslyn"). Do not install this package manually, it will be added as a prerequisite by other packages that require it.
microsoft.codeanalysis.csharp.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for C#, Microsoft.CodeAnalysis.CSharp.dll.
microsoft.codeanalysis.visualbasic.workspaces.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for analyzing Visual Basic projects and solutions.
microsoft.codeanalysis.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn").

		<p>This is the all-in-one package (a superset of all assemblies). You can install any of these sub-packages if you only want part of the functionality:</p> <ul style="list-style-type: none"> - "Microsoft.CodeAnalysis.CSharp.Workspaces" (C# compiler + services) - "Microsoft.CodeAnalysis.VisualBasic.Workspaces" (VB compiler + services) - "Microsoft.CodeAnalysis.Compilers" (both compilers) - "Microsoft.CodeAnalysis.CSharp" (only the C# compiler) - "Microsoft.CodeAnalysis.VisualBasic" (only the VB compiler) <p>More details at https://aka.ms/roslyn-packages</p> <p>This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f717409091df8daa.</p>
<p>microsoft.codeanalysis.csharp.workspaces.4.7.0.nupkg</p>	<p>4.7.0</p>	<p>.NET Compiler Platform ("Roslyn") support for analyzing C# projects and solutions.</p>

microsoft.codeanalysis.workspaces.common.4.7.0.nupkg	4.7.0	A shared package used by the .NET Compiler Platform ("Roslyn") including support for analyzing projects and solutions. Do not install this package manually, it will be added as a prerequisite by other packages that require it.
microsoft.codeanalysis.visualbasic.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for Visual Basic, Microsoft.CodeAnalysis.VisualBasic.dll.
node-fetch-2.7.0.tgz	2.7.0	
nodatime.serialization.json.net.3.1.0.nupkg	3.1.0	Provides serialization support between Noda Time and Json.NET.
microsoft.testplatform.objectmodel.17.7.2.nupkg	17.7.2	The Microsoft Test Platform Object Model.
microsoft.codecoverage.17.7.2.nupkg	17.7.2	Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and "dotnet test".
microsoft.testplatform.testhost.17.7.2.nupkg	17.7.2	Testplatform host executes the test using specified adapter.
jquery-3.7.1.tgz	3.7.1	
sqlitepclraw.core.2.1.6.nupkg	2.1.6	SQLitePCL.raw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. This package does not provide an API which is friendly to app developers.
sqlitepclraw.bundle_e_sqlite3.2.1.6.nupkg	2.1.6	This 'batteries-included' bundle brings in SQLitePCLRaw.core and the

		necessary stuff for certain common use cases. Call <code>SQLitePCL.Batteries.Init()</code> . Policy of this bundle: <code>e_sqlite3</code> included
<code>sqlitepclraw.provider.e_sqlite3.2.1.6.nupkg</code>	2.1.6	SQLitePCLRaw is a Portable Class Library (PCL) for low-level (raw) access to SQLite. Packages named <code>'SQLitePCLRaw.provider.*'</code> (like this one) are 'plugins' that allow <code>SQLitePCLRaw.core</code> to access the native SQLite library.
<code>microsoft.codeanalysis.cssharp.scripting.4.7.0.nupkg</code>	4.7.0	Microsoft .NET Compiler Platform ("Roslyn") CSharp scripting package.
<code>microsoft.codeanalysis.scripting.common.4.7.0.nupkg</code>	4.7.0	Microsoft .NET Compiler Platform ("Roslyn") shared scripting package. Do not install this package manually, it will be added as a prerequisite by other packages that require it.
<code>microsoft.codeanalysis.cssharp.features.4.7.0.nupkg</code>	4.7.0	.NET Compiler Platform ("Roslyn") support for creating C# editing experiences.
<code>microsoft.codeanalysis.features.4.7.0.nupkg</code>	4.7.0	.NET Compiler Platform ("Roslyn") support for creating editing experiences.

microsoft.diasymreader.2.0.0.nupkg	2.0.0	Microsoft DiaSymReader interop interfaces and utilities.
avalonia.avaloniaedit.11.0.1.nupkg	11.0.1	This project is a port of AvalonEdit, a WPF-based text editor for Avalonia.
avalonia.freedesktop.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.remote.protocol.1.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.skia.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.buildservices.0.0.29.nupkg	0.0.29	Package Description
avalonia.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating

		Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.native.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.win32.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.desktop.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.x11.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for

		Android, iOS and WebAssembly.
define-properties-1.2.1.tgz	1.2.1	
function-bind-1.1.2.tgz	1.1.2	
xunit.analyzers.1.4.0.nupkg	1.4.0	xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features.
avalonia.thememanager.11.0.0.nupkg	11.0.0	Theme manager for Avalonia applications.
messagepackanalyzer.2.5.108.nupkg	2.5.108	Analyzer of MessagePack for C#, verify rule for [MessagePackObject] and code fix for [Key].
dialoghost.avalonia.0.7.6.nupkg	0.7.6	Avalonia Dialog Host control that provides a simple way to display a dialog with information or prompt the user when information is required
dock.avalonia.11.0.0.nupkg	11.0.0	A docking layout system.
ignoresaccesscheckstogenerator.0.6.0.nupkg	0.6.0	Generates IgnoresAccessChecksTo attributes and reference assemblies to allow compile-time access to internals
microsoft.servicehub.analyzers.4.3.50.nupkg	4.3.50	Static code analyzer to detect common mistakes or potential issues when using ServiceHub or IServiceBroker.
dirkster.avalondock.4.72.1.nupkg	4.72.1	This assembly implements a docking layout system for WPF.
dock.model.avalonia.11.0.0.nupkg	11.0.0	A docking layout system.
dock.model.11.0.0.nupkg	11.0.0	A docking layout system.

microsoft.visualstudio.com position.analyzers.17.7.18. nupkg	17.7.18	Analyzers for MEF consumers to help identify common errors in MEF parts.
avalonlibrary.3.0.0.nupkg	3.0.0	WPF Contrib
RoslynPad.Editor.Windows- 4.7.0	4.7.0	
RoslynPad.Roslyn-4.7.0	4.7.0	
RoslynPad.Roslyn.Avalonia- 4.7.0	4.7.0	
RoslynPad.Roslyn.Windows -4.7.0	4.7.0	
RoslynPad.Common.UI- 4.7.0	4.7.0	
RoslynPad.Build-4.7.0	4.7.0	
RestoreHelper-4.7.0	4.7.0	
RoslynPad.Editor.Avalonia- 4.7.0	4.7.0	
xunit.extensibility.execution .2.5.3.nupkg	2.5.3	Includes xunit.execution.*.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.
xunit.extensibility.core.2.5.3 .nupkg	2.5.3	Includes xunit.core.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.
xunit.core.2.5.3.nupkg	2.5.3	Includes the libraries for writing unit tests with xUnit.net.
xunit.assert.2.5.3.nupkg	2.5.3	Includes the assertion library from xUnit.net (xunit.assert.dll). Supports .NET Standard 1.1.
xunit.2.5.3.nupkg	2.5.3	xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features. Installing this package

		installs xunit.core, xunit.assert, and xunit.analyzers.
crypto-js-4.2.0.tgz	4.2.0	
microsoft.data.sqlclient.sni.runtime.5.1.1.nupkg	5.1.1	Internal implementation package not meant for direct consumption. Please do not reference directly. When using NuGet 3.x this package requires at least version 3.4.
jwt-decode-4.0.0.tgz	4.0.0	
communitytoolkit.mvvm.8.2.2.nupkg	8.2.2	This package includes a .NET MVVM library with helpers such as: - ObservableObject: a base class for objects implementing the INotifyPropertyChanged interface.
punycode-2.3.1.tgz	2.3.1	
microsoft.xaml.behaviors.wpf.1.1.77.nupkg	1.1.77	Easily add interactivity to your apps using XAML Behaviors for WPF. Behaviors encapsulate reusable functionalities for elements that can be easily added to your XAML without the need for more imperative code.
deep-equal-1.1.2.tgz	1.1.2	
microsoft.testplatform.testhost.17.8.0.nupkg	17.8.0	Testplatform host executes the test using specified adapter.
microsoft.codecoverage.17.8.0.nupkg	17.8.0	Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and "dotnet test".
microsoft.testplatform.objectmodel.17.8.0.nupkg	17.8.0	The Microsoft Test Platform Object Model.

serilog.formatting.compact.2.0.0.nupkg	2.0.0	A simple, compact JSON-based event format for Serilog.
serilog.3.1.1.nupkg	3.1.1	Simple .NET logging with fully-structured events
serilog.extensions.logging.8.0.0.nupkg	8.0.0	Low-level Serilog provider for Microsoft.Extensions.Logging
system.diagnostics.eventlog.8.0.0.nupkg	8.0.0	Provides the System.Diagnostics.EventLog class, which allows the applications to use the Windows event log service. Commonly Used Types: System.Diagnostics.EventLog
system.diagnostics.diagnosticsource.8.0.0.nupkg	8.0.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools) Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource
system.text.encodings.web.8.0.0.nupkg	8.0.0	Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL). Commonly Used Types: System.Text.Encodings.Web.HtmlEncoder System.Text.Encodings.Web.UrlEncoder

		System.Text.Encodings.Web .JavaScriptEncoder
system.security.cryptography.protecteddata.8.0.0.nupkg	8.0.0	Provides access to Windows Data Protection Api. Commonly Used Types: System.Security.Cryptography.DataProtectionScope System.Security.Cryptography.ProtectedData
system.serviceprocess.servicecontroller.8.0.0.nupkg	8.0.0	Provides the System.ServiceProcess.ServiceController class, which allows you to connect to a Windows service, manipulate it, or get information about it. Commonly Used Types: System.ServiceProcess.ServiceController System.ServiceProcess.ServiceControllerStatus System.ServiceProcess.ServiceType
system.diagnostics.performancecounter.8.0.0.nupkg	8.0.0	Provides the System.Diagnostics.PerformanceCounter class, which allows access to Windows performance counters. Commonly Used Types: System.Diagnostics.PerformanceCounter
system.configuration.configurationmanager.8.0.0.nupkg	8.0.0	Provides types that support using XML configuration files (app.config). This package exists only to support migrating existing .NET Framework code that already uses System.Configuration.

system.security.permissions.8.0.0.nupkg	8.0.0	Provides types supporting Code Access Security (CAS).
microsoft.extensions.logging.abstractions.8.0.0.nupkg	8.0.0	<p>Logging abstractions for Microsoft.Extensions.Logging.</p> <p>Commonly Used Types: Microsoft.Extensions.Logging.ILogger Microsoft.Extensions.Logging.ILoggerFactory Microsoft.Extensions.Logging.ILogger<TCategoryName> Microsoft.Extensions.Logging.LogLevel Microsoft.Extensions.Logging.Logger<T> Microsoft.Extensions.Logging.LogMessage Microsoft.Extensions.Logging.Abstractions.NullLogger</p>
microsoft.extensions.configuration.binder.8.0.0.nupkg	8.0.0	<p>Provides the functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration. This package enables you to represent the configuration data as strongly-typed classes defined in the application code. To bind a configuration, use the Microsoft.Extensions.Configuration.ConfigurationBinder.Get extension method on the IConfiguration object. To use this package, you also need to install a package for the configuration provider, for example, Microsoft.Extensions.Confi</p>

		guration.Json for the JSON provider.
microsoft.extensions.configuration.abstractions.8.0.0.nupkg	8.0.0	Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.
microsoft.extensions.logging.8.0.0.nupkg	8.0.0	Logging infrastructure default implementation for Microsoft.Extensions.Logging.
microsoft.extensions.fileproviders.abstractions.8.0.0.nupkg	8.0.0	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
microsoft.extensions.configuration.8.0.0.nupkg	8.0.0	Implementation of key-value pair based configuration for Microsoft.Extensions.Configuration. Includes the memory configuration provider.
microsoft.extensions.configuration.fileextensions.8.0.0.nupkg	8.0.0	Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.
microsoft.extensions.options.8.0.0.nupkg	8.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.

microsoft.extensions.primitives.8.0.0.nupkg	8.0.0	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment</p>
microsoft.extensions.dependencyinjection.abstractions.8.0.0.nupkg	8.0.0	<p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection</p>
microsoft.extensions.filestemplating.8.0.0.nupkg	8.0.0	File system globbing to find files matching a specified pattern.
microsoft.extensions.fileproviders.physical.8.0.0.nupkg	8.0.0	File provider for physical files for Microsoft.Extensions.FileProviders.
microsoft.extensions.dependencyinjection.8.0.0.nupkg	8.0.0	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
microsoft.extensions.configuration.json.8.0.0.nupkg	8.0.0	JSON configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read your application's settings from a JSON file. You can use <code>JsonConfigurationExtensions.AddJsonFile</code> extension method on <code>IConfigurationBuilder</code> to add the JSON configuration

		provider to the configuration builder.
microsoft.win32.systemevents.8.0.0.nupkg	8.0.0	Provides access to Windows system event notifications. Commonly Used Types: Microsoft.Win32.SystemEvents
microsoft.extensions.configuration.usersecrets.8.0.0.nupkg	8.0.0	User secrets configuration provider implementation for Microsoft.Extensions.Configuration. User secrets mechanism enables you to override application configuration settings with values stored in the local secrets file.
microsoft.extensions.caching.abstractions.8.0.0.nupkg	8.0.0	Caching abstractions for in-memory cache and distributed cache. Commonly Used Types: Microsoft.Extensions.Caching.Distributed.IDistributedCache Microsoft.Extensions.Caching.Memory.IMemoryCache
system.management.8.0.0.nupkg	8.0.0	Provides access to a rich set of management information and management events about the system, devices, and applications instrumented to the Windows Management Instrumentation (WMI) infrastructure. Commonly Used Types: System.Management.ManagementClass System.Management.ManagementObject

		System.Management.SelectQuery
system.codedom.8.0.0.nupkg	8.0.0	Provides types that can be used to model the structure of a source code document and to output source code for that model in a supported language.
microsoft.bcl.asyncinterfaces.8.0.0.nupkg	8.0.0	Provides the <code>IAsyncEnumerable<T></code> and <code>IAsyncDisposable</code> interfaces and helper types for .NET Standard 2.0. This package is not required starting with .NET Standard 2.1 and .NET Core 3.0.
microsoft.extensions.diagnostics.8.0.0.nupkg	8.0.0	This package includes the default implementation of <code>IMeterFactory</code> and additional extension methods to easily register it with the Dependency Injection framework.
microsoft.extensions.http.8.0.0.nupkg	8.0.0	The <code>HttpClient</code> factory is a pattern for configuring and retrieving named <code>HttpClients</code> in a composable way. The <code>HttpClient</code> factory provides extensibility to plug in <code>DelegatingHandlers</code> that address cross-cutting concerns such as service location, load balancing, and reliability. The default <code>HttpClient</code> factory provides built-in diagnostics and logging and manages the lifetimes of connections in a performant way. Commonly Used Types:

		System.Net.Http.IHttpClientFactory
microsoft.extensions.diagnostics.abstractions.8.0.0.nupkg	8.0.0	Diagnostic abstractions for Microsoft.Extensions.Diagnostics.
microsoft.extensions.configuration.environmentvariables.8.0.0.nupkg	8.0.0	Environment variables configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read configuration parameters from environment variables. You can use EnvironmentVariablesExtensions.AddEnvironmentVariables extension method on IConfigurationBuilder to add the environment variables configuration provider to the configuration builder.
microsoft.extensions.configuration.commandline.8.0.0.nupkg	8.0.0	Command line configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read configuration parameters from the command line arguments of your application. You can use CommandLineConfigurationExtensions.AddCommandLine extension method on IConfigurationBuilder to add the command line configuration provider to the configuration builder.
microsoft.extensions.hosting.abstractions.8.0.0.nupkg	8.0.0	Hosting and startup abstractions for applications.

microsoft.extensions.hosting.windowsservices.8.0.0.nupkg	8.0.0	.NET hosting infrastructure for Windows Services.
microsoft.extensions.logging.eventlog.8.0.0.nupkg	8.0.0	Windows Event Log logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.eventsource.8.0.0.nupkg	8.0.0	EventSource/EventListener logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.hosting.8.0.0.nupkg	8.0.0	Hosting and startup infrastructures for applications.
microsoft.extensions.options.configurationextensions.8.0.0.nupkg	8.0.0	Provides additional configuration specific functionality related to Options.
system.collections.immutable.8.0.0.nupkg	8.0.0	This package provides collections that are thread safe and guaranteed to never change their contents, also known as immutable collections.
system.io.pipelines.8.0.0.nupkg	8.0.0	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader
system.windows.extensions.8.0.0.nupkg	8.0.0	Provides miscellaneous Windows-specific types Commonly Used Types: System.Security.Cryptography.X509Certificates.X509Certificate2UI System.Security.Cryptography

		hy.X509Certificates.X509SelectionFlag
serilog.extensions.hosting.8.0.0.nupkg	8.0.0	Serilog support for .NET Core logging in hosted services
system.runtime.caching.8.0.0.nupkg	8.0.0	Provides classes to use caching facilities.
microsoft.extensions.options.dataannotations.8.0.0.nupkg	8.0.0	Provides additional DataAnnotations specific functionality related to Options.
system.resources.extensions.8.0.0.nupkg	8.0.0	Provides classes which read and write resources in a format that supports non-primitive objects. Commonly Used Types: System.Resources.Extensions.DeserializingResourceReader System.Resources.Extensions.PreSerializedResourceWriter
system.threading.channels.8.0.0.nupkg	8.0.0	Provides types for passing data between producers and consumers. Commonly Used Types: System.Threading.Channel System.Threading.Channel<T>
azure.resourcemanager.1.9.0.nupkg	1.9.0	Microsoft Azure Resource Manager client SDK for Azure resources.
microsoft.visualstudio.validation.17.8.8.nupkg	17.8.8	Common input validation and state verification utility methods.
moq.4.20.70.nupkg	4.20.70	Moq is the most popular and friendly mocking framework for .NET.
serilog.sinks.console.5.0.1.nupkg	5.0.1	A Serilog sink that writes log events to the console/terminal.

system.formats.cbor.8.0.0.nupkg	8.0.0	Provides classes that can read and write the CBOR data format. Commonly Used Types: System.Formats.Cbor.CborReader System.Formats.Cbor.CborWriter
rabbitmq.client.6.8.1.nupkg	6.8.1	The RabbitMQ .NET client is the official client library for C# (and, implicitly, other .NET languages)
microsoft.io.recyclablememorystream.3.0.0.nupkg	3.0.0	A pooled MemoryStream allocator to decrease GC load and improve performance on highly scalable systems.
system.threading.ratelimiting.8.0.0.nupkg	8.0.0	APIs to help manage rate limiting. Commonly Used Types: System.Threading.RateLimiting.RateLimiter System.Threading.RateLimiting.ConcurrencyLimiter System.Threading.RateLimiting.TokenBucketRateLimiter System.Threading.RateLimiting.RateLimitLease
microsoft.identitymodel.abstractions.6.35.0.nupkg	6.35.0	A package containing thin abstractions for Microsoft.IdentityModel.
microsoft.identitymodel.protocols.6.35.0.nupkg	6.35.0	Provides base protocol support for OpenIdConnect and WsFederation.
microsoft.identitymodel.protocols.openidconnect.6.35.0.nupkg	6.35.0	Includes types that provide support for OpenIdConnect protocol.
microsoft.identitymodel.jsonwebtokens.6.35.0.nupkg	6.35.0	Includes types that provide support for creating, serializing and validating JSON Web Tokens.

system.identitymodel.tokens.jwt.6.35.0.nupkg	6.35.0	Includes types that provide support for creating, serializing and validating JSON Web Tokens.
microsoft.identitymodel.tokens.6.35.0.nupkg	6.35.0	Includes types that provide support for SecurityTokens, Cryptographic operations: Signing, Verifying Signatures, Encryption.
microsoft.identitymodel.logging.6.35.0.nupkg	6.35.0	Includes Event Source based logging support.
system.identitymodel.tokens.jwt.7.1.2.nupkg	7.1.2	Includes types that provide support for creating, serializing and validating JSON Web Tokens. As of IdentityModel 7x, this is a legacy tool that should be replaced with Microsoft.IdentityModel.JsonWebTokens.
microsoft.identitymodel.protocols.openidconnect.7.1.2.nupkg	7.1.2	Includes types that provide support for OpenIdConnect protocol.
microsoft.bcl.timeprovider.8.0.1.nupkg	8.0.1	Provides support for system time abstraction primitives for .NET Framework and .NET Standard. Commonly Used Types: System.TimeProvider System.ITimer
system.clientmodel.1.0.0.nupkg	1.0.0	Contains building blocks for clients that call cloud services.
microsoft.data.sqlclient.5.1.5.nupkg	5.1.5	Provides the data provider for SQL Server.
has-tostringtag-1.0.2.tgz	1.0.2	
fetch-cookie-2.2.0.tgz	2.2.0	
es-errors-1.3.0.tgz	1.3.0	
nodatime.3.1.11.nupkg	3.1.11	Noda Time is a date and time API acting as an alternative to the built-in

		DateTime/DateTimeOffset etc types in .NET.
stackblur-canvas-2.7.0.tgz	2.7.0	
microsoft.extensions.options.8.0.2.nupkg	8.0.2	Provides a strongly typed way of specifying and accessing settings using dependency injection.
has-property-descriptors-1.0.2.tgz	1.0.2	
define-data-property-1.1.4.tgz	1.1.4	
set-function-name-2.0.2.tgz	2.0.2	
ssh.net.2024.0.0.nupkg	2024.0.0	SSH.NET is a Secure Shell (SSH) library for .NET, optimized for parallelism.
microsoft.data.sqlclient.sni.runtime.5.2.0.nupkg	5.2.0	Internal implementation package not meant for direct consumption. Please do not reference directly. When using NuGet 3.x this package requires at least version 3.4.
azure.core.1.38.0.nupkg	1.38.0	This is the implementation of the Azure Client Pipeline
object-is-1.1.6.tgz	1.1.6	
microsoft.data.sqlclient.5.2.0.nupkg	5.2.0	The current data provider for SQL Server and Azure SQL databases. This has replaced System.Data.SqlClient. These classes provide access to SQL and encapsulate database-specific protocols, including tabular data stream (TDS).
microsoft.openapi.1.6.14.nupkg	1.6.14	.NET models with JSON and YAML writers for OpenAPI specification
linebreak-1.1.2.tgz	1.1.2	
fontkit-1.9.2.tgz	1.9.2	

set-function-length-1.2.2.tgz	1.2.2	
hasown-2.0.2.tgz	2.0.2	
d3-geo-3.1.1.tgz	3.1.1	
microsoft.extensions.dependencyinjection.abstractions.8.0.1.nupkg	8.0.1	<p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection</p>
microsoft.identity.client.nativeinterop.0.16.0.nupkg	0.16.0	<p>This package contains binaries needed to use brokers in public client desktop applications. The release notes are available at https://github.com/AzureAD/microsoft-authentication-library-for-cpp/releases.</p>
identitymodel.7.0.0.nupkg	7.0.0	OpenID Connect & OAuth 2.0 client library
microsoft.entityframeworkcore.abstractions.8.0.4.nupkg	8.0.4	Provides abstractions and attributes that are used to configure Entity Framework Core
microsoft.entityframeworkcore.relational.8.0.4.nupkg	8.0.4	Shared Entity Framework Core components for relational database providers.
microsoft.entityframeworkcore.8.0.4.nupkg	8.0.4	Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change tracking, updates, and schema migrations.
system.diagnostics.diagnosticsource.8.0.1.nupkg	8.0.1	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools)

		Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource
microsoft.identity.client.4.60.3.nupkg	4.60.3	This package contains the binaries of the Microsoft Authentication Library for .NET (MSAL.NET).
microsoft.identity.client.extensions.msal.4.60.3.nupkg	4.60.3	This package contains the public client (desktop) caching to Microsoft Authentication Library for .NET (MSAL.NET)
parchment-3.0.0.tgz	3.0.0	
tough-cookie-4.1.4.tgz	4.1.4	
azure.identity.1.11.3.nupkg	1.11.3	This is the implementation of the Azure SDK Client Library for Azure Identity
npgsql.8.0.3.nupkg	8.0.3	Npgsql is the open source .NET data provider for PostgreSQL.
npgsql.entityframeworkcore.postgresql.8.0.4.nupkg	8.0.4	PostgreSQL/Npgsql provider for Entity Framework Core.
microsoft.net.illink.tasks.8.0.5.nupkg	8.0.5	MSBuild tasks for running the IL Linker
microsoft.entityframeworkcore.design.7.0.19.nupkg	7.0.19	Shared design-time components for Entity Framework Core tools.
mousekeyhook.5.7.1.nupkg	5.7.1	This library attaches to windows global hooks, tracks keyboard and mouse clicks and movement and raises common .
selenium.webdriver.4.21.0.nupkg	4.21.0	.NET bindings for the Selenium WebDriver API
quill-2.0.2.tgz	2.0.2	
selenium.webdriver.chrome.driver.125.0.6422.7800.nupkg	125.0.6422.7800	Install Chrome Driver (Win32, macOS, macOS arm64, and Linux64) for Selenium WebDriver into

		<p>your Unit Test Project.</p> <p>"chromedriver(.exe)" is copied to the bin folder from the package folder when the build process.</p> <p>NuGet package restoring ready, and no need to commit</p> <p>"chromedriver(.exe)" binary into source code control repository.</p> <p>/ The MSBuild script that contained this package is free and unencumbered software released into the public domain.</p> <p>/ "chromedriver(.exe)" is licensed under the New BSD License.</p>
system.reactive.6.0.1.nupkg	6.0.1	Reactive Extensions (Rx) for .NET
azure.resourcemanager.desktopvirtualization.1.2.1.nupkg	1.2.1	Microsoft Azure Resource Manager client SDK for Azure resource provider Microsoft.DesktopVirtualization.
ScriptRecorder-1.0.0	1.0.0	
microsoft.data.sqlclient.5.2.1.nupkg	5.2.1	<p>The current data provider for SQL Server and Azure SQL databases. This has replaced System.Data.SqlClient. These classes provide access to SQL and encapsulate database-specific protocols, including tabular data stream (TDS).</p> <p>Commonly Used Types: Microsoft.Data.SqlClient.SqlConnection Microsoft.Data.SqlClient.SqlException</p>

		<p>Microsoft.Data.SqlClient.SqlParameter</p> <p>Microsoft.Data.SqlClient.SqlDataReader</p> <p>Microsoft.Data.SqlClient.SqlCommand</p> <p>Microsoft.Data.SqlClient.SqlTransaction</p> <p>Microsoft.Data.SqlClient.SqlParameterCollection</p> <p>Microsoft.Data.SqlClient.SqlClientFactory</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>
serilog.4.0.0.nupkg	4.0.0	Simple .NET logging with fully-structured events
serilog.sinks.seq.8.0.0.nupkg	8.0.0	A Serilog sink that writes events to Seq using newline-delimited JSON and HTTP/HTTPS.
azure.core.1.40.0.nupkg	1.40.0	This is the implementation of the Azure Client Pipeline
microsoft.identity.client.4.61.3.nupkg	4.61.3	<p>This package contains the binaries of the Microsoft Authentication Library for .NET (MSAL.NET).</p> <p>MSAL.NET makes it easy to obtain tokens from the Microsoft identity platform for developers (formerly Azure AD v2.0) signing-in users with work & school accounts, Microsoft personal accounts, and social identities via Azure AD B2C. These tokens provide access to Microsoft Cloud API and any other API secured by the Microsoft identity platform. This version supports adding authentication functionality</p>

		to your .NET based clients - .NET, .NET Framework, .NET MAUI
microsoft.identity.client.extensions.msal.4.61.3.nupkg	4.61.3	This package contains the public client (desktop) caching to Microsoft Authentication Library for .NET (MSAL.NET)
fluentvalidation.11.9.2.nupkg	11.9.2	A validation library for .NET that uses a fluent interface to construct strongly-typed validation rules.
fluentvalidation.dependencyinjectionextensions.11.9.2.nupkg	11.9.2	Dependency injection extensions for FluentValidation
azure.identity.1.12.0.nupkg	1.12.0	This is the implementation of the Azure SDK Client Library for Azure Identity
csvhelper.33.0.1.nupkg	33.0.1	A library for reading and writing CSV files. Extremely fast, flexible, and easy to use. Supports reading and writing of custom class objects.
serilog.sinks.file.6.0.0.nupkg	6.0.0	Write Serilog events to text files in plain or JSON format.
microsoft.extensions.dependencymodel.8.0.1.nupkg	8.0.1	Provides abstractions for reading <code>.deps`</code> files. When a .NET application is compiled, the SDK generates a JSON manifest file (<code><ApplicationName>.deps.json`</code>) that contains information about application dependencies. You can use <code>Microsoft.Extensions.DependencyModel`</code> to read information from this manifest at run time. This is useful when you want to

		<p>dynamically compile code (for example, using Roslyn Emit API) referencing the same dependencies as your main application.</p> <p>By default, the dependency manifest contains information about the application's target framework and runtime dependencies. Set the PreserveCompilationContext project property to `true` to additionally include information about reference assemblies used during compilation.</p>
microsoft.extensions.configuration.binder.8.0.2.nupkg	8.0.2	<p>Provides the functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration. This package enables you to represent the configuration data as strongly-typed classes defined in the application code. To bind a configuration, use the Microsoft.Extensions.Configuration.ConfigurationBinder.Get extension method on the IConfiguration object. To use this package, you also need to install a package for the configuration provider, for example, Microsoft.Extensions.Configuration.Json for the JSON provider.</p>
system.formats.asn1.8.0.1.nupkg	8.0.1	<p>Provides classes that can read and write the ASN.1 BER, CER, and DER data</p>

		<p>formats.</p> <p>Commonly Used Types: System.Formats.Asn1.AsnReader System.Formats.Asn1.AsnWriter</p>
microsoft.extensions.configuration.fileextensions.8.0.1.nupkg	8.0.1	Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.
serilog.settings.configuration.8.0.2.nupkg	8.0.2	Microsoft.Extensions.Configuration (appsettings.json) support for Serilog.
restsharp.111.4.0.nupkg	111.4.0	Simple REST and HTTP API Client
serilog.aspnetcore.8.0.2.nupkg	8.0.2	Serilog support for ASP.NET Core logging
microsoft.entityframeworkcore.8.0.8.nupkg	8.0.8	<p>Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change tracking, updates, and schema migrations. EF Core works with SQL Server, Azure SQL Database, SQLite, Azure Cosmos DB, MySQL, PostgreSQL, and other databases through a provider plugin API.</p> <p>Commonly Used Types: Microsoft.EntityFrameworkCore.DbContext Microsoft.EntityFrameworkCore.DbSet</p>
microsoft.entityframeworkcore.relational.8.0.8.nupkg	8.0.8	Shared Entity Framework Core components for relational database providers.

microsoft.entityframeworkcore.abstractions.8.0.8.nupkg	8.0.8	Provides abstractions and attributes that are used to configure Entity Framework Core
microsoft.aspnetcore.mvc.newtonsoftjson.8.0.8.nupkg	8.0.8	<p>ASP.NET Core MVC features that use Newtonsoft.Json. Includes input and output formatters for JSON and JSON PATCH.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437</p>
microsoft.data.sqlite.core.8.0.8.nupkg	8.0.8	<p>Microsoft.Data.Sqlite is a lightweight ADO.NET provider for SQLite. This package does not include a copy of the native SQLite library.</p> <p>Commonly Used Types: Microsoft.Data.Sqlite.SqliteCommand Microsoft.Data.Sqlite.SqliteConnection Microsoft.Data.Sqlite.SqliteConnectionStringBuilder Microsoft.Data.Sqlite.SqliteDataReader Microsoft.Data.Sqlite.SqliteException Microsoft.Data.Sqlite.SqliteFactory Microsoft.Data.Sqlite.SqliteParameter Microsoft.Data.Sqlite.SqliteTransaction</p>
microsoft.aspnetcore.testhost.8.0.8.nupkg	8.0.8	ASP.NET Core web server for writing and running tests.

		<p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437</p>
<p>microsoft.aspnetcore.jsonpatch.8.0.8.nupkg</p>	<p>8.0.8</p>	<p>ASP.NET Core support for JSON PATCH.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437</p>
<p>microsoft.entityframeworkcore.sqlite.core.8.0.8.nupkg</p>	<p>8.0.8</p>	<p>SQLite database provider for Entity Framework Core. This package does not include a copy of the native SQLite library.</p>
<p>microsoft.entityframeworkcore.design.8.0.8.nupkg</p>	<p>8.0.8</p>	<p>Shared design-time components for Entity Framework Core tools.</p>
<p>microsoft.extensions.http.polly.8.0.8.nupkg</p>	<p>8.0.8</p>	<p>The HttpClient factory is a pattern for configuring and retrieving named HttpClients in a composable way. This package integrates IHttpConnectionFactory with the Polly library, to add transient-fault-handling and resiliency through fluent policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437</p>

		b33caa2b736c73530bd5a294174437
microsoft.entityframeworkcore.inmemory.8.0.8.nupkg	8.0.8	In-memory database provider for Entity Framework Core (to be used for testing purposes).
microsoft.entityframeworkcore.sqlserver.8.0.8.nupkg	8.0.8	Microsoft SQL Server database provider for Entity Framework Core.
microsoft.visualstudio.threading.analyzers.17.11.20.nupkg	17.11.20	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
microsoft.extensions.apidescription.server.8.0.8.nupkg	8.0.8	MSBuild tasks and targets for build-time Swagger and OpenApi document generation This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/954f61dd38b33caa2b736c73530bd5a294174437
microsoft.net.stringtools.17.11.4.nupkg	17.11.4	This package contains the Microsoft.NET.StringTools assembly which implements common string-related functionality such as weak interning.
influxdb.client.4.17.0.nupkg	4.17.0	The reference client that allows query, write and management (bucket, organization, users) for the InfluxDB 2.x.
influxdb.client.core.4.17.0.nupkg	4.17.0	InfluxDB Client Core - exceptions, validations, REST client.
microsoft.visualstudio.threading.17.11.20.nupkg	17.11.20	Async synchronization primitives, async collections, TPL and dataflow extensions. The JoinableTaskFactory allows

		synchronously blocking the UI thread for async work. This package is applicable to any .NET application (not just Visual Studio).
microsoft.codecoverage.17.11.0.nupkg	17.11.0	Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and "dotnet test".
microsoft.testplatform.testhost.17.11.0.nupkg	17.11.0	Testplatform host executes the test using specified adapter.
microsoft.testplatform.objectmodel.17.11.0.nupkg	17.11.0	The Microsoft Test Platform Object Model.
swashbuckle.aspnetcore.swaggerui.6.7.3.nupkg	6.7.3	Middleware to expose an embedded version of the swagger-ui from an ASP.NET Core application
swashbuckle.aspnetcore.swagger.6.7.3.nupkg	6.7.3	Swagger tools for documenting APIs built on ASP.NET Core
swashbuckle.aspnetcore.swagger.6.7.3.nupkg	6.7.3	Middleware to expose Swagger JSON endpoints from APIs built on ASP.NET Core
swashbuckle.aspnetcore.swaggergen.6.7.3.nupkg	6.7.3	Swagger Generator for APIs built on ASP.NET Core
swashbuckle.aspnetcore.swaggergen.newtonsoft.6.7.3.nupkg	6.7.3	Swagger Generator opt-in component to support Newtonsoft.Json serializer behaviors
entityframeworkcore.exceptions.sqlserver.8.1.3.nupkg	8.1.3	Handle database errors easily when working with Entity Framework Core. Catch specific exceptions such as UniqueConstraintException, CannotInsertNullException, MaxLengthExceededException, NumericOverflowException

		<p>or ReferenceConstraintException instead of generic DbUpdateException</p>
entityframeworkcore.exceptions.common.8.1.3.nupkg	8.1.3	<p>Handle database errors easily when working with Entity Framework Core. Catch specific exceptions such as UniqueConstraintException , CannotInsertNullException, MaxLengthExceededException, NumericOverflowException or ReferenceConstraintException instead of generic DbUpdateException</p> <p>This is a base package for database specific packages. Install one of the specific packages instead of this</p>
entityframeworkcore.exceptions.sqlite.8.1.3.nupkg	8.1.3	<p>Handle database errors easily when working with Entity Framework Core. Catch specific exceptions such as UniqueConstraintException , CannotInsertNullException, MaxLengthExceededException, NumericOverflowException or ReferenceConstraintException instead of generic DbUpdateException.</p>
entityframeworkcore.exceptions.postgresql.8.1.3.nupkg	8.1.3	<p>Handle database errors easily when working with Entity Framework Core. Catch specific exceptions</p>

		<p>such as UniqueConstraintException , CannotInsertNullException, MaxLengthExceededException, NumericOverflowException or ReferenceConstraintException instead of generic DbUpdateException</p>
selenium.webdriver.4.24.0.nupkg	4.24.0	.NET bindings for the Selenium WebDriver API
microsoft.data.sqlclient.5.1.6.nupkg	5.1.6	<p>Provides the data provider for SQL Server. These classes provide access to versions of SQL Server and encapsulate database-specific protocols, including tabular data stream (TDS)</p> <p>Commonly Used Types: Microsoft.Data.SqlClient.SqlConnection Microsoft.Data.SqlClient.SqlException Microsoft.Data.SqlClient.SqlParameter Microsoft.Data.SqlClient.SqlDataReader Microsoft.Data.SqlClient.SqlCommand Microsoft.Data.SqlClient.SqlTransaction Microsoft.Data.SqlClient.SqlParameterCollection Microsoft.Data.SqlClient.SqlClientFactory</p> <p>When using NuGet 3.x this package requires at least version 3.4.</p>

moq.4.20.72.nupkg	4.20.72	Moq is the most popular and friendly mocking framework for .NET.
netescapades.aspnetcore.securityheaders.0.24.0.nupkg	0.24.0	Middleware for ASP.NET Core to automatically add security headers to requests.
polly.core.8.4.2.nupkg	8.4.2	Polly.Core is a .NET resilience and transient-fault-handling library that allows developers to express resilience strategies such as Retry, Circuit Breaker, Hedging, Timeout, Chaos and Fallback in a fluent and thread-safe manner.
polly.extensions.8.4.2.nupkg	8.4.2	Polly.Extensions adds support for dependency injection and telemetry for the Polly.Core library.
polly.ratelimiting.8.4.2.nupkg	8.4.2	Polly.RateLimiting is a .NET resilience and transient-fault-handling library that allows developers to express resilience strategies using a Rate Limiter in a fluent and thread-safe manner.
microsoft.codeanalysis.analyzers.3.11.0.nupkg	3.11.0	Analyzers for consumers of Microsoft.CodeAnalysis NuGet package, i.e. extensions and applications built on top of .NET Compiler Platform (Roslyn). This package is included as a development dependency of Microsoft.CodeAnalysis NuGet package and does not need to be installed separately if you are referencing

		Microsoft.CodeAnalysis NuGet package.
system.text.json.8.0.5.nupkg	8.0.5	<p>Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data.</p> <p>The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.</p>
system.text.json.6.0.10.nupkg	6.0.10	<p>Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data.</p> <p>Commonly Used Types: System.Text.Json.JsonSerializer</p>

		<p>System.Text.Json.JsonDocument</p> <p>System.Text.Json.JsonElement</p> <p>System.Text.Json.Utf8JsonWriter</p> <p>System.Text.Json.Utf8JsonReader</p>
microsoft.extensions.dependencyinjection.8.0.1.nupkg	8.0.1	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
microsoft.extensions.dependencyinjection.abstractions.8.0.2.nupkg	8.0.2	<p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection</p>
microsoft.extensions.configuration.json.8.0.1.nupkg	8.0.1	JSON configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read your application's settings from a JSON file. You can use <code>JsonConfigurationExtensions.AddJsonFile</code> extension method on <code>IConfigurationBuilder</code> to add the JSON configuration provider to the configuration builder.
system.drawing.common.8.0.10.nupkg	8.0.10	<p>Provides access to GDI+ graphics functionality.</p> <p>Commonly Used Types: System.Drawing.Bitmap System.Drawing.BitmapData System.Drawing.Brush System.Drawing.Font System.Drawing.Graphics System.Drawing.Icon</p>

		<p>Since .NET 7, non-Windows platforms are not supported, even with the runtime configuration switch. See https://aka.ms/systemdrawi ngnonwindows for more information.</p>
<p>microsoft.extensions.logging.abstractions.8.0.2.nupkg</p>	<p>8.0.2</p>	<p>Logging abstractions for Microsoft.Extensions.Logging.</p> <p>Commonly Used Types: Microsoft.Extensions.Logging.ILogger Microsoft.Extensions.Logging.ILoggerFactory Microsoft.Extensions.Logging.ILogger<TCategoryName> Microsoft.Extensions.Logging.LogLevel Microsoft.Extensions.Logging.Logger<T> Microsoft.Extensions.Logging.LoggerMessage Microsoft.Extensions.Logging.Abstractions.NullLogger</p>
<p>microsoft.extensions.logging.8.0.1.nupkg</p>	<p>8.0.1</p>	<p>Logging infrastructure default implementation for Microsoft.Extensions.Logging.</p>
<p>microsoft.extensions.http.8.0.1.nupkg</p>	<p>8.0.1</p>	<p>The HttpClient factory is a pattern for configuring and retrieving named HttpClients in a composable way. The HttpClient factory provides extensibility to plug in DelegatingHandlers that address cross-cutting concerns such as service location, load balancing,</p>

		<p>and reliability. The default HttpClient factory provides built-in diagnostics and logging and manages the lifetimes of connections in a performant way.</p> <p>Commonly Used Types: System.Net.Http.IHttpClientFactory</p>
<p>microsoft.extensions.diagnostics.abstractions.8.0.1.nupkg</p>	<p>8.0.1</p>	<p>Diagnostic abstractions for Microsoft.Extensions.Diagnostics.</p> <p>Commonly Used Types: Microsoft.Extensions.Diagnostics.Metrics.IMetricsBuilder Microsoft.Extensions.Diagnostics.Metrics.IMetricsListener Microsoft.Extensions.Diagnostics.Metrics.InstrumentRule Microsoft.Extensions.Diagnostics.Metrics.MeterScope Microsoft.Extensions.Diagnostics.Metrics.MetricsBuilderExtensions Microsoft.Extensions.Diagnostics.Metrics.MetricsOptions</p>
<p>microsoft.extensions.diagnostics.8.0.1.nupkg</p>	<p>8.0.1</p>	<p>This package includes the default implementation of IMeterFactory and additional extension methods to easily register it with the Dependency Injection framework.</p>
<p>microsoft.extensions.caching.memory.8.0.1.nupkg</p>	<p>8.0.1</p>	<p>In-memory cache implementation of Microsoft.Extensions.Caching.Memory.IMemoryCache.</p>

microsoft.extensions.configuration.usersecrets.8.0.1.nupkg	8.0.1	User secrets configuration provider implementation for Microsoft.Extensions.Configuration. User secrets mechanism enables you to override application configuration settings with values stored in the local secrets file. You can use UserSecretsConfigurationExtensions.AddUserSecrets extension method on IConfigurationBuilder to add user secrets provider to the configuration builder.
microsoft.extensions.logging.console.8.0.1.nupkg	8.0.1	Console logger provider implementation for Microsoft.Extensions.Logging.
system.diagnostics.eventlog.8.0.1.nupkg	8.0.1	Provides the System.Diagnostics.EventLog class, which allows the applications to use the Windows event log service. Commonly Used Types: System.Diagnostics.EventLog
microsoft.extensions.logging.eventlog.8.0.1.nupkg	8.0.1	Windows Event Log logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.debug.8.0.1.nupkg	8.0.1	Debug output logger provider implementation for Microsoft.Extensions.Logging. This logger logs messages to a debugger monitor by writing messages with System.Diagnostics.Debug.WriteLine().
microsoft.extensions.logging.eventsource.8.0.1.nupkg	8.0.1	EventSource/EventListener logger provider

		implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.configuration.8.0.1.nupkg	8.0.1	Configuration support for Microsoft.Extensions.Logging.
microsoft.extensions.hosting.abstractions.8.0.1.nupkg	8.0.1	Hosting and startup abstractions for applications.
microsoft.extensions.hosting.8.0.1.nupkg	8.0.1	Hosting and startup infrastructures for applications.
microsoft.extensions.dependencymodel.8.0.2.nupkg	8.0.2	<p>Provides abstractions for reading <code>.deps</code> files. When a .NET application is compiled, the SDK generates a JSON manifest file (<code><ApplicationName>.deps.json</code>) that contains information about application dependencies. You can use <code>Microsoft.Extensions.DependencyModel</code> to read information from this manifest at run time. This is useful when you want to dynamically compile code (for example, using Roslyn Emit API) referencing the same dependencies as your main application.</p> <p>By default, the dependency manifest contains information about the application's target framework and runtime dependencies. Set the <code>PreserveCompilationContext</code> project property to <code>true</code> to additionally include information about reference</p>

		assemblies used during compilation.
system.configuration.configurationmanager.8.0.1.nupkg	8.0.1	Provides types that support using XML configuration files (app.config). This package exists only to support migrating existing .NET Framework code that already uses System.Configuration. When writing new code, use another configuration system instead, such as Microsoft.Extensions.Configuration.
system.diagnostics.performancecounter.8.0.1.nupkg	8.0.1	Provides the System.Diagnostics.PerformanceCounter class, which allows access to Windows performance counters. Commonly Used Types: System.Diagnostics.PerformanceCounter
microsoft.extensions.telemetry.abstractions.8.10.0.nupkg	8.10.0	Common abstractions for high-level telemetry primitives.
microsoft.extensions.compliance.abstractions.8.10.0.nupkg	8.10.0	Abstractions to help ensure compliant data management.
microsoft.extensions.dependencyinjection.autoactivation.8.10.0.nupkg	8.10.0	Extensions to auto-activate registered singletons in the dependency injection system.
microsoft.extensions.objectpool.8.0.10.nupkg	8.0.10	A simple object pool implementation. This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/c2a442982e736e17ae6bcadbfd8ccba278ee1be6

microsoft.extensions.http.resilience.8.10.0.nupkg	8.10.0	Resilience mechanisms for HttpClient.
microsoft.extensions.http.diagnostics.8.10.0.nupkg	8.10.0	Telemetry support for HTTP Client.
microsoft.extensions.telemetry.8.10.0.nupkg	8.10.0	Provides canonical implementations of telemetry abstractions.
microsoft.extensions.diagnostics.exceptionsummarization.8.10.0.nupkg	8.10.0	Lets you retrieve exception summary information.
microsoft.extensions.ambientmetadata.application.8.10.0.nupkg	8.10.0	Runtime information provider for application-level ambient metadata.
microsoft.extensions.resilience.8.10.0.nupkg	8.10.0	Extensions to the Polly libraries to enrich telemetry with metadata and exception summaries.
system.memory.data.8.0.1.nupkg	8.0.1	A lightweight abstraction for a payload of bytes. Provides methods for converting between strings, streams, JSON, and bytes. Commonly Used Types: System.BinaryData
system.io.packaging.8.0.1.nupkg	8.0.1	Provides classes that support storage of multiple data objects in a single container.
mono.cecil.0.11.6.nupkg	0.11.6	Cecil is a library written by Jb Evain to generate and inspect programs and libraries in the ECMA CIL format.
tslib-2.8.1.tgz	2.8.1	Runtime library for TypeScript helper functions
spectre.console.0.39.0.nupkg	0.39.0	A library that makes it easier to create beautiful console applications.
Integrationtester.Shared-1.0.0	1.0.0	
skiasharp.2.88.9.nupkg	2.88.9	SkiaSharp is a cross-platform 2D graphics API for

		.NET platforms that can be used across mobile, server and desktop models to render images.
nuget.versioning.6.12.1.nupkg	6.12.1	NuGet's implementation of Semantic Versioning.
nuget.configuration.6.12.1.nupkg	6.12.1	NuGet's configuration settings implementation.
nuget.protocol.6.12.1.nupkg	6.12.1	NuGet's implementation for interacting with feeds. Contains functionality for all feed types.
nuget.packaging.6.12.1.nupkg	6.12.1	NuGet's understanding of packages. Reading nuspec, nupkgs and package signing.
nuget.common.6.12.1.nupkg	6.12.1	Common utilities and interfaces for all NuGet libraries.
nuget.frameworks.6.12.1.nupkg	6.12.1	NuGet's understanding of target frameworks.
microsoft.bcl.hashcode.6.0.0.nupkg	6.0.0	Microsoft.Bcl.HashCode
nuget.dependencyresolver.core.6.12.1.nupkg	6.12.1	NuGet's PackageReference dependency resolver implementation.
nuget.projectmodel.6.12.1.nupkg	6.12.1	NuGet's core types and interfaces for PackageReference-based restore, such as lock files, assets file and internal restore models.
nuget.librarymodel.6.12.1.nupkg	6.12.1	NuGet's types and interfaces for understanding dependencies.
LoginVSI.Core.Logging.Configuration-1.4.1	1.4.1	
nuget.commands.6.12.1.nupkg	6.12.1	Complete commands common to command-line and GUI NuGet clients.
nuget.credentials.6.12.1.nupkg	6.12.1	NuGet client's authentication models.

psl-1.15.0.tgz	1.15.0	Domain name parser based on the Public Suffix List
has-symbols-1.1.0.tgz	1.1.0	Determine if the JS environment has Symbol support. Supports spec, or shams.
gopd-1.2.0.tgz	1.2.0	<code>Object.getPrototypeOf</code> , but accounts for IE's broken implementation.
call-bind-1.0.8.tgz	1.0.8	Robustly <code>.call.bind()</code> a function
es-define-property-1.0.1.tgz	1.0.1	<code>Object.defineProperty</code> , but not IE 8's broken one.
is-regex-1.2.1.tgz	1.2.1	Is this value a JS regex? Works cross-realm/iframe, and despite ES6 <code>@@toStringTag</code>
is-date-object-1.1.0.tgz	1.1.0	Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 <code>@@toStringTag</code> .
is-arguments-1.2.0.tgz	1.2.0	Is this an arguments object? It's a harder question than you think.
dunder-proto-1.0.1.tgz	1.0.1	If available, the <code>Object.prototype.__proto__</code> accessor and mutator, call-bound
math-intrinsics-1.1.0.tgz	1.1.0	ES Math-related intrinsics and helpers, robustly cached.
pdfkit-0.15.3.tgz	0.15.3	A PDF generation library for Node.js
get-proto-1.0.1.tgz	1.0.1	Robustly get the <code>[[Prototype]]</code> of an object
regexp.prototype.flags-1.5.4.tgz	1.5.4	ES6 spec-compliant <code>RegExp.prototype.flags</code> shim.
es-object-atoms-1.1.1.tgz	1.1.1	ES Object-related atoms: <code>Object</code> , <code>ToObject</code> , <code>RequireObjectCoercible</code>

icsharpcode.decompiler.9.0.0.7889.nupkg	9.0.0.7889	ICSharpCode.Decompiler is the decompiler engine used in ILSpy.
system.formats.asn1.8.0.2.nupkg	8.0.2	Provides classes that can read and write the ASN.1 BER, CER, and DER data formats. Commonly Used Types: System.Formats.Asn1.AsnReader System.Formats.Asn1.AsnWriter
microsoft.extensions.logging.abstractions.8.0.3.nupkg	8.0.3	Logging abstractions for Microsoft.Extensions.Logging. Commonly Used Types: Microsoft.Extensions.Logging.ILogger Microsoft.Extensions.Logging.ILoggerFactory Microsoft.Extensions.Logging.ILogger<TCategoryName> Microsoft.Extensions.Logging.LogLevel Microsoft.Extensions.Logging.Logger<T> Microsoft.Extensions.Logging.LogMessage Microsoft.Extensions.Logging.Abstractions.NullLogger
call-bind-apply-helpers-1.0.2.tgz	1.0.2	Helper functions around Function call/apply/bind, for use in `call-bind`
rxjs-7.8.2.tgz	7.8.2	Reactive Extensions for modern JavaScript
get-intrinsic-1.3.0.tgz	1.3.0	Get and robustly cache all JS language-level intrinsics at first require time
call-bound-1.0.4.tgz	1.0.4	Robust call-bound JavaScript intrinsics, using

		`call-bind` and `get-intrinsic`.
flaui.core.5.0.0.nupkg	5.0.0	Library with base elements used in the concrete implementations of FlaUI.
flaui.uia3.5.0.0.nupkg	5.0.0	Library to use FlaUI with UIA3.
sustainsys.saml2.aspnetcore2.2.11.0.nupkg	2.11.0	ASP.NET Core authentication handler for the SAML2 protocol, compatible with Asp.Net Core 2.X and 3.X
sustainsys.saml2.2.11.0.nupkg	2.11.0	SAML2 protocol support. Do not use directly, use the high level package for your platform.
amcharts4-4.10.40.tgz	4.10.40	amCharts 4
flaui.uia2.5.0.0.nupkg	5.0.0	Library to use FlaUI with UIA2.
netescapades.aspnetcore.securityheaders.1.1.0.nupkg	1.1.0	Middleware for ASP.NET Core to automatically add security headers to requests.
zone.js-0.15.1.tgz	0.15.1	Zones for JavaScript
pdfmake-0.2.20.tgz	0.2.20	Client/server side PDF printing in pure JavaScript
microsoft.identitymodel.abstractions.8.12.0.nupkg	8.12.0	A package containing thin abstractions for Microsoft.IdentityModel.
microsoft.identitymodel.logging.8.12.0.nupkg	8.12.0	Includes Event Source based logging support.
microsoft.identitymodel.tokens.8.12.0.nupkg	8.12.0	Includes types that provide support for SecurityTokens, Cryptographic operations: Signing, Verifying Signatures, Encryption.
microsoft.identitymodel.jsonwebtokens.8.12.0.nupkg	8.12.0	Includes types that provide support for creating, serializing and validating JSON Web Tokens. This is a newer, faster version of System.IdentityModel.Token

		ns.Json that has additional functionality.
microsoft.identitymodel.protocols.8.12.0.nupkg	8.12.0	Provides base protocol support for OpenIdConnect and WsFederation.
entities-6.0.1.tgz	6.0.1	Encode & decode XML and HTML entities with ease & speed
microsoft.entityframeworkcore.8.0.17.nupkg	8.0.17	Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change tracking, updates, and schema migrations. EF Core works with SQL Server, Azure SQL Database, SQLite, Azure Cosmos DB, MySQL, PostgreSQL, and other databases through a provider plugin API. Commonly Used Types: Microsoft.EntityFrameworkCore.DbContext Microsoft.EntityFrameworkCore.DbSet
microsoft.entityframeworkcore.relational.8.0.17.nupkg	8.0.17	Shared Entity Framework Core components for relational database providers.
microsoft.entityframeworkcore.abstractions.8.0.17.nupkg	8.0.17	Provides abstractions and attributes that are used to configure Entity Framework Core
microsoft.extensions.httpclient.8.0.17.nupkg	8.0.17	The HttpClient factory is a pattern for configuring and retrieving named HttpClients in a composable way. This package integrates IHttpConnectionFactory with the Polly library, to add transient-fault-handling and

		<p>resiliency through fluent policies such as Retry, Circuit Breaker, Timeout, Bulkhead Isolation, and Fallback.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/fa4d80b76c2431a825be026f6bbabca63e1f42ef</p>
microsoft.net.http.headers.8.0.17.nupkg	8.0.17	<p>HTTP header parser implementations.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/fa4d80b76c2431a825be026f6bbabca63e1f42ef</p>
xmlldoc-2.0.2.tgz	2.0.2	A lightweight XML Document class for JavaScript.
openiddict.validation.systemhttp.7.0.0.nupkg	7.0.0	System.Net.Http integration package for the OpenIddict validation services.
openiddict.validation.7.0.0.nupkg	7.0.0	<p>OpenIddict token validation services.</p> <p>Note: this package only contains the generic/host-agnostic validation components.</p> <p>To use the validation feature on ASP.NET Core or OWIN/Katana, reference the <code>OpenIddict.Validation.AspNetCore</code> or <code>OpenIddict.Validation.Owin</code> package.</p>

openiddict.client.systemnet http.7.0.0.nupkg	7.0.0	System.Net.Http integration package for the OpenIddict client services.
openiddict.server.dataprote ction.7.0.0.nupkg	7.0.0	ASP.NET Core Data Protection integration package for the OpenIddict server services.
openiddict.server.7.0.0.nup kg	7.0.0	OpenIddict authorization server services. Note: this package only contains the generic/host- agnostic server components. To use the server feature on ASP.NET Core or OWIN/Katana, reference the OpenIddict.Server.AspNetC ore or OpenIddict.Server.Owin package.
openiddict.validation.aspne tcore.7.0.0.nupkg	7.0.0	ASP.NET Core integration package for the OpenIddict validation services.
openiddict.client.dataprote ction.7.0.0.nupkg	7.0.0	ASP.NET Core Data Protection integration package for the OpenIddict client services.
openiddict.client.aspnetcor e.7.0.0.nupkg	7.0.0	ASP.NET Core integration package for the OpenIddict client services.
openiddict.validation.datap rotection.7.0.0.nupkg	7.0.0	ASP.NET Core Data Protection integration package for the OpenIddict validation services.
openiddict.core.7.0.0.nupk g	7.0.0	OpenIddict's core components, used to manage the applications, authorizations, scopes and tokens stored in the database.

openiddict.server.aspnetcore.7.0.0.nupkg	7.0.0	ASP.NET Core integration package for the OpenIddict server services.
openiddict.validation.serverintegration.7.0.0.nupkg	7.0.0	Local server integration package for the OpenIddict validation services.
openiddict.abstractions.7.0.0.nupkg	7.0.0	Abstractions and primitives used by the OpenIddict components.
openiddict.client.systemintegration.7.0.0.nupkg	7.0.0	Operating system integration package for the OpenIddict client.
openiddict.client.webintegration.7.0.0.nupkg	7.0.0	OpenIddict client integration package for various Web services.
openiddict.client.7.0.0.nupkg	7.0.0	OpenIddict authorization client services. Note: this package only contains the generic/host-agnostic client components. To use the client feature on ASP.NET Core or OWIN/Katana, reference the OpenIddict.Client.AspNetCore or OpenIddict.Client.Owin package.
parse5-8.0.0.tgz	8.0.0	HTML parser and serializer.
quartz.3.15.0.nupkg	3.15.0	Quartz Scheduling Framework for .NET
quartz.extensions.dependencyinjection.3.15.0.nupkg	3.15.0	Quartz.NET Microsoft.Extensions.DependencyInjection integration; Quartz Scheduling Framework for .NET
amcharts4-geodata-4.1.31.tgz	4.1.31	amCharts 4 Geo Data
quartz.extensions.hosting.3.15.0.nupkg	3.15.0	Quartz.NET Generic Host integration; Quartz

		Scheduling Framework for .NET
microsoft.entityframeworkcore.sqlserver.8.0.19.nupkg	8.0.19	Microsoft SQL Server database provider for Entity Framework Core.
microsoft.data.sqlite.core.8.0.19.nupkg	8.0.19	<p>Microsoft.Data.Sqlite is a lightweight ADO.NET provider for SQLite. This package does not include a copy of the native SQLite library.</p> <p>Commonly Used Types:</p> <ul style="list-style-type: none"> Microsoft.Data.Sqlite.SqliteCommand Microsoft.Data.Sqlite.SqliteConnection Microsoft.Data.Sqlite.SqliteConnectionStringBuilder Microsoft.Data.Sqlite.SqliteDataReader Microsoft.Data.Sqlite.SqliteException Microsoft.Data.Sqlite.SqliteFactory Microsoft.Data.Sqlite.SqliteParameter Microsoft.Data.Sqlite.SqliteTransaction
microsoft.entityframeworkcore.relational.8.0.19.nupkg	8.0.19	Shared Entity Framework Core components for relational database providers.
microsoft.entityframeworkcore.sqlite.core.8.0.19.nupkg	8.0.19	SQLite database provider for Entity Framework Core. This package does not include a copy of the native SQLite library.
microsoft.entityframeworkcore.abstractions.8.0.19.nupkg	8.0.19	Provides abstractions and attributes that are used to configure Entity Framework Core

microsoft.entityframeworkcore.8.0.19.nupkg	8.0.19	<p>Entity Framework Core is a modern object-database mapper for .NET. It supports LINQ queries, change tracking, updates, and schema migrations. EF Core works with SQL Server, Azure SQL Database, SQLite, Azure Cosmos DB, MySQL, PostgreSQL, and other databases through a provider plugin API.</p> <p>Commonly Used Types: Microsoft.EntityFrameworkCore.DbContext Microsoft.EntityFrameworkCore.DbSet</p>
microsoft.entityframeworkcore.design.8.0.19.nupkg	8.0.19	Shared design-time components for Entity Framework Core tools.
microsoft.aspnetcore.mvc.razor.runtimecompilation.8.0.19.nupkg	8.0.19	<p>Runtime compilation support for Razor views and Razor Pages in ASP.NET Core MVC.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
microsoft.aspnetcore.authentication.openidconnect.8.0.19.nupkg	8.0.19	<p>ASP.NET Core middleware that enables an application to support the OpenID Connect authentication workflow.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>

<p>microsoft.aspnetcore.diagnostics.entityframeworkcore.8.0.19.nupkg</p>	<p>8.0.19</p>	<p>ASP.NET Core middleware for Entity Framework Core error pages. Use this middleware to detect and diagnose errors with Entity Framework Core migrations.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
<p>microsoft.aspnetcore.cryptography.internal.8.0.19.nupkg</p>	<p>8.0.19</p>	<p>Infrastructure for ASP.NET Core cryptographic packages. Applications and libraries should not reference this package directly.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
<p>microsoft.extensions.identity.core.8.0.19.nupkg</p>	<p>8.0.19</p>	<p>ASP.NET Core Identity is the membership system for building ASP.NET Core web applications, including membership, login, and user data. ASP.NET Core Identity allows you to add login features to your application and makes it easy to customize data about the logged in user.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>

		5cab9859ceea4c8ebae218522c2c173
microsoft.aspnetcore.cryptography.keyderivation.8.0.19.nupkg	8.0.19	<p>ASP.NET Core utilities for key derivation.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
microsoft.aspnetcore.identity.entityframeworkcore.8.0.19.nupkg	8.0.19	<p>ASP.NET Core Identity provider that uses Entity Framework Core.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
microsoft.extensions.identity.stores.8.0.19.nupkg	8.0.19	<p>ASP.NET Core Identity is the membership system for building ASP.NET Core web applications, including membership, login, and user data. ASP.NET Core Identity allows you to add login features to your application and makes it easy to customize data about the logged in user.</p> <p>This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173</p>
microsoft.extensions.fileproviders.embedded.8.0.19.nupkg	8.0.19	<p>File provider for files in embedded resources for Microsoft.Extensions.FileProviders.</p>

		This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173
microsoft.aspnetcore.identity.ui.8.0.19.nupkg	8.0.19	ASP.NET Core Identity UI is the default Razor Pages built-in UI for the ASP.NET Core Identity framework. This package was built from the source code at https://github.com/dotnet/aspnetcore/tree/277e317dd5cab9859ceea4c8ebae218522c2c173
microsoft.identitymodel.abstractions.8.14.0.nupkg	8.14.0	A package containing thin abstractions for Microsoft.IdentityModel.
microsoft.identitymodel.jsonwebtokens.8.14.0.nupkg	8.14.0	Includes types that provide support for creating, serializing and validating JSON Web Tokens. This is a newer, faster version of System.IdentityModel.Tokens.Jwt that has additional functionality.
microsoft.identitymodel.tokens.8.14.0.nupkg	8.14.0	Includes types that provide support for SecurityTokens, Cryptographic operations: Signing, Verifying Signatures, Encryption.
microsoft.identitymodel.logging.8.14.0.nupkg	8.14.0	Includes Event Source based logging support.
LoginVSI.Core.Logging.Configuration-1.5.0-alpha0004	1.5.0-alpha0004	
openidict.entityframeworkcore.models.7.0.0.nupkg	7.0.0	Relational entities for the OpenIdict Entity Framework Core stores.
openidict.entityframeworkcore.7.0.0.nupkg	7.0.0	Entity Framework Core stores for OpenIdict.

openiddict.quartz.7.0.0.nupkg	7.0.0	Quartz.NET integration package for OpenIddict.
wixtoolset.dtf.windowsinstaller.6.0.2.nupkg	6.0.2	Managed libraries for Windows Installer
newtonsoft.json.13.0.4.nupkg	13.0.4	Json.NET is a popular high-performance JSON framework for .NET
LoginVSI.Core.Logging.Configuration-1.4.2	1.4.2	
microsoft.identity.client.4.78.0.nupkg	4.78.0	<p>This package contains the binaries of the Microsoft Authentication Library for .NET (MSAL.NET).</p> <p>MSAL.NET makes it easy to obtain tokens from the Microsoft identity platform for developers (formerly Azure AD v2.0) signing-in users with work & school accounts, Microsoft personal accounts, and social identities via Azure AD B2C. These tokens provide access to Microsoft Cloud API and any other API secured by the Microsoft identity platform. This version supports adding authentication functionality to your .NET based clients - .NET, .NET Framework, .NET MAUI</p>
microsoft.identity.client.extensions.msal.4.78.0.nupkg	4.78.0	This package contains the public client (desktop) caching to Microsoft Authentication Library for .NET (MSAL.NET)
set-cookie-parser-2.7.2.tgz	2.7.2	Parses set-cookie headers into objects
system.clientmodel.1.8.0.nupkg	1.8.0	Contains building blocks for clients that call cloud services.

sax-1.4.3.tgz	1.4.3	An evented streaming XML parser in JavaScript
azure.core.1.50.0.nupkg	1.50.0	This is the implementation of the Azure Client Pipeline
microsoft.extensions.dependencyinjection.abstractions.10.0.0.nupkg	10.0.0	Abstractions for dependency injection. Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection
microsoft.bcl.asyncinterfaces.10.0.0.nupkg	10.0.0	Provides the IAsyncEnumerable<T> and IAsyncDisposable interfaces and helper types for .NET Standard 2.0. This package is not required starting with .NET Standard 2.1 and .NET Core 3.0.
microsoft.extensions.dependencyinjection.10.0.0.nupkg	10.0.0	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
system.diagnostics.diagnosticsource.10.0.0.nupkg	10.0.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools) Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource
system.io.pipelines.10.0.0.nupkg	10.0.0	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter

		System.IO.Pipelines.PipeReader
microsoft.extensions.primitives.10.0.0.nupkg	10.0.0	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment</p>
microsoft.extensions.caching.memory.10.0.0.nupkg	10.0.0	In-memory cache implementation of Microsoft.Extensions.Caching.Memory.IMemoryCache.
system.text.json.10.0.0.nupkg	10.0.0	<p>Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data.</p> <p>The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.</p>
microsoft.extensions.caching.abstractions.10.0.0.nupkg	10.0.0	Caching abstractions for in-memory cache and distributed cache.

		<p>Commonly Used Types:</p> <p>Microsoft.Extensions.Caching.Distributed.IDistributedCache</p> <p>Microsoft.Extensions.Caching.Memory.IMemoryCache</p>
system.text.encodings.web.10.0.0.nupkg	10.0.0	<p>Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL).</p> <p>Commonly Used Types:</p> <p>System.Text.Encodings.Web.HtmlEncoder</p> <p>System.Text.Encodings.Web.UrlEncoder</p> <p>System.Text.Encodings.Web.JavaScriptEncoder</p>
system.formats.asn1.10.0.0.nupkg	10.0.0	Provides classes that can read and write the ASN.1 BER, CER, and DER data formats.
microsoft.extensions.options.10.0.0.nupkg	10.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.
microsoft.extensions.logging.10.0.0.nupkg	10.0.0	Logging infrastructure default implementation for Microsoft.Extensions.Logging.
microsoft.extensions.logging.abstractions.10.0.0.nupkg	10.0.0	<p>Logging abstractions for Microsoft.Extensions.Logging.</p> <p>Commonly Used Types:</p> <p>Microsoft.Extensions.Logging.ILogger</p> <p>Microsoft.Extensions.Logging.ILoggerFactory</p> <p>Microsoft.Extensions.Logging</p>

		<p>ng.ILogger<TCategoryName></p> <p>Microsoft.Extensions.Logging.LogLevel</p> <p>Microsoft.Extensions.Logging.Logger<T></p> <p>Microsoft.Extensions.Logging.LoggerMessage</p> <p>Microsoft.Extensions.Logging.Abstractions.NullLogger</p>
<p>microsoft.extensions.features.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Provides abstractions for a loosely coupled collection of features.</p> <p>Commonly Used Types:</p> <p>Microsoft.AspNetCore.Http.Features.IFeatureCollection</p> <p>Microsoft.AspNetCore.Http.Features.FeatureCollection</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
<p>microsoft.bcl.timeprovider.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Provides support for system time abstraction primitives for .NET Framework and .NET Standard.</p>
<p>microsoft.aspnetcore.connections.abstractions.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Core components of ASP.NET Core networking protocol stack.</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>

<p>microsoft.aspnetcore.signalr.common.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Common serialization primitives for SignalR Clients Servers</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
<p>microsoft.aspnetcore.signalr.protocols.json.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Implements the SignalR Hub Protocol using System.Text.Json.</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
<p>microsoft.aspnetcore.signalr.client.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
<p>microsoft.aspnetcore.http.connections.client.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Client for ASP.NET Core Connection Handlers</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
<p>microsoft.aspnetcore.signalr.client.core.10.0.0.nupkg</p>	<p>10.0.0</p>	<p>Client for ASP.NET Core SignalR</p> <p>This package was built from the source code at https://github.com/dotnet/dotnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>

		otnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa
microsoft.aspnetcore.http.connections.common.10.0.0.nupkg	10.0.0	<p>Common primitives for ASP.NET Connection Handlers and clients</p> <p>This package was built from the source code at https://github.com/dotnet/otnet/tree/b0f34d51fccc69fd334253924abd8d6853fad7aa</p>
system.threading.channels.10.0.0.nupkg	10.0.0	<p>Provides types for passing data between producers and consumers.</p> <p>Commonly Used Types: System.Threading.Channel System.Threading.Channel<T></p>
system.net.serversentevents.10.0.0.nupkg	10.0.0	<p>Provides a simple parser for server-sent events (SSE).</p> <p>Commonly Used Types: System.Net.ServerSentEvents.SseParser</p>
signalr-10.0.0.tgz	10.0.0	ASP.NET Core SignalR Client
oidc-client-ts-3.4.1.tgz	3.4.1	OpenID Connect (OIDC) & OAuth2 client library
core-js-3.47.0.tgz	3.47.0	Standard library
azure.identity.1.17.1.nupkg	1.17.1	Provides APIs for authenticating to Microsoft Entra ID
wixtoolset.dtf.customaction.6.0.2.nupkg	6.0.2	The WiX Toolset lets developers create managed custom actions for the Windows Installer. This package contains the tools necessary to convert your project into a managed custom action.

microsoft.win32.systemevents.10.0.1.nupkg	10.0.1	Provides access to Windows system event notifications. Commonly Used Types: Microsoft.Win32.SystemEvents
system.drawing.common.10.0.1.nupkg	10.0.1	Provides access to GDI+ graphics functionality. Commonly Used Types: System.Drawing.Bitmap System.Drawing.BitmapData System.Drawing.Brush System.Drawing.Font System.Drawing.Graphics System.Drawing.Icon Since .NET 7, non-Windows platforms are not supported, even with the runtime configuration switch. See https://aka.ms/systemdrawingnonwindows for more information.
spec-1.1.0.tgz	1.1.0	A family of specs for interoperable TypeScript
store-21.0.0.tgz	21.0.0	
storage-plugin-21.0.0.tgz	21.0.0	extendable storage plugin for @ngxs/store
logger-plugin-21.0.0.tgz	21.0.0	logger plugin for @ngxs/store
microsoft.playwright.nunit.1.58.0.nupkg	1.58.0	Playwright enables reliable end-to-end testing for modern web apps. This package brings in additional helpers and fixtures to enable using it within NUnit.

<p>microsoft.playwright.1.58.0.nupkg</p>	<p>1.58.0</p>	<p>Playwright enables reliable end-to-end testing for modern web apps. It is built to enable cross-browser web automation that is ever-green, capable, reliable and fast. Learn more at https://playwright.dev/dotnet/.</p>
<p>microsoft.playwright.testadapter.1.58.0.nupkg</p>	<p>1.58.0</p>	<p>Playwright enables reliable end-to-end testing for modern web apps. This is a utility package used by the Microsoft.Playwright.NUnit and Microsoft.Playwright.MSTest packages.</p>
<p>microsoft.extensions.primitives.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment</p>
<p>microsoft.extensions.configuration.abstractions.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.</p>
<p>system.io.pipelines.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Single producer single consumer byte buffer management.</p> <p>Commonly Used Types:</p>

		<p>System.IO.Pipelines.Pipe</p> <p>System.IO.Pipelines.PipeWriter</p> <p>System.IO.Pipelines.PipeReader</p>
<p>microsoft.extensions.options.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Provides a strongly typed way of specifying and accessing settings using dependency injection.</p>
<p>system.text.json.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data.</p> <p>The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.</p>
<p>microsoft.extensions.dependencyinjection.abstractions.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Abstractions for dependency injection.</p> <p>Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection</p>
<p>system.text.encodings.web.10.0.3.nupkg</p>	<p>10.0.3</p>	<p>Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource</p>

		locators (URL). Commonly Used Types: System.Text.Encodings.Web .HtmlEncoder System.Text.Encodings.Web .UrlEncoder System.Text.Encodings.Web .JavaScriptEncoder
system.security.cryptography.cose.8.0.2.nupkg	8.0.2	Provides support for CBOR Object Signing and Encryption (COSE).
jquery-validation-1.22.1	1.22.1	jQuery Validation Plugin library sources
runtime-7.29.2.tgz	7.29.2	babel's modular runtime helpers
cdk-21.2.3.tgz	21.2.3	Angular Material Component Development Kit
material-21.2.3.tgz	21.2.3	Angular Material
platform-browser-21.2.5.tgz	21.2.5	Angular - library for using Angular in a web browser
platform-browser-dynamic-21.2.5.tgz	21.2.5	Angular - library for using Angular in a web browser with JIT compilation
router-21.2.5.tgz	21.2.5	Angular - the routing library
forms-21.2.5.tgz	21.2.5	Angular - directives and services for creating forms
animations-21.2.5.tgz	21.2.5	Angular - animations integration with web-animations
automapper.15.1.3.nupkg	15.1.3	A convention-based object-object mapper.
lodash-es-4.18.1.tgz	4.18.1	Lodash exported as ES modules.
tmds.dbus.protocol.0.92.0.nupkg	0.92.0	Modern, low-level, high-performance D-Bus library for .NET that is NativeAOT compatible.
microsoft.extensions.configuration.10.0.6.nupkg	10.0.6	Implementation of key-value pair based configuration for Microsoft.Extensions.Confi

		guration. Includes the memory configuration provider.
microsoft.extensions.configuration.fileextensions.10.0.6.nupkg	10.0.6	Provides a base class for file-based configuration providers used with Microsoft.Extensions.Configuration and extension methods for configuring them.
microsoft.extensions.fileproviders.abstractions.10.0.6.nupkg	10.0.6	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
system.security.cryptography.pkcs.10.0.6.nupkg	10.0.6	Provides support for PKCS and CMS algorithms. Commonly Used Types: System.Security.Cryptography.Pkcs.EnvelopedCms
microsoft.extensions.fileproviders.physical.10.0.6.nupkg	10.0.6	File provider for physical files for Microsoft.Extensions.FileProviders.
microsoft.bcl.cryptography.10.0.6.nupkg	10.0.6	Provides support for some cryptographic primitives for .NET Framework and .NET Standard.
microsoft.extensions.filesystemglobbing.10.0.6.nupkg	10.0.6	File system globbing to find files matching a specified pattern.
system.formats.asn1.10.0.6.nupkg	10.0.6	Provides classes that can read and write the ASN.1 BER, CER, and DER data formats.
microsoft.extensions.configuration.binder.10.0.6.nupkg	10.0.6	Provides the functionality to bind an object to data in

		<p>configuration providers for Microsoft.Extensions.Configuration. This package enables you to represent the configuration data as strongly-typed classes defined in the application code. To bind a configuration, use the Microsoft.Extensions.Configuration.ConfigurationBinder.Get extension method on the IConfiguration object. To use this package, you also need to install a package for the configuration provider, for example, Microsoft.Extensions.Configuration.Json for the JSON provider.</p>
<p>microsoft.extensions.primitives.10.0.6.nupkg</p>	<p>10.0.6</p>	<p>Primitives shared by framework extensions. Commonly used types include:</p> <p>Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment</p>
<p>system.security.cryptography.xml.10.0.6.nupkg</p>	<p>10.0.6</p>	<p>Provides classes to support the creation and validation of XML digital signatures. The classes in this namespace implement the World Wide Web Consortium Recommendation, "XML-Signature Syntax and Processing", described at http://www.w3.org/TR/xml</p>

		<p>sig-core/.</p> <p>Commonly Used Types:</p> <p>System.Security.Cryptography.Xml.CipherData</p> <p>System.Security.Cryptography.Xml.CipherReference</p> <p>System.Security.Cryptography.Xml.DataObject</p> <p>System.Security.Cryptography.Xml.DataReference</p> <p>System.Security.Cryptography.Xml.DSAKeyValue</p> <p>System.Security.Cryptography.Xml.EncryptedData</p> <p>System.Security.Cryptography.Xml.EncryptedKey</p> <p>System.Security.Cryptography.Xml.EncryptedReference</p> <p>System.Security.Cryptography.Xml.EncryptedType</p> <p>System.Security.Cryptography.Xml.EncryptedXml</p> <p>System.Security.Cryptography.Xml.EncryptionMethod</p> <p>System.Security.Cryptography.Xml.EncryptionProperty</p> <p>System.Security.Cryptography.Xml.EncryptionPropertyCollection</p> <p>System.Security.Cryptography.Xml.KeyInfo</p> <p>System.Security.Cryptography.Xml.KeyInfoClause</p> <p>System.Security.Cryptography.Xml.KeyInfoEncryptedKey</p> <p>System.Security.Cryptography.Xml.KeyInfoName</p> <p>System.Security.Cryptography.Xml.KeyInfoNode</p> <p>System.Security.Cryptography.Xml.KeyInfoRetrievalMethod</p>
--	--	--

		<p>System.Security.Cryptography.Xml.KeyInfoX509Data</p> <p>System.Security.Cryptography.Xml.KeyReference</p> <p>System.Security.Cryptography.Xml.Reference</p> <p>System.Security.Cryptography.Xml.ReferenceList</p> <p>System.Security.Cryptography.Xml.RSAKeyValue</p> <p>System.Security.Cryptography.Xml.Signature</p> <p>System.Security.Cryptography.Xml.SignedInfo</p> <p>System.Security.Cryptography.Xml.SignedXml</p> <p>System.Security.Cryptography.Xml.Transform</p> <p>System.Security.Cryptography.Xml.TransformChain</p> <p>System.Security.Cryptography.Xml.XmlDecryptionTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigBase64Transform</p> <p>System.Security.Cryptography.Xml.XmlDsigC14NTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigC14NWithCommentsTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigEnvelopedSignatureTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigExcC14NTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigExcC14NWithCommentsTransform</p> <p>System.Security.Cryptography.Xml.XmlDsigXPathTransform</p>
--	--	---

		System.Security.Cryptography.Xml.XmlDsigXsltTransform System.Security.Cryptography.Xml.XmlLicenseTransform
microsoft.extensions.configuration.abstractions.10.0.6.nupkg	10.0.6	Provides abstractions of key-value pair based configuration. Interfaces defined in this package are implemented by classes in Microsoft.Extensions.Configuration and other configuration packages.
microsoft.extensions.configuration.xml.10.0.6.nupkg	10.0.6	XML configuration provider implementation for Microsoft.Extensions.Configuration. This package enables you to read configuration parameters from XML files. You can use XmlConfigurationExtensions.AddXmlFile extension method on IConfigurationBuilder to add XML configuration provider to the configuration builder.
automapper.extensions.enummapping.5.0.0.nupkg	5.0.0	Convention-based enum value mapping extension for AutoMapper.
microsoft.codeanalysis.elfile.1.0.0.nupkg	1.0.0	An extensible library for fast indexing of code artifacts.
ws-7.5.11.tgz	7.5.11	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js
js-cookie-3.0.8.tgz	3.0.8	A simple, lightweight JavaScript API for handling cookies
messagepackanalyzer.3.1.7.nupkg	3.1.7	Analyzers and source generator for MessagePack for C#. Verify rules for

		[MessagePackObject] and code fix for [Key]. A roslyn source generator for AOT or faster startup of applications that use the MessagePack nuget package.
messagepack.annotations.3.1.7.nupkg	3.1.7	Attributes and interfaces for .NET types serializable with MessagePack.
messagepack.3.1.7.nupkg	3.1.7	Extremely Fast MessagePack(MsgPack) Serializer for C# (.NET Framework, .NET 6, Unity, Xamarin).
compiler-21.2.17.tgz	21.2.17	Angular - the compiler library
common-21.2.17.tgz	21.2.17	Angular - commonly needed directives and services
core-21.2.17.tgz	21.2.17	Angular - the core framework
C:\agents\1_work\4\s\ExternalApplications\ScriptEditor\src\ScriptAnalyzer\ScriptAnalyzer\ScriptAnalyzer.csproj-1.0.0	1.0.0	